70 YEARS 1947-2017

STEINER

Nothing Escapes You

2017

HUNTING

HIKING

OUTDOOR

BIRDING

NAUTICAL

TACTICAL

DEFENSE

RIFLESCOPES

STEINER RIFLESCOPES

Nighthunter Xtreme Series	6
GS3 Series	8
M5Xi Series	10
T5Xi Series	12
P4Xi Series	14
T-Series Rings	15
R1X	16
Battlesights	18
MRS Sight	19
ICS Sight	20

STEINER
Nothing Escapes You

RIFLESCOPE TECHNOLOGY

For over 65 years, Steiner-Optik in Bayreuth, Germany has set the bar in premium long-range optics. Over 460 exacting steps ensure rigorous quality throughout design and manufacture. Relentless innovation creates technologies like the N_2 Injection™ System, Steiner Nano-Protection®, and Diamond Night™ Lens Coatings. Constant user feedback keeps performance state-of-the-art. No optic will serve you better.

5X ZOOM SYSTEM

The popular 5x zoom system provides maximum range at the high end, wider field of view at the low end, and eliminates any tunneling effect to deliver the best image possible to your eye.

PROPRIETARY LENS COATINGS

Steiner industry-leading advanced lens coatings, applied to every air/glass surface, have evolved to enhance light so your eyes perceive more contrast and brighter detail, even in the lowest light conditions.

The variety of lens coatings, such as Steiner Nano-Protection™, Diamond Night™, and CAT™ Color Adjusted Transmission, add strength, protection, and clarity to your Steiner riflescope. They improve your ability to spot targets, extend your daylight shooting time by enhancing low-light conditions, and extend the life of your riflescope by preventing damage to your lenses.

PRECISION RETICLES

Steiner offers a wide variety of reticles perfectly suited to your hunting, competitive, or tactical shooting adventures. From clean, simple designs for fast-action target shooting, to detailed, precision reticles for long-range shooting, you'll experience premium accuracy with Steiner reticles.

Many Steiner riflescopes offer illuminated reticles. TheNighthunter Xtreme product line features Steiner Smart Illumination™ with variable illumination and memory recall of the last setting, plus a battery saving auto-shut-off. The T5Xi and M5Xi tactical riflescopes each offer 11 illumination settings with levels for both night and daylight conditions. A convenient "off" position between each setting completely disconnects the battery to prevent battery drain.



Horus H59 Reticle Subtensions



SCR Reticle

PRECISE ADJUSTMENT SYSTEMS

Pinpoint accuracy is easily achieved with Steiner windage and elevation adjustment systems. Adjustment clicks are firm and audible. Tactical riflescopes have large, oversized knobs with easy-to-grip designs that allow for positive, non-slip adjustments.

RUGGED CONSTRUCTION

Steiner scope tubes are milled from solid, high-grade aluminum stock so there are no welds or seams, for greater strength and durability. Hunting riflescopes feature 30 mm tubes, while the high-magnification tactical riflescopes boast oversized 34 mm tubes that provide greater elevation and windage adjustment at longer ranges.

FOGPROOF & WATERPROOF

For absolute fogproof and waterproof protection, Steiner seals 14-psi pressurized dry nitrogen into its optics, for premium clarity in any condition. Steiner's proprietary N_2 Injection™ System pressurizes optics with nitrogen and trace helium. If seals are not absolutely tight, hyperbaric testing reveals escaped helium molecules, the optics are disassembled, and the process is repeated. Fail-safe testing with medical-grade tools ensures absolute quality, positive internal pressure, and zero fogging and water intrusion despite drastic changes, severe conditions, and lifetimes of use.

BUILT FOR ABUSE

Durability is put to the test to ensure all Steiner riflescopes are fully shockproof to withstand endless abuse from high-powered calibers. Scopes are impact tested on all optical and electronic components, and can withstand up to 900 Gs of impact, well beyond the force delivered by popular magnum cartridges.

NIGHTHUNTER XTREME SERIES

THE ONLY GAME IN TOWN FOR ANY GAME YOU'RE AFTER.

THE ULTIMATE IN PREMIUM ENGINEERING, CRAFTED FOR HARDCORE HUNTERS SEEKING SMALL, BIG OR DANGEROUS GAME WHEREVER IT'S FOUND.

NIGHTHUNTER XTREME OVERALL FEATURES

- DIAMOND NIGHT™ LENS COATING
- STEINER SMART ILLUMINATION™
- STEINER NANO-PROTECTION®
- RUBBER ARMORING
- WATERPROOF
- 4A-I RETICLE

Oversized objective for high light transmission and exceptional clarity in low light. Side parallax adjustment increases sharpness and eliminates sighting error.

NIGHTHUNTER XTREME 3-15X56

TUBE DIAMETER 30 mm I LENGTH 14.2 in. I WEIGHT 27.2 oz.
ITEM NO. 6356 | UPC 000381863560

Offers a large field of view at 2x, plus high-end power for longer shots. Ideal for treestand or spot-and-stalk hunting.

NIGHTHUNTER XTREME 2-10X50

TUBE DIAMETER 30 MM I LENGTH 13.8 IN. I WEIGHT 25.2 OZ.
ITEM NO. 6250 | UPC 000381862501

Gathers maximum light at the low setting, provides greater detail at the high end.

NIGHTHUNTER XTREME 1.6-8X42

TUBE DIAMETER 30 MM I LENGTH 13 IN. I WEIGHT 24 OZ.
ITEM NO. 6142 | UPC 000381861429

The ultimate dangerous game scope, with true eyes-open 1x magnification for quick, accurate close-range shots.

NIGHTHUNTER XTREME 1-5X24

TUBE DIAMETER 30 MM I LENGTH 11.5 IN. I WEIGHT 20.4 OZ.
ITEM NO. 6124 | UPC 000381861245



4Ai Reticle
Features three posts and an illuminated center red dot for quick, uncluttered target acquistion.

Diamond Night™ Lens Coating
proprietary formula delivers the industry's best light transmission (94% +), for superior clarity and contrast at dusk and dawn and extra minutes of prime hunting time.

Steiner Smart Illumination™
provides variable illuminated red dot with memory recall of the last setting, plus battery-saving auto-shut-off.

SPECIFICATIONS

NIGHTHUNTER XTREME

	1-5x24	1.6-8x42	2-10x50	3-15x56
ITEM NUMBER	6124	6142	6250	6356
MAGNIFICATION	1-5x	1.6-8x	2-10x	3-15x
OBJECTIVE LENS DIA.	24 mm	42 mm	50 mm	56 mm
TUBE DIAMETER	30 mm	30 mm	30 mm	30 mm
FOCAL PLANE	2nd	2nd	2nd	2nd
FIELD OF VIEW @ 100 YD. (FT.) LOW/HIGH	108 - 21.5	65 - 13.3	52 - 10.5	36 - 7.5
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM)	11.5 - 4.8	10.4 - 3.7	11.6 - 5	10.4 - 3.7
LENGTH (IN.)	11.5	13	13.8	14.2
WEIGHT (OZ.)	20.4	24	25.2	27.2
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	4Ai Illuminated	4Ai Illuminated	4Ai Illuminated	4Ai Illuminated
ILLUMINATION CONTROL	Variable / Tilt Sensor/ Auto Off	Variable / Tilt Sensor/ Auto Off	Variable / Tilt Sensor/ Auto Off	Variable / Tilt Sensor/ Auto Off
WINDAGE/ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1 cm	1 cm	1 cm	1 cm
WINDAGE RANGE @ 100 M	320 cm (32 mils)	80 cm (8 mils)	80 cm (8 mils)	80 cm (8 mils)
ELEVATION RANGE @ 100 M	320 cm (32 mils)	150 cm (15 mils)	150 cm (15 mils)	150 cm (15 mils)
PARALLAX/FOCUS	Fixed	Fixed	Fixed	Side Focus
PARALLAX/FOCUS RANGE	328 ft.	328 ft.	328 ft.	164 ft. to Infinity
RUBBER ARMORING	-	-	-	-
NITROGEN FILLED	Yes	Yes	Yes	Yes
OPERATING TEMPERATURE RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
WATERPROOF/FOGPROOF	Submersible to 6 ft.	Submersible to 6 ft.	Submersible to 6 ft.	Submersible to 6 ft.
BATTERY	CR2023	CR2023	CR2023	CR2023
SPECIAL FEATURES	Diamond Night™ Lens Coating, Nano Protection®, Neoprene Cover and Spare Battery	Diamond Night™ Lens Coating, Nano Protection®, Neoprene Cover and Spare Battery	Diamond Night™ Lens Coating, Nano Protection®, Neoprene Cover and Spare Battery	Diamond Night™ Lens Coating, Nano Protection®, Neoprene Cover and Spare Battery
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$2,587.99	$2,759.99	$3,104.99	$3,219.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

GS3 SERIES

DEADLIER VISION THAN HUMANLY POSSIBLE.

GERMAN ENGINEERED, AMERICAN MADE 5X VERSATILITY FOR VIRTUALLY ANY RIFLE, PLUS CAT™ COLOR ADJUSTED TRANSMISSION COATINGS TO PICK OUT PREY FROM ANY ENVIRONMENT.

GS3 SERIES OVERALL FEATURES

- 5X ZOOM RANGE
- CAT™ COLOR ADJUSTED TRANSMISSION
- STEINER NANO-PROTECTION®
- FOGPROOF & WATERPROOF
- SHOCKPROOF

Versatile enough for big game, prairie dogs or varmints.

GS3 4-20X50

ITEM NO. 5007 (PLEX S7) UPC 000381850072 | ITEM NO. 5008 (PLEX S1) UPC 000381850089 | ITEM NO. 5012 (4A) UPC 000382650121

Gives varmint and hog hunters sharp images at night and in dim light.

GS3 3-15X56

ITEM NO. 5006 (PLEX S1) UPC 000381850065
ITEM NO. 5011 (4A) UPC 000382550117

For low-light performance that mounts on most rifles without extra-high rings.

GS3 3-15X50

ITEM NO. 5005 (PLEX S1) UPC 000381850058
ITEM NO. 5010 (4A) UPC 000382450103

Offers a wide field of view, making it easier to find your target.

GS3 2-10X42

ITEM NO. 5004 (PLEX S1) UPC 000381850041
ITEM NO. 5009 (4A) UPC 000382350090



PLEX S1 Reticle



PLEX S7 Reticle



4A Reticle

SPECIFICATIONS

GS3

	2-10x42	3-15x50	3-15x56	4-20x50	4-20x50
ITEM NUMBER	5004 / 5009	5005 / 5010	5006 / 5011	5007 / 5008	5012
MAGNIFICATION	2-10x	3-15x	3-15x	4-20x	4-20x
OBJECTIVE LENS DIA.	42 mm	50 mm	56 mm	50 mm	50 mm
TUBE DIAMETER	30 mm	30 mm	30 mm	30 mm	30 mm
FOCAL PLANE	2nd	2nd	2nd	2nd	2nd
FIELD OF VIEW @ 100 YD. (FT.) LOW/HIGH	52 - 10.5	36 - 7.5	36 - 7.5	25.8 - 5.5	25.8 - 5.5
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM)	12 - 4.2	11 - 3.5	11 - 3.5	11 - 2.5	11 - 2.5
LENGTH (IN.)	13.5	14.1	14.1	14.9	14.9
WEIGHT (OZ.)	18	24	25.1	28.2	28.2
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	Plex S1 / 4A	Plex S1 / 4A	Plex S1 / 4A	Plex S1 / Plex S7	4A
ILLUMINATION CONTROL	-	-	-	-	-
WINDAGE/ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA
WINDAGE RANGE @ 100 M	70 MOA	70 MOA	70 MOA	48 MOA	48 MOA
ELEVATION RANGE @ 100 M	70 MOA	70 MOA	70 MOA	64 MOA	64 MOA
PARALLAX/FOCUS	Fixed	Fixed	Fixed	Side Focus	Side Focus
PARALLAX/FOCUS RANGE	328 ft.	328 ft.	328 ft.	164 ft. to Infinity	164 ft. to Infinity
RUBBER ARMORING	-	-	-	-	-
NITROGEN FILLED	Yes	Yes	Yes	Yes	Yes
OPERATING TEMPERATURE RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
WATERPROOF/FOGPROOF	Yes	Yes	Yes	Yes	Yes
BATTERY	-	-	-	-	-
SPECIAL FEATURES	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$1,100.00/$1,110.00	$1,254.00	$1,254.00	$1,390.00	$1,390.00

HERITAGE WARRANTY GENERATION TO GENERATION

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

MADE IN USA

STEINER
Nothing Escapes You

M5Xi SERIES

GunDigest
2015 RIFLESCOPE OF THE YEAR

BUILT IN GERMANY. DESIGNED FOR THE WORLD.

THE GERMAN-MADE M5Xi SERIES FEATURES WORLD-CLASS ENGINEERING AND OPTICAL SYSTEMS, BUILT TO STRICT MILITARY SPECIFICATIONS AND PRECISELY CRAFTED FOR VICTORY – ON THE BATTLEFIELD, OR IN COMPETITION.

M5Xi SERIES OVERALL FEATURES

- MIL-SPEC
- 5X ZOOM RANGE
- BROADBAND ANTI-REFLECTION COATINGS
- OPTIMIZED EXTERIOR DESIGN
- PRECISE WINDAGE/ELEVATION ADJUSTMENT
- ILLUMINATED RETICLE
- FOGPROOF & WATERPROOF DOWN TO 33 FT.
- SHOCKPROOF

HERITAGE WARRANTY
GENERATION TO GENERATION

M5Xi 5-25X56

The premier Steiner long-range scope with 34 mm tube, true 25x magnification, etched glass reticle, and DuoScale™ elevation with second-rotation scale that's hidden when inactive.

TUBE DIAMETER 34 MM I LENGTH 16.6 IN. I BATTERY CR2450
ITEM NO. 5525 (G2B MIL-DOT) I UPC 000381855251
ITEM NO. 5550 (MSR) I UPC 000381855503
ITEM NO. 8704 (HORUS® H59®) | UPC 840229101580
ITEM NO. 8704-T3 (HORUS TREMOR® 3) | UPC 840229101962

M5Xi 3-15X50

Medium-range scope with 34 mm tube, etched glass reticle, and patented DuoScale™ elevation adjustment with a second-rotation scale that's hidden when inactive.

TUBE DIAMETER 34 MM I LENGTH 14.2 IN. I BATTERY CR2450
ITEM NO. 5572 (G2B MIL-DOT) I UPC 000381855725
ITEM NO. 5573 (MSR) | UPC 000381855732
ITEM NO. 8707-H59 (HORUS® H59®) | UPC 840229101887
ITEM NO. 8707-T2 (HORUS TREMOR® 2) | UPC 840229101894
ITEM NO. 8707-T3 (HORUS TREMOR® 2) | UPC 840229101900

M5Xi 1-5X24

Close-combat scope with 30 mm tube, Rapid Dot Reticle calibrated in 5.56 or 7.62, true 1x eyes-open capability for situational awareness, and 5x power to engage distant targets.

TUBE DIAMETER 30 MM I LENGTH 11.6 IN. I BATTERY CR2450
ITEM NO. 5571 (RAPID DOT 5.56) | UPC 000381855718
ITEM NO. 5570 (RAPID DOT 7.62) | UPC 000381855701



MSR Reticle



Horus® H59® Reticle



HORUS Tremor® 3 Reticle



Rapid Dot Reticle



G2B Mil-Dot Reticle

SPECIFICATIONS

	M5Xi							
	1-5x24	**1-5x24**	**3-15x50**	**3-15x50**	**3-15x50**	**5-25x56**	**5-25x56**	**5-25x56**
ITEM NUMBER	5570	5571	8707-H59 / 8707-T3	5572	5573	5525	5550	8704 / 8704-T3
MAGNIFICATION	1-5x	1-5x	3-15x	3-15x	3-15x	5-25x	5-25x	5-25x
OBJECTIVE LENS DIA.(MM)	24	24	50	50	50	56	56	56
TUBE DIAMETER	30mm	30mm	34mm	34mm	34mm	34mm	34mm	34mm
FOCAL PLANE	2nd	2nd	1st	1st	1st	1st	1st	1st
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	118.1 - 23.7	118.1 - 23.7	39.7 - 7.9	39.7 - 7.9	39.7 - 7.9	23.6 - 4.6	23.6 - 4.6	23.6 - 4.6
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM) LOW/HIGH	11.5 - 7.2	11.5 - 7.2	10.4 - 3.3	10.4 - 3.3	10.4 - 3.3	9.8 - 2.2	9.8 - 2.2	9.8 - 2.2
LENGTH (IN.)	11.6	11.6	14.2	14.2	14.2	16.6	16.6	16.6
WEIGHT (OZ.)	21.2	21.2	32.5	32.5	32.5	36.3	36.3	36.3
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	Rapid Dot 7.62	Rapid Dot 5.56	Horus® H59® / Horus Tremor® 2 / Horus Tremor® 3	G2B Mil-Dot	MSR	G2B Mil-Dot	MSR	Horus® H59® / Horus Tremor® 3
ILLUMINATION CONTROL	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops
ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero
WINDAGE/ ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)
WINDAGE RANGE @ 100 M	160 cm (16 mils)	160 cm (16 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)
ELEVATION RANGE @ 100 M	320 cm (32 mils)	320 cm (32 mils)	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)
PARALLAX/FOCUS	Fixed	Fixed	Side Focus	Side Focus	Side Focus	Side Focus	Side Focus	Side Focus
PARALLAX/ FOCUS RANGE	328 ft.	328 ft.	164 ft. to Infinity	164 ft. to Infinity	164 ft. to Infinity	164 ft. to Infinity	164 ft. to Infinity	164 ft. to Infinity
NITROGEN FILLED	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
OPERATING TEMP. RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
LENS CAPS	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
WATERPROOF/ FOGPROOF	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.
BATTERY	CR2450	CR2450	CR2450	CR2450	CR2450	CR2450	CR2450	CR2450
SPECIAL FEATURES	Resettable Turrets, Zero Stop	Resettable Turrets, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$2,989.99	$2,989.99	$3,794.99	$3,330.99	$3,445.99	$3,620.99	$3,737.99	$4,312.99

T5Xi SERIES

GERMAN PRECISION. AMERICAN PRIDE.

THE T5XI SERIES RIFLESCOPES – THREE MODELS OFFER THE ULTIMATE IN PRECISION, RUGGEDNESS AND VERSATILITY.

T5Xi-SERIES OVERALL FEATURES

- **5X ZOOM RANGE**
- **LOW-PROFILE NEVER-LOST™ TURRETS**
- **SECOND ROTATION INDICATOR**
- **ILLUMINATION - 4 NIGHT / 7 DAY LEVELS**
- **WATERPROOF/ FOGPROOF/ SHOCKPROOF**

T5Xi 5-25X56

Long-range scope with 34 mm tube, illuminated etched glass, front focal plane SCR reticle, low profile, resettable turrets and locking diopter ring.

TUBE DIAMETER 34 MM I LENGTH 16.6 IN. I BATTERY CR2450
ITEM NO. 5122 (SCR) | UPC 000381851222

T5Xi 3-15X56

Medium-range scope with 34 mm tube, illuminated etched glass, front focal plane Special Competition Reticle (SCR™), Second Rotation Indicator that shows each mil of elevation through the indication window on the elevation turret.

TUBE DIAMETER 34 MM I LENGTH 13.1 IN. I BATTERY CR2450
ITEM NO. 5112 (SCR) | UPC 000381851123
ITEM NO. 5115 (HORUS® H59®) | UPC 000382951150

T5Xi 1-5X24

Close-combat scope with 30 mm tube, 3-Gun Tactical Reticle™ calibrated in 5.56 or 7.62, true 1x eyes-open capability for situational awareness and 5x power to engage distant targets.

TUBE DIAMETER 30 MM I LENGTH 11.3 IN. I BATTERY CR2450
ITEM NO. 5101 (3TR 5.56) | UPC 000381851017
ITEM NO. 5102 (3TR 7.62) | UPC 000381851024

HERITAGE WARRANTY GENERATION TO GENERATION



3TR™ Reticle
(5.56 OR 7.62)



SCR™ Reticle



HORUS® H59® Reticle

SPECIFICATIONS

T5Xi

	1-5x24	1-5x24	3-15x50	5-25x56
ITEM NUMBER	5101	5102	5112 / 5115	5122
MAGNIFICATION	1-5x	1-5x	3-15x	5-25x
OBJECTIVE LENS DIA.(MM)	24	24	50	56
TUBE DIAMETER (MM)	30	30	34	34
FOCAL PLANE	2nd	2nd	1st	1st
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	108 - 21	108 - 21	36 - 7.3	21.5 - 4.3
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM) LOW/HIGH	11 - 4.8	11 - 4.8	12 - 3.4	11.2 - 2.3
LENGTH (IN.)	11.3	11.3	13.1	16.6
WEIGHT (OZ.)	19.4	19.4	29.8	33
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	3TR™ 5.56	3TR™ 7.62	SCR™ / Horus® H59®	SCR™
ILLUMINATION CONTROL	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels
ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)
WINDAGE RANGE @ 100 M	300 cm (30 mils)	300 cm (30 mils)	150 cm (15 mils)	150 cm (15 mils)
ELEVATION RANGE @ 100 M	300 cm (30 mils)	300 cm (30 mils)	340 cm (34 mils)	260 cm (26 mils)
PARALLAX/FOCUS	Fixed	Fixed	Side Focus	Side Focus
PARALLAX/FOCUS RANGE	100 yd.	100 yd.	25 yd. to Infinity	50 yd. to Infinity
NITROGEN FILLED	Yes	Yes	Yes	Yes
OPERATING TEMP. RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
LENS CAPS	Yes	Yes	Yes	Yes
WATERPROOF/FOGPROOF	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.
BATTERY	CR2450	CR2450	CR2450	CR2450
SPECIAL FEATURES	Locking Diopter	Locking Diopter	Resettable Turrets, Second Rotation Indicator, Locking Diopter	Resettable Turrets, Second Rotation Indicator, Locking Diopter
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$1,770.00	$1,770.00	$2,275.00 / $3,615.99	$2,530.00

HERITAGE WARRANTY GENERATION TO GENERATION

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

MADE IN USA

STEINER
Nothing Escapes You

P4Xi SERIES

GIVE YOURSELF THE CLEAR ADVANTAGE.

DESIGNED FOR PATROL AND TACTICAL OPERATIONS, THE RUGGED P4XI SCOPES OFFER CLEAR IMAGES AND A FAST-ACTION RETICLE TO TACKLE EVERY DAY USE OR SUDDEN ACTION.

P4Xi-SERIES OVERALL FEATURES

- **COMPACT & LIGHTWEIGHT DESIGN**
- **HIGH CONTRAST OPTICS**
- **WIDE FIELD OF VIEW**
- **P3TR ILLUMINATED RETICLE**

P4Xi 1-4X24

Close-combat scope with 30 mm tube, generous field-of-view and new P3TR illuminated reticle for fast target acquisition.

ITEM NO. 5201 | UPC 000382152014
NEW ITEM NO. 5202 (LE) | UPC 000382152014

MADE IN USA



P3TR™ Reticle

T-SERIES RINGS

SPECIFICATIONS

	P4XI 1-4x24
ITEM NUMBER	5201, 5202*
MAGNIFICATION	1-4x
OBJECTIVE LENS DIA. (MM)	24
TUBE DIAMETER (MM)	30
FOCAL PLANE	2nd
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	121 - 30
EYE RELIEF (IN.) LOW/HIGH	3.5 -4.0
EXIT PUPIL (MM) LOW/HIGH	12.0 - 6.0
LENGTH (IN.)	10.3
WEIGHT (OZ.)	17.3
DIOPTER ADJUSTMENT RANGE	+2 to -3
RETICLE	P3TR™
ILLUMINATION CONTROL	Rotary Dial
ELEVATION ADJUSTMENT KNOB	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	.5 MOA
WINDAGE RANGE @ 100 M	100 MOA
ELEVATION RANGE @ 100 M	100 MOA
PARALLAX/FOCUS	Fixed
PARALLAX/FOCUS RANGE	100 yd.
NITROGEN FILLED	No
OPERATING TEMP. RANGE	-25° F to +65° F
LENS CAPS	No
WATERPROOF/FOGPROOF	Submersible to 33 Ft
BATTERY	CR2032
SPECIAL FEATURES	-
WARRANTY	Heritage™ Warranty
MSRP PRICE	$666.99

*LE Sales only. Includes throw lever.

MADE IN USA

T-SERIES RINGS

Steiner T-Series Rings offer the perfect riflescope mounting solution for precision shooting.

ITEM NO. 5960 - 30MM LOW | UPC 000381859605
ITEM NO. 5961 - 30MM MEDIUM | UPC 000381859616
ITEM NO. 5962 - 30MM HIGH | UPC 000381859627
ITEM NO. 5963 - 30MM EXTRA HIGH | UPC 000381859638
ITEM NO. 5964 - 34MM LOW | UPC 000381859649
ITEM NO. 5965 - 30MM MEDIUM | UPC 000381859650
ITEM NO. 5966 - 30MM HIGH | UPC 000381959661
ITEM NO. 5967 - 30MM EXTRA HIGH | UPC 000382059672

SPECIFICATIONS

T-Series Rings

	5960	5961	5962	5963	5964	5965	5966	5967
SIZE	30mm	30mm	30mm	30mm	34mm	34mm	34mm	34mm
HEIGHT	Low	Medium	High	Extra High	Low	Medium	High	Extra High
ACTUAL HEIGHT	.885"	1.0"	1.25"	1.35"	.885"	1.0"	1.25"	1.25"
MSRP PRICE	$229.99	$229.99	$229.99	$229.99	$229.99	$229.99	$229.99	$229.99



All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

HERITAGE WARRANTY GENERATION TO GENERATION

STEINER
Nothing Escapes You

R1X NEW
R1X-L NEW

SPEED, ACCURACY AND AWARENESS ALL IN ONE.

FASTER TARGETING, WIDER FIELD OF VIEW, AND A FULLER TACTICAL PICTURE THAN STANDARD IRON SIGHTS, R1X OPTICS LET YOU ENGAGE A THREAT WHILE STAYING AWARE OF EVERYONE AND EVERYTHING AROUND YOU.

R1X OVERALL FEATURES

- 1X MAGNIFICATION
- CHOICE OF RETICLES: SINGLE DOT /3-DOT STADIA
- LOW PROFILE FOR CO-WITNESS CAPABILITY
- 7 LEVELS OF ILLUMINATION:
  - 2 NIGHT VISION
  - 5 DAYLIGHT
- AVAILABLE WITH STANDARD AND QUICK DETACH MOUNTS
- PARALLAX FREE
- WATERPROOF / FOGPROOF / SHOCKPROOF

R1X

Steiner's R1X reflex red dot sight was designed and engineered for use on patrol rifles and AR platforms. The R1X reduces the "tunnel vision" of hard-focus iron sights for quicker target acquisition, enhanced accuracy and greater situational awareness. Lightweight and compact, it is easy to mount, simple to use, invaluable in the field.

HEIGHT 2 IN. | LENGTH 3.1 IN. | WEIGHT 19.4 OZ.
BATTERY CR 2032 / CR 123 A
ITEM NO. 8501 | UPC 000381885012
ITEM NO. 8502 (QD MOUNT) | UPC 000381885029

R1X-L

The speed and versatility of the R1X, augmented with side-mounted laser for spot-on accuracy. Variable illumination, reticles for close-quarter and long-range shooting, true 1X lens, and aiming-laser confidence increase your effective capability when duty calls. Even if batteries fail, co-witness design lets you shoot accurately.

HEIGHT 2 IN. | LENGTH 3.1 IN. | WEIGHT 29.8 OZ.
BATTERY CR 2032 / CR 123 A
ITEM NO. 8511 | UPC 00038188511
ITEM NO. 8512 (QD MOUNT) | UPC 000381885128

MADE IN USA

Low-profile Windage and Elevation Adjustments that are fully adjustable for windage and elevation. Click adjustment is 1/4 MOA @ 100 yards.

Easy Battery Access to battery compartment. Sight does not have to be removed to change batteries.



Illumination Controls are 3 buttons on the left side. The center is the Selection button. Hold this down for 3 seconds to activate the red dot. Once visible, the other two buttons adjust the illumination levels. Two night vision settings and 5

SPECIFICATIONS

	R1X	R1X-L
ITEM NUMBER	8501, 8502*	8511, 8512*
MAGNIFICATION	1x	1x
WINDOW SIZE (H/W IN.)	24.5 (32 mm)	24.5 (32 mm)
LENGTH (IN.)	3.1 (79 mm)	3.1 (79 mm)
WEIGHT (OZ.)	19.4 (550 grams)	29.8 (845 mm)
HEIGHT (IN.)	2 (50 mm)	2 (50 mm)
RETICLE	Single Dot Dot & Stadia	Single Dot Dot & Stadia
ILLUMINATION	7 Levels 2 Night Vision 5 Daylight	7 Levels 2 Night Vision 5 Daylight
WINDAGE/ELEVATION CLICK VALUE	1/4 MOA Red Dot 1/4 MOA Laser	1/4 MOA Red Dot 1/4 MOA Laser
TOTAL WINDAGE RANGE	25 MOA	25 MOA
TOTAL ELEVATION RANGE	25 MOA	25 MOA
OPERATING TEMPERATURE	-40˚ / +65˚	-40˚ / +65˚
WATERPROOF/FOGPROOF	Yes	
BATTERY	CR 2032 / CR 123A	CR 2032 / CR 123A
SPECIAL FEATURES	Choice of Reticles, 7 levels of Illumination, Parallax Free	Variable illumination, reticles, true 1X lens
WARRANTY	Heritage Warranty	Heritage Warranty
MSRP PRICE	$630.99 / $688.99*	$869.99 / $918.99*

*QD Mount

RETICLE SELECTION

The Selection button can also be used to switch between a single red dot or a 3-dot stadia reticle. The center dot represents a 50-meter sight in and the three stadia dots are calibrated for ranges of 10, 7 and 5 meters.

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

BATTLE SIGHTS

PROVEN IN COMBAT. IMPROVED BY STEINER.

SUPERIOR CLARITY, RELIABILITY, AND QUICK-POINTING ACCURACY MAKE THESE SIGHTS FAIL-SAFE TOOLS FOR CLOSE- TO MEDIUM-RANGE ENCOUNTERS.

M536 PRISM SIGHT

Close- to medium-range tactical sight with multi-coated 36 mm objective, 5x magnification, and illuminated day/night ballistic reticle. Waterproof, shockproof, tough, and always reliable.

OBJECTIVE LENS 36 MM I MAGNIFICATION 5X
WEIGHT 508 G I BATTERY CR2032
ITEM NO. 8786-556 (5.56 RET) | UPC 840229100941
ITEM NO. 8786-762 (7.62 RET) | UPC 840229100934

M332 PRISM SIGHT

Smaller version of the rugged M536, ideal for carbines and patrol rifles in close- to medium-range encounters. objective lens 32 mm objective, 3x fixed magnification, and illuminated day/night ballistic reticle.

OBJECTIVE LENS 32 MM I MAGNIFICATION 3X
WEIGHT 460 G I BATTERY CR2032
ITEM NO. 8788-556 (5.56 RET) | UPC 840229101832
ITEM NO. 8788-556 (7.62 RET) | UPC 840229101825

M-SERIES BATTLE SIGHTS OVERALL FEATURES

- 3X OR 5X MAGNIFICATION
- MULTI-COATED LENSES A
- ILLUMINATED BALLISTIC RETICLE
- FULLY ADJUSTABLE
- PICATINNY BASE
- QUICK DETACH MOUNT
- WATERPROOF

MRS MICRO REFLEX SIGHT

EYES OPEN CONTROL FOR FAST TARGET ACQUISITION

SPECIFICATIONS

	M536 5x36 8786-556 / 8786-762	M332 3x32 8788-556 / 8788-762	MRS 8700
MAGNIFICATION	5x	3x	1x
CLEAR OBJECTIVE LENS DIAMETER (MM / IN.)	36 / 1.4	32 / 1.3	21 x 15 mm
FIELD OF VIEW AT 100 M / YD LOW-HIGH (M / FT.)	6.4 / 19.2	9.6 / 28.8	-
EYE RELIEF (MM / IN.)	63 - 89 / 2.5 - 3.5	68.6 - 76.2 / 2.7 - 3.0	Unlimited
EXIT PUPIL (MM / IN.)	7 / 0.28	8.7 / 0.34	-
LENGTH (MM / IN.)	151 / 5.94	140.5 / 5.53	1.89
WEIGHT (G / OZ.)	508 / 17.9	460 / 16.2	2.5
RETICLE	Rapid Dot	Rapid Dot	3 MOA Dot
ILLUMINATION CONTROL	10 Settings: 5 Daytime, 5 Night	10 Settings: 5 Daytime, 5 Night	Auto Brightness Control + Manual
CLICK VALUE AT 100 M	⅛ MOA	½ MOA	1 MOA
WINDAGE RANGE	60 MOA	50 MOA	90 MOA
ELEVATION RANGE	60 MOA	50 MOA	90 MOA
PARALLAX/FOCUS	Fixed at 100 m (328 ft.)	Fixed at 100 m (328 ft.)	Fixed at 40 m (131 ft.)
NITROGEN FILLED	Yes	Yes	Yes
OPERATING TEMPERATURE RANGE	-30° C to +60° C -22° F to +140° F	-30° C to +60° C -22° F to +140° F	13° F to +131° F
MOUNT CAPABILITY	MIL-STD 1913	MIL-STD 1913	MIL-STD 1913
WATERPROOF/ FOGPROOF	Submersible to 10 m (33 ft.)	Submersible to 10 m (33 ft.)	Submersible to 33 ft.
BATTERY	CR2032	CR2032	CR1623
GLOBAL ITEM NUMBER	8786-5.56 (Rapid Dot 5.56) 8786-7.62 (Rapid Dot 7.62)	8788-5.56 (Rapid Dot 5.56) 8788-7.62 (Rapid Dot 7.62)	
U.S. ITEM NUMBER	8786-556 (5.56 Ret) | 8786-762 (7.62 Ret.)	8788-556 (5.56 Ret) | 8788-762 (7.62 Ret.)	
MRSP COST	$749.99	$649.99 / $674.99	$529.99

MRS
MICRO REFLEX SIGHT

Holographic 3 MOA red dot sight for close-distance situations. With both eyes open, situational awareness is improved and shooting is dot-on-target accurate with either hand.

WEIGHT 2.47 OZ. I LENGTH 1.89 IN.
WIDTH 1.81 IN. | HEIGHT 1.57 IN. I BATTERY CR1632
ITEM NO. 8700 | UPC 840229100934

The 1x holographic **MRS Micro Reflex Sight** lets operators engage targets with both eyes open, for wider peripheral vision, greater situational awareness, and faster response—critical when engaging moving targets. The 3 MOA red dot is easy to find and quick to aim, ensures either-hand shooting accuracy, and won't obscure targets at longer distances. At only 2.5 oz., the low-profile MRS is well-balanced on any shooting platform, giving shooters the quickness, confidence, and accuracy to control the outcome.

INTELLIGENT COMBAT SIGHT

ONE ROUND.
ONE HIT.
NEXT
TARGET.

THIS IS FIRST-SHOT CONFIDENCE IN COMBAT-READY FORM: DISTANCE TO TARGET AND OPTIMUM AIMING POINT, INSTANTLY COMPUTED OUT TO 800 METERS, WITH THE PUSH OF A BUTTON. IT'S SMART, SIMPLE, DEVASTATING ACCURACY FOR INFANTRY AND TACTICAL OPS.

ICS INTELLIGENT COMBAT SIGHT 6X40

This military-grade porro prism Commander binocular with HD Stabilized compass is the choice for serious navigation.

ITEM NO. 8790 | UPC 840229101474

INTELLIGENT COMBAT SIGHT OVERALL FEATURES

- ONBOARD COMPUTER FOR AMMUNITION-SPECIFIC TARGETING
- ILLUMINATED RETICLE WITH BRIGHT RED AIMING DOT
- BUILT-IN INCLINOMETER COMPENSATES FOR STEEP ANGLES
- FULLY ADJUSTABLE WINDAGE & ELEVATION
- SHOCKPROOF & WATERPROOF DOWN TO 10 METERS

Backup Iron Sights are fixed iron sights located on the right-hand side of the ICS at a 15° angle, providing a backup sighting option.

Quick Detach HT Mount is an easy-to-use quick detach mount allows for fast removal and mounting on multiple platforms.

Picatinny Rail Top allows you to mount a 1x optic such as the Steiner MRS on top of the ICS using the Picatinny rail for even greater versatility.

SPECIFICATIONS

	ICS
ITEM NUMBER	8790
MAGNIFICATION	6x
OBJECTIVE LENS DIAMETER	40 mm
FIELD OF VIEW @ 100 YD. (FT.) LOW/HIGH	7 - 21.0
EYE RELIEF (IN.) LOW/HIGH	28.7 - 31.5
EXIT PUPIL (MM)	5.7
LENGTH (IN.)	7.86
WEIGHT (OZ.)	27.9
RETICLE	38 Dot OLED
ILLUMINATION CONTROL	4 Steps (Dimmable)
WINDAGE/ELEVATION CLICK VALUE	1/2 MOA
WINDAGE RANGE @ 100 M	± 50 MOA
ELEVATION RANGE @ 100 M	± 50 MOA
PARALLAX/FOCUS	Fixed at 100 m (328 ft.)
OPERATING TEMPERATURE RANGE	-13° F to +149° F
WATERPROOF/FOGPROOF	Submersible to 33 ft.
BATTERY	CR123A
NITROGEN FILLED	Yes
MOUNT	MIL-STD 1913
WARRANTY	Heritage™ Warranty
MSRP PRICE	$4,599.99



The new **ICS Intelligent Combat Sight** integrates a laser rangefinder and a ballistic calculator into a rugged, compact tactical weapons sight for increased accuracy, greater first-round hit probability, and shorter time of engagement.

At the push of a button, an eye-safe laser instantly provides distance to the target and an illuminated, trajectory-compensated aiming point based on ammunition ballistics, measured distance, and angle to your target out to 800 meters. As a true electro-optical aiming device, it combines combat-optimized technology, operating simplicity in the field, and the targeting effectiveness to give small-caliber weapons oversized clout.

- **Sophisticated targeting technology is rugged, intuitive, and easy to use.**
- **Easy setup for 5.56 mm, 7.62x51 mm, .300 Blackout, and .300 Win Mag cartridges.**
- **Red dot indicates precise point of aim for your specific cartridge and distance.**
- **Powered by one CR123A battery.**

BINOCULARS



STEINER BINOCULARS

HX Series	26
Predator Series	28
Nighthunter LRF	30
Wildlife XP Series	32
XC Series	34
Safari Ultrasharp Series	36
Champ Series	38
Miniscope	40
Commander Series	42
Navigator Pro Series	44
Marine	46
M-Series LRF	48
M-Series	50
T-Series	52
Military Marine Series	54
P-Series	56

STEINER
Nothing Escapes You

Steiner is world-renowned for impeccable design and ferocious toughness. So in addition to providing the clearest image you can get, Steiner optics survive the worst conditions you can face. Low light or heavy glare, high water to deep cold, rock slams and grit storms, no matter. The view is always crystal clear and dead certain. Even after countless pursuits, Steiner optics are eager for more and always ready to go.

100% IN-HOUSE OPTICS

Steiner grinds and polishes its own premium lenses and BaK4 prisms, then multicoats all air-to-glass surfaces with proprietary coatings for unmatched brightness and clarity.

UNERRING PRECISION

After more than 460 high-precision manufacturing and inspection steps, finished multicoated lenses are assembled into unbreakable Makrolon® polycarbonate binocular housings.



PERFECT COATINGS

Steiner advanced lens coatings, applied to every air/glass surface, have evolved to enhance light so your eyes perceive more contrast and brighter detail, even in low-light conditions.

COMFORTABLE & ERGONOMIC DESIGN

For over 65 years, Steiner-Optik in Bayreuth, Germany has built binoculars that rest comfortably in the palms, with rubberized housing and hand-friendly ridges, curves and pads designed for intuitive use. Every detail is ergonomically perfect yet resilient to maintain a lifetime of heavy use.

Makrolon® Housing

Steiner's Makrolon® Housing is durable polycarbonate NBR Long Life rubber armoring for a lightweight and rugged chassis that can withstand 40 Gs of impact. NBR Long Life rubber armoring is durable, slip-proof and noiseless to ensure a secure, chassis-protecting grip in all conditions.

Porro & Roof Prism Designs

Porro Prism binoculars are extremely tough and dependable, creating sharp, clear images and 3D viewing even at long distances. Sports-Auto-Focus™ lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity – no more chasing focus on moving targets.

Roof Prism binoculars are extremely light weight, compact and streamlined, making them easy to pack, carry, hold and use. Sports-Auto-Focus™ lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity – no more chasing focus on moving targets.

Porro Prism

Roof Prism

PROPRIETARY LENS COATINGS

The combination of premium Steiner glass and proprietary lens coatings results in a viewing experience that is second-to-none. All lenses are multi-coated, with a variety of specific coatings like the Diamond Marine™ and Nano-Protection® lens coatings that enhance light transmission and provide ultimate protection against dirt, dust and all of Mother Nature's elements.

FOGPROOF AND WATERPROOF

For absolute fogproof and waterproof protection, Steiner seals 14-psi pressurized dry nitrogen into its optics, for premium clarity in any condition. Steiner's proprietary N_2 Injection™ System pressurizes optics with nitrogen and trace helium. If seals are not absolutely tight, hyperbaric testing reveals escaped helium molecules, the optics are disassembled, and the process is repeated. Fail-safe testing with medical-grade tools ensures absolute quality, positive internal pressure, and zero fogging and water intrusion despite drastic changes, severe conditions, and lifetimes of use.

SHOCKPROOF

Battle-proven Steiner lenses and prisms are built into unbreakable binocular housings, then purged, sealed and shielded to be impact resistant and immune to extremes of every kind. Steiner binoculars are chosen by militaries all over the world for their ability to withstand harsh conditions and brutal abuse.

BATTLE FIELD READY

Steiner Military binoculars are designed with expert special forces input, and built to strict military-specific demands to handle true battlefield conditions.

A) With Gen III Laser-Protection Filter

B) Without Gen III Laser-Protection Filter

Advanced Laser Protection

Steiner is the leader in laser-protection filter technology. All of our military binoculars can be supplied with either standard (OD 4/1064 NM), Gen II (800 to 1600 NM) or Gen III (800 to 2132 NM) filters, or with one meeting specific user requirements.

All Temperature Performance

Steiner Military binoculars are temperature hardened, impact armored and combat ready for any theatre in the world. Built for operating conditions from -40° to +80° C, they will deliver consistently sharp, clear, fog-free images; from arctic snowfields to desert heat, jungle valleys to mountain peaks. No matter where your duty sends you, no binocular will serve you better.

HX SERIES

MORE THAN GAME FINDING. GAME CHANGING.

PICK YOUR CHALLENGE, AND THERE'S HX TO MASTER IT. FROM DARK WOODS TO SUNLIT RIDGES, LOWLAND BOGS TO THE HIGH PLAINS, NEW OPTICAL APPROACHES AND FRAME DESIGNS PROMISE BRIGHTER, CLEARER IMAGES, EXTENDED FIELD OF VIEW, EASIER HANDLING, AND ALL-WEATHER TOUGHNESS TO BRING MORE SUCCESS TO EVERY HUNT.

HX SERIES OVERALL FEATURES

- **BRIGHT, CRISP IMAGES**
- **WIDE FIELD OF VIEW**
- **FAST-CLOSE FOCUS™**
- **STEINER NANO PROTECTION®**
- **FOGPROOF & WATERPROOF DOWN TO 16 FEET**

HX 15X56

Steiner's most powerful hunting binocular. Massive 15x magnification and larger objectives provide exceptional long-range clarity to spot and judge trophy animals on distant ridges. Tripod mountable to make remote views rock-steady; tripod adapters available.

ITEM NO. 2018 | UPC 840229101146

HX 10X56

Large 56 mm objectives gather extra light to penetrate shadows, pick out details and brighten images, revealing hidden game that others miss. Perfect choice for low light, heavy cover, and wily game.

ITEM NO. 2017 | UPC 840229101726

HX 10X42

HD optics, enhanced lens coatings and 10x magnification deliver bright images for dim light conditions and high detail at longer ranges, ideal for wide open country and hilly regions with scattered game.

ITEM NO. 2015 | UPC 840229101719

HX 8X42

Small enough for effortless carry, with a wide field to sweep distant terrain and put you on game faster. 8x magnification brings wildlife close and clear; perfect for bow hunting or eastern whitetail hunting where game is active at dawn and dusk.

ITEM NO. 2014 | UPC 840229101702

New Frame Design makes the HX binoculars easier to grip, more comfortable for extending scouting.

Steiner Nano-Protection® hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust, snow, and fingerprints are repelled.

Ergonomic Eyecups are comfortable and protect your eyes against side light and drafts.

Fast-Close-Focus™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.

SPECIFICATIONS

HX SERIES

	8x42	10x42	10x56	15x56
ITEM NUMBER	2014	2015	2017	2018
OBJECTIVE DIAMETER (MM)	42	42	56	56
MAGNIFICATION	8x	10x	10x	15x
FIELD OF VIEW AT 1,000 YD. (FT.)	377	326	332	241
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Definition	High Definition	High Definition	High Definition
CLOSE FOCUS (FT.)	6	6	8	8
EXIT PUPIL (MM)	5.25	4.2	5.6	3.7
LUMINOSITY	27.6	17.6	31.7	13.9
TWILIGHT FACTOR	18.3	20.5	23.7	28.9
COMPASS	-	-	-	-
EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 10 ft.	Submersion to 10 ft.	Submersion to 10 ft.	Submersion to 10 ft.
WEIGHT (OZ.)	27.7	28	42.3	44.1
DIMENSIONS (IN.) (HxWxD)	5.8 x 4.9 x 2.6	5.8 x 4.9 x 2.6	7.1 x 5.6 x 3.1	7.1 x 5.6 x 3.1
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes
BATTERY	-	-	-	-
SPECIAL FEATURES	Steiner Nano Protection®	Steiner Nano Protection®	Steiner Nano Protection®	Steiner Nano Protection®
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$919.99	$999.99	$1,149.99	$1,379.99

HERITAGE WARRANTY GENERATION TO GENERATION

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

PREDATOR SERIES

GERMAN PRECISION MEETS AMERICAN AGILITY.

THE IDEAL COMPANION FOR SKILLED HUNTERS ON THE MOVE: COMPACT, VERSATILE, TOUGH AS A ROCK AND LIGHT AS A BREEZE. IT'S THE BEST OF INTENSE GERMAN PRECISION AND AGILE AMERICAN PERFORMANCE.

HX SERIES OVERALL FEATURES

- OPTIMIZED LIGHT TRANSMISSION
- CAT™ LENS COATINGS
- LIGHTWEIGHT DESIGN
- FAST-CLOSE-FOCUS™
- MAKROLON® HOUSING
- WATERPROOF & FOGPROOF
- SHOCKPROOF
- CLICLOC® SYSTEM

PREDATOR 10X42

An all-around favorite. Versatile enough for Western big game hunters or Eastern whitetail hunters.

ITEM NO. 2444 | UPC 840229100699

PREDATOR 8X42

From close up to far away, this midsized binocular delivers bright, crisp images without added bulk or weight.

ITEM NO. 2443 | UPC 840229100682

PREDATOR 10X26

10x power for great long-range detail, perfect forwide-open country and hilly regions with scattered game.

ITEM NO. 2442 | UPC 840229100675

PREDATOR 8X22

Light and compact, ideal for mobile hunters who need the versatility of good magnification and wide view.

ITEM NO. 2441 | UPC 840229100668



CAT™ Color Adjusted Transmission amplifies contrast in the peak human vision sensitivity range, to spot game in any environment.

Fast-Close-Focus™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.

Makrolon® Housing is durable polycarbonate NBR Long Life rubber armoring for a lightweight and rugged chassis that can withstand 40 Gs of impact.

SPECIFICATIONS

PREDATOR SERIES

	8x22	10x26	8x42	10x42
ITEM NUMBER	2441	2442	2443	2444
OBJECTIVE DIAMETER (MM)	22	26	42	42
MAGNIFICATION	8x	10x	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	332	302	381	328
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings
CLOSE FOCUS (FT.)	10	10	6	6
EXIT PUPIL (MM)	2.7	2.6	5.3	4.2
LUMINOSITY	7.6	6.7	27.6	17.6
TWILIGHT FACTOR	13.3	16.1	18.4	20.5
COMPASS	-	-	-	-
EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes	Submersion to 3 ft.	Submersion to 3 ft.
WEIGHT (OZ.)	10.2	10.4	26.1	26.5
DIMENSIONS (IN.) (HxWxD)	3.9 x 4.1 x 1.8	4.9 x 4.1 x 1.8	6.9 x 4.9 x 2.5	6.9 x 4.9 x 2.5
NECK STRAP	Yes	Yes	Neoprene	Neoprene
NECK STRAP ATTACHMENT	Fixed	Fixed	ClicLoc®	ClicLoc®
OBJECTIVE COVER	-	-	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes
BATTERY	-	-	-	-
SPECIAL FEATURES	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$206.99	$229.99	$436.99	$459.99

HERITAGE WARRANTY GENERATION TO GENERATION

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

NIGHTHUNTER LRF SERIES

SPOT YOUR TARGET PLUS SPOT ON RANGING WITH ONE OPTIC.

GAME-FINDING PRECISION OPTICS AND PINPOINT LASER RANGING, ALL IN ONE COMPACT BINOCULAR.

NIGHTHUNTER LRF 8X30

Compact, porro prism design provides lightweight 3-D viewing, Sports-Auto-Focus™ System, instant ranging to 1,860 yards and Scan Mode to continuously measure moving targets.

MAGNIFICATION 8X
WEIGHT 28 OZ. I WIDTH 6.5 IN.
HEIGHT 5.7 IN.
ITEM NO. 2300
UPC 840229100644

NIGHTHUNTER LRF SERIES OVERALL FEATURES

- **LASER RANGEFINDER**
- **SPORTS-AUTO FOCUS™**
- **STEINER NANO-PROTECTION®**
- **FOGPROOF & WATERPROOF DOWN TO 16 FEET**
- **SHOCKPROOF**

You often get your best results at day's edge, when prey feels camouflaged by early sun or growing darkness. The light enhancing design of **NIGHTHUNTER LRF** binoculars unlocks the shadows they hide in, giving you clear game-spotting vision in dim light. In full light, it lets you peer deeper into darkened woods, revealing sign and quarry that other hunters miss. And with the long-distance instant ranging system, you can view both your target and its distance quickly and clearly. Big game beware.

Steiner Nano-Protection® hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust, snow, and fingerprints are repelled.

Fogproof & Waterproof for absolute protection, Steiner seals 14-psi pressurized dry nitrogen into its optics, for premium clarity in any condition.

Shockproof lenses and prisms are built into unbreakable binocular housings, then purged, sealed and shielded to withstand harsh conditions and brutal abuse.

SPECIFICATIONS

	NIGHTHUNTER LRF 8x30 LRF
ITEM NUMBER	2300
OBJECTIVE DIAMETER (MM)	30
MAGNIFICATION	8x
FIELD OF VIEW AT 1,000 YD. (FT.)	343
FOCUSING SYSTEM	Sports-Auto-Focus™
OPTICS SYSTEM	High Definition
CLOSE FOCUS (FT.)	66
EXIT PUPIL (MM)	3.8
LUMINOSITY	14.1
TWILIGHT FACTOR	15.5
COMPASS	-
EYECUPS	Ergoflex
RUBBER ARMORING	NBR Long Life
WATERPROOF	Submersion to 16 ft.
WEIGHT (OZ.)	28
DIMENSIONS (IN.) (HxWxD)	5.7 x 6.5 x 2.6
NECK STRAP	Yes
NECK STRAP ATTACHMENT	Standard
OBJECTIVE COVER	Yes
RAIN PROTECTION CAP	Yes
CARRY CASE	Yes
BATTERY	CR2
SPECIAL FEATURES	Laser Rangefinder Measuring Range: 27 to 1,859 Yd.
WARRANTY	Heritage™ Warranty
MSRP PRICE	$2,299.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER Nothing Escapes You

WILDLIFE XP SERIES

EXPERIENCE EVERY DETAIL MOTHER NATURE HAS TO OFFER - NEAR OR FAR, SEE IT ALL.

HIGH-PERFORMANCE OPTICS WITH ULTRA-HIGH DEFINITION DELIVERS UP-CLOSE-AND-PERSONAL VIEWS OF WILDLIFE, BIRDS AND SCENERY.

WILDLIFE 10X44

Experience all the action and beauty that nature provides with 10x magnification, the Distance-Control-System™ and brilliant color fidelity.

ITEM NO. 2303 | UPC 840229101269

WILDLIFE 8X44

From close up to far away, this midsized binocular delivers bright, crisp images without added bulk or weight.

ITEM NO. 2302 | UPC 840229101252

WILDLIFE XP OVERALL FEATURES

- **ULTRA-HD OPTICS**
- **MAXIMIZED USER COMFORT**
- **EXTREME RUGGEDNESS**
- **FOGPROOF & WATERPROOF DOWN TO 5 M**
- **SHOCKPROOF**
- **CLICLOC® SYSTEM**

WILDLIFE XP COMPACT 10X26

The perfect balance between thrilling performance and easy handling size. With potent 10x magnification, even far-away objects come into crisp, colorful focus in virtually any light condition.

ITEM NO. 5408 | UPC 840229101092

WILDLIFE XP COMPACT 8X24

Super-trim frame and versatile 8x magnification make this optic the ideal companion for hiking and mountain/rock climbing. Ample power for medium/distant viewing, large field of view, and extremely rugged.

ITEM NO. 5438 | UPC 840229101108

Distance-Control-System™ for faster reaction times when viewing wildlife or birds. Set the Distance-Control-System™ for a known distance to eliminate the need for fine-tuning the focusing knob.

Comfort Grip System includes textured rubber armoring and soft TechnoGel® thumb pads to reduce hand fatigue over long periods of viewing.

Steiner Nano-Protection® hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust, snow, and fingerprints are repelled.

SPECIFICATIONS

	WILDIFE XP		WILDIFE COMPACT XP	
	8x44	10x44	8x24	10x26
ITEM NUMBER	2302	2303	5438	5408
OBJECTIVE DIAMETER (MM)	44	44	24	26
MAGNIFICATION	8x	10x	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	436	367	374	308
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	Ultra-High Definition	Ultra-High Definition	Ultra-High Definition	Ultra-High Definition
CLOSE FOCUS (FT.)	6	6	6	6
EXIT PUPIL (MM)	5.5	4.4	3	2.6
LUMINOSITY	30.3	19.4	9	6.8
TWILIGHT FACTOR	18.8	21	13.9	16.1
EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 6 ft.	Submersion to 6 ft.
WEIGHT (OZ.)	29.3	30	12.1	12.1
DIMENSIONS (IN.) (HxWxD)	7.4 x 5 x 2.5	7.4 x 5 x 2.5	4.8 x 4 x 1.8	5.5 x 4.1 x 2
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes
SPECIAL FEATURES	Distance-Control-System™	Distance-Control-System™		
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$2,299.99	$2,414.99	$379.99	$402.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.



STEINER
Nothing Escapes You

STEINER-OPTICS.C

XC SERIES

EXPLORE THE OUTDOORS LIKE NEVER BEFORE.

EXCEPTIONAL OPTICAL PERFORMANCE AND WATERPROOF CONSTRUCTION MAKE THE XC BINOCULARS IDEAL FOR WHEREVER LIFE TAKES YOU.

XC SERIES 10X42

This binocular delivers bright, crisp images and with 10x power, it provides great long-range detail, perfect for wide-open country and hilly regions.

ITEM NO. 2024 | UPC 840229101306

XC SERIES 8X42

A versatile binocular that picks up amazing detail at longer distances or critical detail as close as 6 feet.

ITEM NO. 2023 | UPC 840229101290

XC SERIES 10X32

A great entry-level binocular. Light enough to carry in a pack or purse, these deliver extraordinary clarity, resolution and color.

ITEM NO. 2025 | UPC 840229101313

XC SERIES 8X32

This midsize binocular delivers bright, crisp images and with 10x power, it provides great long-range detail, perfect for wide-open country and hilly regions.

ITEM NO. 2022 | UPC 840229101283

XC SERIES OVERALL FEATURES

- **HIGH-CONTRAST OPTICS**
- **MAKROLON® HOUSING**
- **FAST-CLOSE-FOCUS™**
- **WATERPROOF & FOGPROOF**
- **SHOCKPROOF**
- **CLICLOC® SYSTEM**

Clicloc® System keeps binoculars hanging straight and action-ready, releases with push-button ease.

Makrolon® Housing combines a durable polycarbonate frame with NBR Long Life rubber armoring, creating a light, tough chassis that withstands up to 11 Gs of impact.

Fast-Close-Focus™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.

SPECIFICATIONS

XC SERIES

	8x32	10x32	8x42	10x42
ITEM NUMBER	2022	2025	2023	2024
OBJECTIVE DIAMETER (MM)	32	32	42	42
MAGNIFICATION	8x	10x	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	436	387	410	354
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast	High Contrast
CLOSE FOCUS (FT.)	6	6	6	6
EXIT PUPIL (MM)	4	3.2	5.3	4.2
LUMINOSITY	16	10.2	27.6	17.6
TWILIGHT FACTOR	16	17.9	18.3	20.5
EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 10 ft.	Submersion to 10 ft.	Submersion to 10 ft.	Submersion to 10 ft.
WEIGHT (OZ.)	20.5	21.2	26.1	26.5
DIMENSIONS (IN.) (HxWxD)	5 x 4.8 x 2.3	5 x 4.8 x 2.3	5.8 x 5 x 2.4	5.8 x 5 x 2.4
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$528.99	$540.99	$551.99	$574.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

SAFARI ULTRASHARP SERIES

COMPACT AND CAPABLE IS NOT A CONTRADICTION.

NOBODY BUT STEINER COULD COMBINE FEATHERLIGHT WEIGHT, HIGH PERFORMANCE, SMALL SIZE, AND RAZOR-SHARP IMAGES INTO A SINGLE, WELL-ARMORED TOOL.

SAFARI ULTRASHARP 10X26

10x magnification shows you more detail from farther away, perfect for sports events and wildlife observation.

MAGNIFICATION 10X I WEIGHT 10.5 OZ.
WIDTH 4.6 IN. I HEIGHT 4.7IN.
ITEM NO. 4477 | UPC 000381822123

SAFARI ULTRASHARP SERIES OVERALL FEATURES

- **HIGH-CONTRAST OPTICS**
- **COMPACT & LIGHTWEIGHT**
- **FAST-CLOSE-FOCUS™**
- **ERGONOMIC EYECUPS**

SAFARI ULTRASHARP 8X22

A compact sport optic that looks great, fits your pack, pocket or purse, and is your constant companion for quick use.

MAGNIFICATION 8X I WEIGHT 10 OZ.
WIDTH 4.3 IN. I HEIGHT 4.1 IN.
ITEM NO. 4457 | UPC 000381822109

Makrolon® Housing combines a durable polycarbonate frame with NBR Long Life rubber armoring, creating a light, tough chassis that withstands up to 11 Gs of impact.

Advanced UV Coatings and high-contrast lenses provide exceptional performance around water and outdoor activities.

Fast-Close-Focus™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.

SPECIFICATIONS

SAFARI ULTRASHARP SERIES

	8x22	10x26
ITEM NUMBER	4457	4477
OBJECTIVE DIAMETER (MM)	22	26
MAGNIFICATION	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	377	302
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Contrast	High Contrast
CLOSE FOCUS (FT.)	10	11
EXIT PUPIL (MM)	2.8	2.6
LUMINOSITY	7.6	6.8
TWILIGHT FACTOR	13.3	16.1
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes
WEIGHT (OZ.)	10	10.5
DIMENSIONS (IN.) (HxWxD)	4.1 x 4.3 x 1.9	4.7 x 4.6 x 1.8
NECK STRAP	Comfort	Comfort
NECK STRAP ATTACHMENT	Fixed	Fixed
CARRY CASE	Yes	Yes
SPECIAL FEATURES	UV Coating	UV Coating
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$195.99	$229.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.



CHAMP SERIES

VALUE AND PERFORMANCE IS ALWAYS THE PROMISE.

NO OTHER BINOCULAR GETS YOU SO CLOSE, WITH SUCH CLEAR, SHARP DETAIL, FOR SO LITTLE. SOON TO BE YOUR FAVORITE ALL-PURPOSE, GOOD-TIME COMPANION.

CHAMP SERIES OVERALL FEATURES

- **HIGH-CONTRAST OPTICS**
- **COMPACT & LIGHTWEIGHT**
- **FAST-CLOSE-FOCUS™**

CHAMP 10X26

Gets you closer to the action, even from the cheap seats. Ergonomic eyecups keep side glare and wind at bay and molded traction bars provide a steady grip.

ITEM NO. 2113 I UPC 000381821133
ITEM NO. 2115 (CLAM PACK) | UPC 000381821157

CHAMP 8X22

Provides ample power and wide field of view, with fast-focus ease for both distance viewing and objects as close as 10 feet.

ITEM NO. 2112 I UPC 000381821126
ITEM NO. 2114 (CLAM PACK) | UPC 000381821140

Ergonomic Eyecups are comfortable and protect your eyes against side light and drafts.

Fast-Close-Focus™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.

Compact and Lightweight for added comfort and convenience.

SPECIFICATIONS

CHAMP SERIES	8x22	10x26
ITEM NUMBER	2112 / 2114*	2113 / 2115*
OBJECTIVE DIAMETER (MM)	22	26
MAGNIFICATION	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	332	302
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Contrast	High Contrast
CLOSE FOCUS (FT.)	10	10
EXIT PUPIL (MM)	2.8	2.6
LUMINOSITY	7.6	6.8
TWILIGHT FACTOR	13.3	16.1
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes
WEIGHT (OZ.)	9.5	10.5
DIMENSIONS (IN.) (HxWxD)	4.4 x 4.1 x 1.8	4.9 x 4.1 x 1.8
NECK STRAP	Comfort	Comfort
NECK STRAP ATTACHMENT	Fixed	Fixed
CARRY CASE	Yes	Yes
SPECIAL FEATURES	-	-
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$114.99	$149.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

MINISCOPE

GOES
ANYWHERE.
SEES
EVERYTHING.
WEIGHS NOTHING.

SMALL ENOUGH TO FIT POCKET, PACK OR PURSE, POWERFUL ENOUGH TO BRING WILDLIFE, SPORTS OR THEATER THRILLINGLY CLOSE. THAT'S THE BRILLIANCE OF THE GO-ANYWHERE MINISCOPE.

MINISCOPE 8X22

Due to its compact design the Steiner Miniscope 8x22 is shirt-pocket friendly. The 8-times magnification ensures that you won't miss anything.

ITEM NO. 2311 | UPC 840229101641

MINSCOPE OVERALL FEATURES

- ULTRA-COMPACT MONOCULAR DESIGN
- HIGH-CONTRAST-OPTICS
- FAST-FOCUS™
- 8X MAGNIFICATION
- RUGGED FRAME
- EYE-CATCHING STYLE

STEINER
Nothing Escapes You

Ultra-Compact Design weighs less than three ounces, so it's always handy for spontaneous moments. You can be up-close in an instant, wherever you happen to be.

Eye-Catching Style is cutting-edge simple – clearly premium and always convenient.

High-Contrast-Optics deliver incredible clarity and brightness.

SPECIFICATIONS

	MINISCOPE 8X22
ITEM NUMBER	2311
OBJECTIVE DIAMETER (MM)	22
MAGNIFICATION	8X
FIELD OF VIEW AT 1,000 YD. (FT.)	377
FOCUSING SYSTEM	Fast-Focus™
OPTICS SYSTEM	High Contrast
CLOSE FOCUS (FT.)	13
EXIT PUPIL (MM)	2.85
LUMINOSITY	7.6
TWILIGHT FACTOR	13.3
EYECUPS	-
RUBBER ARMORING	-
WATERPROOF	-
WEIGHT (OZ.)	2.82
DIMENSIONS (IN.) (HxWxD)	2 x 1.92 x 1.81
NECK STRAP	-
NECK STRAP ATTACHMENT	-
CARRY CASE	Yes
SPECIAL FEATURES	-
WARRANTY	Heritage™ Warranty
MSRP PRICE	$89.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

The NEW innovative, go-anywhere **Miniscope** combines tough, ultra-compact folding frame, 8x magnification, high-contrast coatings, and Sports-Auto-Focus™ system into the quickest way to capture any action. Suddenly, enthusiasts of every kind are experiencing details they never saw before.



COMMANDER SERIES

THE WORLDWIDE FLAGSHIP OF MARINE BINOCULARS.

THE CHOICE FOR ANYONE WHO LIVES ABOARD OR MAKES THEIR LIVING ON THE WATER

COMMANDER GLOBAL 7X50

Steiner's finest marine binocular. The integrated digital compass with electronic magnetic field measurement and automatic declination adjustment delivers precise readings anywhere in the world. Experience astounding clarity with Diamond Marine™ lens coatings for outstanding light transmission and high-definition optics.

ITEM NO. 4961 | UPC 000381849618

COMMANDER OVERALL FEATURES

- 7X MAGNIFICATION – THE MARINE INDUSTRY STANDARD
- OUTSTANDING COMPASS TECHNOLOGY
- MAKROLON® HOUSING
- DIAMOND MARINE™ OR NANO-PROTECTION® LENS COATINGS
- SPORTS-AUTO-FOCUS™
- MEMORY OCULAR SAVES PERSONAL DIOPTER SETTINGS
- FOGPROOF & WATERPROOF DOWN TO 33 FEET
- SHOCKPROOF

COMMANDER 7X50c

This military-grade porro prism Commander binocular with HD Stabilized compass is the choice for serious navigation.

ITEM NO. 2305 | UPC 840229101214

COMMANDER 7X50

Delivers top-of-the-line image clarity, sharp edge-to-edge definition and contrast, and high light transmission for navigating in low light or fog.

ITEM NO. 2304 | UPC 840229101689

Digital Worldwide Compass available only on the Commander Global is an Integrated digital compass with electronic magnetic field measurement and automatic declination adjustment delivers precise readings anywhere in the world.



HD Stabilized Compass
The integrated fluid damped, HD Stabilized illuminated compass with ranging reticle creates one accurate and invaluable viewing and navigation tool. Only available on the Commander 7x50c.

SPECIFICATIONS

	Global 7x50 4961	7x50c 2305	7x50 2304
OBJECTIVE DIAMETER (MM)	50	50	50
MAGNIFICATION	7x	7x	7x
FIELD OF VIEW AT 1,000 YD. (FT.)	392	438	438
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Definition Diamond Marine™ Coating	High Definition	High Definition
CLOSE FOCUS (FT.)	66	66	66
EXIT PUPIL (MM)	7.1	7.1	7.1
LUMINOSITY	51	51	51
TWILIGHT FACTOR	18.7	18.7	18.7
COMPASS	Worldwide Digital	HD Stabilized	-
EYECUPS	Ergoflex	Ergoflex	Ergoflex
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 33 ft.	Submersion to 33 ft.	Submersion to 33 ft.
WEIGHT (OZ.)	40.5	42	38.4
DIMENSIONS (IN.) (HxWxD)	6.1 x 8.1 x 3.9	6.2 x 8.1 x 3.8	6.2 x 8.1 x 3
NECK STRAP	Floating strap	Floating strap	Floating strap
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes
BATTERY	CR2	CR1/3N	-
SPECIAL FEATURES	Steiner Nano Protection®, Precision Reticle	Ranging Reticle, Steiner Nano Protection®	Steiner Nano Protection®
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$3,104.99	$1,494.99	$1,205.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

NAVIGATOR PRO SERIES

NEVER COMPROMISE PERFORMANCE JUST BECAUSE IT'S FUN.

SERIOUS OPTICS FOR THOSE WHO TAKE RECREATIONAL TIME ON THE WATER SERIOUSLY, WITH THE CLEAR IMAGE, TOTAL RELIABILITY AND REMARKABLE VALUE STEINER MARINE

NAVIGATOR PRO OVERALL FEATURES

- 7X MAGNIFICATION – THE MARINE INDUSTRY STANDARD
- HIGH-CONTRAST OPTICS
- FLOATING PRISM SYSTEM
- MAKROLON® HOUSING
- SPORTS-AUTO-FOCUS™ SYSTEM
- FOGPROOF & WATERPROOF DOWN TO 16 FT.
- SHOCKPROOF

NAVIGATOR PRO 7X50C

Carries an HD fluid-damped, illuminated analog compass for easy-to-read navigation.

ITEM NO. 7155 | UPC 840229100712

NAVIGATOR PRO 7X50

Delivers excellent image clarity, sharp definition and contrast, and oversized light-gathering objective for bright picture in low light.

ITEM NO. 7655 | UPC 840229100736

NAVIGATOR PRO 7X30C

Carries an HD fluid-damped, illuminated analog compass for easy-to-read navigation.

ITEM NO. 7145 | UPC 840229100705

NAVIGATOR PRO 7X30

Delivers excellent image clarity, sharp definition and contrast, and oversized light-gathering objective for bright picture in low light.

ITEM NO. 7645 | UPC 840229100729

HD Stabilized Compass with an integrated fluid damped, illuminated compass is one accurate and nvaluable viewing and navigation tool. Only available on the 7x30c and 7x50c.

Makrolon® Housing is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact.

Sports-Auto-Focus™ lets you focus each eyepiece to your vision once, then keeps images razor sharp from 20 yards to infinity. No more chasing focus on moving objects.

SPECIFICATIONS

Navigator Pro

	7x30	7x30c	7x50	7x50c
ITEM NUMBER	7645	7145	7655	7155
OBJECTIVE DIAMETER (MM)	30	30	50	50
MAGNIFICATION	7x	7x	7x	7x
FIELD OF VIEW AT 1,000 YD. (FT.)	370	370	370	370
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast	High Contrast
CLOSE FOCUS (FT.)	66	66	66	66
EXIT PUPIL (MM)	4.3	4.3	7.1	7.1
LUMINOSITY	18.4	18.4	51	51
TWILIGHT FACTOR	14.5	14.5	18.7	18.7
COMPASS	-	HD Stabilized	-	HD Stabilized
EYECUPS	Cylindrical	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	18.3	19.8	36.3	39.2
DIMENSIONS (IN.) (HxWxD)	4.2 x 6.5 x 2.2	4.2 x 6.5 x 2.7	5.5 x 8.1 x 3	5.5 x 8.1 x 3.8
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes
BATTERY	-	CR1225	-	CR1225
SPECIAL FEATURES	-	Compass with bearing mark	-	Compass with bearing mark
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$344.99	$517.99	$517.99	$689.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

MARINE SERIES

NEVER COMPROMISE PERFORMANCE JUST BECAUSE IT'S FUN.

THE PERFECT FIRST PAIR OF QUALITY, WATER-GOING BINOCULARS FOR RECREATIONAL BOATERS, SAILORS AND ANGLERS. THE 50MM OBJECTIVE LENSES ARE EFFICIENT AT GATHERING LIGHT FROM DAWN TO DUSK AND THE 7X MAGNIFICATION PROVIDE A WIDE FIELD OF VIEW.

MARINE SERIES OVERALL FEATURES

- 7X MAGNIFICATION - THE MARINE INDUSTRY STANDARD
- HIGH-CONTRAST OPTICS
- FLOATING PRISM SYSTEM
- SPORTS-AUTO-FOCUS™ SYSTEM
- WATERPROOF & RUBBER ARMORED

MARINE 7X50

The perfect first pair of quality, water-going binoculars, for enthusiasts who want the most performance for their money.

MAGNIFICATION 7X | WEIGHT 36.3 oz.
WIDTH 8.1 in. | HEIGHT 5.5 in.
ITEM NO. 575 | UPC 000381805751

Sports-Auto-Focus™ lets you focuseach eyepiece to your vision once, then keeps images razor sharp from 20 yards to infinity. No more chasing focus on moving objects.

100% in-house optics that grinds and polishes premium lenses and BaK4 prisms, then multicoats all air-to-glass surfaces with proprietary coatings for unmatched brightness and clarity.

Advanced lens coatings is applied to every air/glass surface, producing enhance light so you perceive greater contrast and brighter detail, even in low-light conditions.

SPECIFICATIONS

	Marine Series 7x50
ITEM NUMBER	575
OBJECTIVE DIAMETER (MM)	50
MAGNIFICATION	7x
FIELD OF VIEW AT 1,000 YD. (FT.)	356
FOCUSING SYSTEM	Sports-Auto-Focus™
OPTICS SYSTEM	High Contrast
CLOSE FOCUS (FT.)	66
EXIT PUPIL (MM)	7.1
LUMINOSITY	51
TWILIGHT FACTOR	18.7
COMPASS	-
EYECUPS	Cylindrical
RUBBER ARMORING	NBR Long Life
WATERPROOF	Yes
WEIGHT (OZ.)	36.3
DIMENSIONS (IN.) (HxWxD)	5.5 x 8.1 x 3
NECK STRAP	Comfort
NECK STRAP ATTACHMENT	Standard
OBJECTIVE COVER	Yes
RAIN PROTECTION CAP	Yes
CARRY CASE	Yes
BATTERY	-
SPECIAL FEATURES	-
WARRANTY	Heritage™ Warranty
MSRP PRICE	$344.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

HERITAGE WARRANTY GENERATION TO GENERATION

STEINER Nothing Escapes You

M-SERIES LRF

TARGET CLARITY AND RANGE FOR THE EDGE IN ANY ENCOUNTER.

THE COMBINATION OF STATE-OF-THE-ART OPTICS, LEGENDARY STEINER RELIABILITY, AND SPOT-ON LASER RANGING CAN MAKE A CRITICAL DIFFERENCE IN SITUATIONS WHERE ACCURACY MEANS EVERYTHING.

M-SERIES LRF OVERALL FEATURES

- MIL-SPEC
- FLOATING PRISM SYSTEM
- ERGONOMIC DESIGN FOR COMFORTABLE OBSERVATION
- BUILT-IN LASER RANGEFINDER
- MAKROLON® HOUSING
- SPORTS-AUTO-FOCUS™ SYSTEM
- FOGPROOF & WATERPROOF DOWN TO 16 FT.
- SHOCKPROOF

M1050 LRF 10X50 LRF

Features a wide measurement range from 27 yards to over 1,860 yards on reflective targets, plus Scan Mode to measure small or moving targets.

ITEM NO. 398 | UPC 000381803986

M830r LRF 8X30r LRF

Perfect for mobile troops who travel light. Lenses and prisms are combined with state-of-the-art coatings to provide bright, crisp images at any range. Ranges can be set to meters or yards.

ITEM NO. 5918 | UPC 000381859181

M830r LRF 1535NM 8X30r LRF

The M830r LRF 1535nm ranges farther – from 25 to 6,000 meters – for targeting accuracy unknown to your opponent.

* LE, Military & Government Sales Only
ITEM NO. 2626 | UPC 840229101597

Sports-Auto-Focus™ lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity – no more chasing focus on moving targets.

Laser Rangefinding capability gives you a distinct advantage, precise ranging out to 1,860 yards or an impressive 6,000 yards with the 1535NM model. Scan Mode available for moving targets.



Mil Ranging Reticle

SPECIFICATIONS

	M830r LRF 8x30 LRF	M1050r LRF 10x50 LRF	M830r LRF 1535nm 8x30rLRF*
ITEM NUMBER	5918	398	2626*
OBJECTIVE DIAMETER (MM)	30	50	30
MAGNIFICATION	8x	10x	8x
FIELD OF VIEW AT 1,000 YD. (FT.)	319	144	438
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated
CLOSE FOCUS (FT.)	66	66	66
EXIT PUPIL (MM)	3.8	5	3.8
LUMINOSITY	14	25	14
TWILIGHT FACTOR	15.5	22.4	15.5
COMPASS	-	-	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	26.5	44.8	26.5
DIMENSIONS (IN.) (HxWxD)	4.5 x 6.7 x 2.8	5.4 x 8.1 x 3.9	4.5 x 6.7 x 2.8
NECK STRAP	Yes	Yes	Yes
NECK STRAP ATTACHMENT	Standard	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	-	-	-
BATTERY	CR2	CR123A	CR2
SPECIAL FEATURES	Tripod Mountable, Mil Ranging Reticle, Military Specifications, Laser Rangefinder Measuring Range: 27 to 1,860 yd.	Tripod Mountable, Mil Ranging Reticle, Military Specifications, Laser Rangefinder Measuring Range: 27 to 1,860 yd.	Tripod Mountable, Mil Ranging Reticle, Military Specifications, Laser Rangefinder Measuring Range: 27 to 6,000 yd.
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$2,588.00	$3,449.99	$9,199.99*

*LE, Military & Government Sales Only

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

M-SERIES

ELITE UNITS WORLDWIDE RELY ON THEM. SO CAN YOU.

BUILT WITH MILITARY-GRADE PRECISION AND OPTICAL QUALITY, PROVEN IN EVERY THEATER, THESE ARE THE BINOCULARS YOU WANT WITH YOU WHEN VISUAL SUPERIORITY IS MISSION-CRITICAL.

M-SERIES OVERALL FEATURES

- MIL-SPEC
- FLOATING PRISM SYSTEM
- MULTI-COATED LENSES
- MAKROLON® HOUSING
- SPORTS-AUTO-FOCUS™ SYSTEM
- RANGING RETICLE
- CYLINDRICAL EYECUPS
- FOGPROOF & WATERPROOF DOWN TO 16 FT.
- SHOCKPROOF
- LE, MILITARY & GOVERNMENT SALES ONLY

M1050r 10x50r

Ideal for open terrain and mountainous or hilly country. Equipped with a milliradian ranging reticle.

ITEM NO. 536 (SUMR) Gen I | UPC 000381805362
ITEM NO. 5915 (SUMR) Gen II | UPC 000381859150
ITEM NO. 5916 (SUMR) Gen III | UPC 000381859167

M750rc 7x50rc

Integrates bright image, illuminated HD stabilized compass, and milliradian ranging reticle, giving you the ability to accurately identify targets and determine bearings and distance to the single degree.

ITEM NO. 383 | UPC 000381803832

M750r 7x50r

Offers exceptionally bright images in all light conditions, especially useful for nighttime ops. Crisp resolution and a wide field of view help you locate and identify targets faster and more accurately.

ITEM NO. 538 | UPC 000381805386
M750r LPF (GEN I) ITEM NO. 539 | UPC 000381805393
M750r LPF (GEN II) ITEM NO. 5913 | UPC 000381859136
M750r LPF (GEN III) ITEM NO. 5914 | UPC 000381859143

M830r 8x30r

Light and easy to handle, with high-definition lenses for bright images and a wide field of view for steady viewing, even on moving vehicles. Includes a precision milliradian ranging reticle.

ITEM NO. 481 | UPC 000381804815

M1580 15x80

High magnification and large, extremely precise lenses to observe objects several miles away with astounding detail, even in low light.

ITEM NO. 415
UPC
000381804150

M1580C 15x80c

Integrates a large, illuminated HD stabilized compass for accurate bearings, fluid damped to eliminate degree variance while moving in a vehicle or ship.

ITEM NO. 416
UPC
000381804167

M2080 20x80

All the features of the 15x80 with even higher magnification for greater range without sacrificing the field of view. Excellent for border observation, airports and airspace monitoring.

ITEM NO. 420
UPC
000381804204

Shockproof lenses and prisms are built into unbreakable binocular housings, then purged, sealed and shielded to withstand harsh conditions and brutal abuse.



Mil Ranging Reticle



SUMR Reticle

SPECIFICATIONS

M SERIES

	M30r 8x30r	M750r 7x50r	M750rc 7x50rc	M1050r 10x50r	M750r LPF 7x50r LPF	M1580 15x80	M1580c 15x80c	M2080 20x80
ITEM NUMBER	481*	538*	383*	536* / 5915* / 5916*	539* / 5913* / 5914*	415	416	420
OBJECTIVE DIAMETER (MM)	30	50	50	50	50	80	80	80
MAGNIFICATION	8x	7x	7x	10x	7x	15x	15x	20x
FIELD OF VIEW AT 1,000 YD. (FT.)	392	392	392	392	392	195	301	195
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated
CLOSE FOCUS (FT.)	66	66	66	66	66	197	197	197
EXIT PUPIL (MM)	3.8	7.1	7.1	5	7.1	5.3	5.3	4
LUMINOSITY	14	51	51	25	51	28	28	16
TWILIGHT FACTOR	15.5	18.7	18.7	22.4	18.7	34.6	34.6	40
COMPASS	-	-	HD Stabilized	HD Stabilized	-	-	HD Stabilized	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	18.7	36.9	39.7	35.3	36.9	68.1	69.3	68.1
DIMENSIONS (IN.) (HxWxD)	4.2 x 6.7 x 2.2	5.5 x 8.1 x 3	5.5 x 8.1 x 3.7	5 x 8.1 x 3	5.5 x 8.1 x 3	11.6 x 8.9 x 3.8	11.6 x 8.9 x 4.1	11.6 x 8.9 x 3.8
NECK STRAP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
NECK STRAP ATTACHMENT	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
BATTERY	-	-	1.5 V 350	1.5 V 350	-	-	1.5 V 350	-
SPECIAL FEATURES	Mil Ranging Reticle, Military Specifications	Mil Ranging Reticle, Military Specifications	HD Stabalized Compass, Mil Ranging Reticle, Military Specifications	SUMR Milliradian Ranging Reticle, Military Specifications	Mil Ranging Reticle, Laser Protection Filter, Military Specifications	Tripod Mount, Military Specifications	Tripod mount, HD Stabalized Compass, Military Specifications	Tripod Mount, Military Specifications
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	See price list	See price list	See price list	See price list	See price list	$1,586.99	$2,069.99	$1,699.99

*LE, Military & Government Sales Only

STEINER
Nothing Escapes You

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

HERITAGE WARRANTY GENERATION TO GENERATION

T-SERIES

THE FINEST PROUDLY SERVING THE BEST.

UNFAILINGLY RELIABLE TACTICAL BINOCULARS FIELD-PROVEN TO DELIVER SUPERBLY BRIGHT, ACCURATE IMAGES IN ANY SITUATION. WHEN LIVES ARE ON THE LINE, THESE ARE ON THE SCENE.

T-SERIES OVERALL FEATURES

- **COMPACT, LIGHTWEIGHT & STREAMLINED**
- **HIGH-DEFINITION OPTICS**
- **FOGPROOF & WATERPROOF DOWN TO 16 FT.**
- **SHOCKPROOF**
- **CLICLOC® SYSTEM**

T1042r
10X42r

Features the SUMR targeting reticle system, for a small, light binocular in a power to match newer 10x rifle scopes.

ITEM NO. 6508 | UPC 000381865083

T1042
10X42

10x power and bright image perfect for sniper/spotters, border surveillance, patrol car optics, and tactical ops day and night.

ITEM NO. 6506 | UPC 000381865069

T1028
10X28

10x magnification for more power and performance without sacrificing weight or adding bulk to your field gear.

ITEM NO. 6504 | UPC 000381865045

T824
8X24

Just 12.6 ounces and incredibly compact, with 8x magnification and wide field of view. Perfect for the gear bag.

ITEM NO. 6502 | UPC 000381865021

Military Grade Rubber Armoring protects chassis and lenses, reduces noise and provides a sure grip in all conditions.

Fast-Close-Focus™ wheel requires less rotation for quick, clear sharpness from close-up to infinity.



SUMR Reticle

SPECIFICATIONS

T SERIES

	T824 8x24	T1028 10x28	T1042 10x42	T1042r 10x42r
ITEM NUMBER	6502	6504	6506	6508
OBJECTIVE DIAMETER (MM)	24	28	42	42
MAGNIFICATION	8x	10x	10x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	344	266	317	317
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Definition Tactical Optic	High Definition Tactical Optic	High Definition Tactical Optic	High Definition Tactical Optic
CLOSE FOCUS (FT.)	6	6	6	6
EXIT PUPIL (MM)	3	2.8	4.2	4.2
LUMINOSITY	6.8	7.1	17.6	17.6
TWILIGHT FACTOR	16.1	17.1	20.5	20.5
COMPASS	-	-	-	-
EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 6 ft.	Submersion to 6 ft.	Submersion to 6 ft.	Submersion to 6 ft.
WEIGHT (OZ.)	12.6	12.7	26.4	26.7
DIMENSIONS (IN.) (HxWxD)	4.8 x 4.2 x 1.9	5.1 x 4.6 x 1.9	6.6 x 4.9 x 2.5	6.6 x 4.9 x 2.5
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Gear Bag	Gear Bag	Gear Bag	Gear Bag
SPECIAL FEATURES	-	-	-	SUMR Mil Ranging Reticle
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$310.99	$379.99	$517.99	$747.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

MILITARY/ MARINE SERIES

PROVEN ON THE BATTLEFIELD. PERFECT FOR EVERYTHING ELSE.

THE CIVILIAN VERSION OF OUR PROVEN MILITARY BINOCULARS, ADAPTED FOR RUGGED ALL-AROUND USE. AS SHARP, CLEAR AND BATTLE-WORTHY AS THE WARRIOR MODELS THEY'RE BASED ON.

MILITARY/MARINE SERIES OVERALL FEATURES

- FLOATING PRISM SYSTEM
- COMPACT DESIGN
- SPORTS-AUTO-FOCUS™ SYSTEM
- MAKROLON® HOUSING

MM1050
10X50

Higher magnification and larger objectives are ideal for open terrain and hilly country, and for spotting game in low-light conditions.

MAGNIFICATION 10X I WEIGHT 35.3 oz.
WIDTH 8.1 IN. I HEIGHT 5 IN.
ITEM NO. 210 | UPC 077068002109

MM830
8X30

Light and easy to handle, with for bright images and a wide field of view for steady viewing, even on the move.

MAGNIFICATION 8X I WEIGHT 17.1 OZ. I WIDTH 6.7 IN. I HEIGHT 4.2 IN.
ITEM NO. 280 | UPC 077068002802

Makrolon® Housing is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact.

Sports-Auto-Focus™ System lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity – no more chasing focus on moving targets.

NBR Long Life Rubber Armoring is durable, shock absorbing rubber that's neither tacky nor spongy. Provides a non-slip grip making it less likely to drop in all weather conditions.

SPECIFICATIONS

MILITARY / MARINE SERIES

	MM830 8x30	MM1050 10x50
ITEM NUMBER	280	210
OBJECTIVE DIAMETER (MM)	30	50
MAGNIFICATION	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	362	302
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Contrast	High Contrast
CLOSE FOCUS (FT.)	66	66
EXIT PUPIL (MM)	3.8	5
LUMINOSITY	14.1	25
TWILIGHT FACTOR	15.5	22.4
COMPASS	-	-
EYECUPS	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes
WEIGHT (OZ.)	17.1	35.3
DIMENSIONS (IN.) (HxWxD)	4.2 x 6.7 x 2.2	5 x 8.1 x 3
NECK STRAP	Comfort	Comfort
NECK STRAP ATTACHMENT	Standard	Standard
OBJECTIVE COVER	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes
CARRY CASE	Yes	Yes
SPECIAL FEATURES	-	-
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$287.49	$659.99

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

HERITAGE WARRANTY GENERATION TO GENERATION

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.



P-SERIES

SUPERIOR AWARENESS. DECISIVE ADVANTAGE.

IMPROVING UPON THE SUCCESSFUL POLICE MODEL WITH SUPERIOR OPTICAL CLARITY THE P-SERIES IS DESIGNED FOR MISSIONS THAT REQUIRE FAST CAPTURE, CLEAR 3-D IMAGES, AND HIGH DETAIL UNDER ALL CONDITIONS.

P-SERIES OVERALL FEATURES

- FLOATING PRISM SYSTEM
- HIGH-CONTRAST, MULTICOATED LENSES
- MAKROLON® HOUSING
- SPORTS-AUTO-FOCUS™ SYSTEM ON PORRO-PRISM MODELS
- FAST-CLOSE-FOCUS™ ON ROOF PRISM MODELS
- FOGPROOF & WATERPROOF
- SHOCKPROOF

P1050 10X50

More magnification means greater detail at longer range, for suspect or situation evaluation from a safe distance.

ITEM NO. 2030 | UPC 840229101535

P830 8X30

Light and easy to handle, with bright images and a wide field of view for steady viewing, even on the move.

ITEM NO. 2028 | UPC 840229101511

P750 7X50

7x power and large objectives provide low-light image clarity and stable, comfortable view for extended surveillance.

ITEM NO. 2029 | UPC 840229101528

P1042 10X42

10x power and bright image are perfect for snipers/spotters, border surveillance, patrol duty, and tactical ops day and night.

ITEM NO. 2027 | UPC 840229101504

P1026 10X26

10x magnification for more power and performance without sacrificing weight or adding bulk to your field gear.

ITEM NO. 2026 | UPC 840229101498

Makrolon® Housing is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact.

Sports-Auto-Focus™ System lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity – no more chasing focus on moving targets.

NBR Long Life Rubber Armoring is durable, shock absorbing rubber that's neither tacky nor spongy. Provides a non-slip grip making it less likely to drop in all weather conditions.

SPECIFICATIONS

P-SERIES

	P830 8x30	P750 7x50	P1050 10x50	P1026 10x26	P1042 10x42
ITEM NUMBER	2028*	2029*	2030*	2026*	2027*
OBJECTIVE DIAMETER (MM)	30	50	50	26	42
MAGNIFICATION	8x	7x	10x	10x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	362	356	328	302	328
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast
CLOSE FOCUS (FT.)	66	66	66	10	6
EXIT PUPIL (MM)	3.75	7.14	5	2.5	4.2
LUMINOSITY	14.1	51	25	6.25	17.64
TWILIGHT FACTOR	15	18.7	22.4	15.8	20.79
EYECUPS	Cylindrical	Cylindrical	Cylindrical	Ergonomic	Twist Up Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes	Yes	Yes	Yes
WEIGHT (OZ.)	17.1	36.3	35.3	10.2	24.9
DIMENSIONS (IN.) (HxWxD)	4.2 x 6.7 x 2.2	8.2 x 5 x 3	8.2 x 5.59 x 2.6	4.1 x 4.1 x 1.8	5.8 x 5 x 2.6
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene	Comfort
NECK STRAP ATTACHMENT	Standard	Standard	Standard	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes	No	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	No	Yes
CARRY CASE	Gear Bag	Gear Bag	Gear Bag	Gear Bag	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$264.99	$400.99	$459.99	$195.99	$379.99

*Law enforcement sales only

HERITAGE WARRANTY GENERATION TO GENERATION

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

eOptics

DBAL/SBAL Laser Series	62
Dual Beam Aiming Lasers	64
Close Quarter Battle Lasers	68
Battle Lights	70
Illuminators	72
AN/PVS-21	74
CEHUD	76
COTM	78
Model 2740	80
Flip Lens	82
NOVA	84
North Star	85
MCID	86
Star Beacon	87
Airfield Beacon	88

STEINER
Nothing Escapes You

STATE OF THE ART ENGINEERING DEPARTMENT

Steiner eOptics maintains a cutting-edge engineering department with a full complement of experienced mechanical, electrical and optical engineers. These skilled professionals are supported by highly skilled electrical and mechanical technicians.



RAPID PROTOTYPING

Once the initial design process is finished, rapid 3-D printing stations are used to prototype and perfect the design. We have access to suppliers and resources to quickly take a design project from bare concept to a working, testable prototype.

ASSEMBLY

Once parts and assemblies are received, the design team is able to assemble and test laser and illumination systems in a state-of-the-art eOptics lab.

KEY TEST AND ASSEMBLY CAPABILITIES

- A Class 100 clean room for the assembly of sensitive eoptics products
- Sensitive optical power meters and beam characterization cameras with the necessary filters and apertures for measuring all laser outputs from 500 nm to 1.5 microns at output powers from .01 mW to 500 mJ
- Laser safety room with controlled access and safety shielding to accommodate high-energy lasers to 500 mJ
- A full array of environmental test equipment

PRODUCTION PROCESS

The production process ensures that any defects in the assembly process are caught as early as possible. The majority of the assembly stages also have a matching test stage used to confirm that the prior production step was properly performed.

MECHANICAL SHOCK, TO SIMULATE THE WEAPONS ON WHICH THE DEVICES WILL BE MOUNTED

MECHANICAL VIBRATION, TO SIMULATE TRANSPORT ON MILITARY AND COMMERCIAL VEHICLES INCLUDING ROTARY-WING AND FIXED-WING AIRCRAFT

HIGH AND LOW TEMPERATURE OPERATION AND STORAGE TESTING, WHERE THE DEVICES ARE EXPOSED TO THE MAXIMUM EXPECTED OPERATING TEMPERATURES AND STORAGE TEMPERATURES

TEMPERATURE SHOCK, WHERE THE EQUIPMENT IS HEATED TO A HIGH TEMPERATURE AND TRANSITIONED INTO A VERY COLD TEMPERATURE WITHIN A FEW SECONDS

IMMERSION TESTING, BOTH SIMULATED AND TO ACTUAL DEPTHS AS FAR AS 66 METERS

ADDITIONAL ENVIRONMENTAL TESTING MAY INCLUDE EXPOSURE TO SALT FOG, SAND OR DUST AND ELECTRO-MAGNETIC SHOCK TESTING

QUALITY ASSURANCE

Steiner eOptics maintains an ISO 9001:2008 Quality Management System and has continuously maintained an ISO 9001 QMS certification since 2001. Quality plays a very important role at Steiner and starts with the design and development process. During the initial design review, our engineers evaluate their design concept to make sure that it will meet the necessary quality requirements.

A PROVEN TRACK RECORD

Steiner eOptics has a proven track record as a government contractor supplying military lasers and lights to the U.S. Department of Defense as well as to NATO customers. In addition to supplying products to our military customers, Steiner Optics has also been selected to provide design and development services by the U.S. Government and other prime contractors.

DBAL/SBAL LASER SERIES

CREATE THE ADVANTAGE. CONTROL THE OUTCOME.

IN A STRESSFUL, LIFE-THREATENING SITUATION, HAVING THE RIGHT EQUIPMENT CAN MEAN THE DIFFERENCE BETWEEN SUCCESS AND FAILURE. THE STEINER DBAL/SBAL SERIES LASERS PROVIDE WHAT YOU NEED TO GET THE JOB DONE.

PISTOL LIGHT LASERS OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE/ELEVATION
- INTEGRATED PICATINNY MOUNT
- QUICK RELEASE BATTERY LATCH

DBAL SPECIFIC

- VISIBLE GREEN LASER, IR LASER & IR ILLUMINATOR & WHITE LIGHT LED
- CO-ALIGNED VISIBLE & IR AIMING LASERS
- POWERED BY TWO CR123A BATTERIES

SBAL SPECIFIC

- VISIBLE GREEN LASER & WHITE LIGHT LED
- POWERED BY ONE CR123A BATTERY

SBAL-PL
SINGLE BEAM AIMING LASER PISTOL LIGHT

NEW

SBAL-RL
SINGLE BEAM AIMING LASER RIFLE LIGHT

SBAL-PL ITEM NO. 9017 | UPC 000381890177
SBAL-RL ITEM NO. 9026 | UPC 000381890269

Visible Laser	White Light
<5 mW green laser Class IIIa	500 lumens

DBAL-PL
DUAL BEAM AIMING LASER PISTOL LIGHT

NEW

DBAL-RL
DUAL BEAM AIMING LASER RIFLE LIGHT

DBAL-PL ITEM NO. 9021 | UPC 000381890214
DBAL-RL ITEM NO. 9027 | UPC 000381890276

Visible Laser	IR Pointer	IR LED Illuminator	White Light
<5 mW green laser Class IIIa	<7 mW	600 mW	400 lumens

MADE IN USA

Push button mode selection for each model with 2 operational modes. DBAL-PL: visible laser and white light or IR laser and IR illuminator. SBAL-PL: visible laser or visible laser and white light.

Fully adjustable mounting bracket easily attaches the DBAL-PL/RL and SBAL-PL/RL to standard pistol rails or M1913 Picatinny rails

Bright white light (and the IR pointer on the DBAL-PL) sit below the visible green laser. Recoil-resistant LEDs ensure reliable performance shot after shot.

SPECIFICATIONS

		SBAL-PL 9017	SBAL-RL 9026	DBAL-PL 9021	DBAL-RL 9027
LASER TYPE	VISIBLE RED OR GREEN	Green - Class IIIa	Green - Class IIIa	Green - Class IIIa	Green - Class IIIa
	IR LASER POINTER	-	-	Class I	Class I
	IR LED ILLUMINATOR	-	-	Eye-Safe	Eye-Safe
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW	<5 mW	<5 mW	<5 mW
	IR LASER POINTER	-	-	<0.7 mW	<0.7 mW
	IR LED ILLUMINATOR	-	-	<600 mW	<600 mW
	WHITE LIGHT	500 lumens	500 lumens	400 lumens	400 lumens
WAVELENGTH	VISIBLE RED LASER	-	-	-	-
	VISIBLE GREEN LASER	520 nm	520 nm	532 nm	532 nm
	IR LASER POINTER	-	-	850 nm	850 nm
	IR LASER ILLUMINATOR	-	-	850 nm	850 nm
PEAK ILLUMINANCE	WHITE LIGHT	-	-	Lumen M2 @ 5m: 115 lux	Lumen M2 @ 5m: 115 lux
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad
	IR LASER POINTER	-	-	<0.8 mRad	<0.8 mRad
	IR LED ILLUMINATOR	-	-	18°	18°
	WHITE LIGHT	22°	22°	-	18°
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	-	-	-	-
	VISIBLE GREEN LASER	750 m / 15 m	750 m / 15 m	750 m / 15 m	750 m / 15 m
	IR LASER POINTER	-	-	>250 m	>250 m
	IR LED ILLUMINATOR	-	-	>250 m	>250 m
	WHITE LIGHT	>100 m	>100 m	100 m	100 m
	TEMPERATURE	-20° C to +65° C	-20° C to +65° C	-20° C to +65° C	-20° C to +65° C
	BATTERY	CR123A (1)	CR123A (1)	CR123A (2)	CR123A (2)
	BATTERY LIFE (MODE DEPENDENT)	1.75 Hours	1.75 Hours	1.75 Hours	1.75 Hours
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Black	Black	Black
	WEIGHT (WITH BATTERY) (OZ.)	4.6	4.6	5.4	4.6
	DIMENSIONS (IN.) (LxWxH)	3.46 x 1.32 x 1.62	3.5 x1.3 x1.4	3.46 x 1.62 x 1.32	3.46 x 1.3 x 1.4
	WATERPROOF	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m
	MOUNT	Standard Pistol or M1913 Rails	Standard Pistol or M1913 Rails	Standard Pistol or M1913 Rails	Standard Pistol or M1913 Rails
	WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes	Yes
	ACTIVATION SWITCH	Integrated Push Button	Remote Cable	Integrated Push Button	Remote Cable
	REMOTE CABLE PRESSURE PAD	-	-	Yes	Yes
	WARRANTY	3-Year	3-Year	3-Year	3-Year
	MSRP PRICE	$765.00	$972.00	$1,034.99	$1,342.00

STEINER 3-YEAR WARRANTY

Covers all devices with infared and laser pointers. Valid in the U.S. and Canda only. For warranties in other countries, please visit www.Steiner.de

For 3 years from the date of purchase, this warranty covers all laser, optical and electrical components, materials and workmanship.

Warranty is void if the product has been abused, misused, neglected, or disassembled prior to the return of the manufacturer.

STEINER
Nothing Escapes You

DUAL BEAM AIMING LASERS

NO CHALLENGE TOO TOUGH. NO TARGET TOO DARK.

UNMATCHED VERSATILITY AND SUPERIOR OPERATIONAL LONGEVITY ARE PAIRED TOGETHER IN THE DBAL FAMILY OF LASERS TO PROVIDE MAXIMUM FUNCTIONALITY FOR MILITARY, LAW ENFORCEMENT AND SELF-DEFENSE USERS WORLDWIDE.

DUAL BEAM AIMING LASERS OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE & ELEVATION
- AVAILABLE HIGH & LOW POWER MODES
- INCLUDES REMOTE CABLE PORT
- ACTIVATION/LOW BATTERY INDICATOR LIGHT

DBAL SERIES DBAL-A3

CIVILIAN DUAL BEAM AIMING LASER - ADVANCED[3]
Now available for the commercial market. Features an adjustable IR illuminator for better illumination at longer ranges, dual activation switches and high/low power modes.

ITEM NO. 9008-BLACK | UPC 000381890085
9009-DESERT SAND | UPC 000381890092

Visible Laser	IR Pointer	IR Illuminator
<5 mW green laser	<.7 mW	<4 mW

• VISIBLE GREEN LASER • IR LASER & ILLUMINATOR COMBINED

RESTRICTED ITEM NO. 10010-BLACK

Visible Laser	IR Pointer	IR Illuminator
<50 mW green laser	50 mW	50 mW

RESTRICTED ITEM NO. 10011-BLACK

Visible Laser	IR Pointer	IR Illuminator
<80 mW red laser	50 mW	50 mW

DBAL SERIES DBAL-A4

DUAL BEAM AIMING LASER - ADVANCED[4]
New advanced DBAL-A4 with four functionalities: visible green light, IR Laser, IR Illuminator, and white light. High/low modes. Civilian and restricted models available.

ITEM NO. 9012 -BLACK | UPC 000383190121
ITEM NO. 9013 - DESERT SAND | UPC 000381890139

Visible Laser	IR Pointer	IR Illum.	White Light
<5 mW green laser	<.7 mW	<600 mW	<500 Lumens
<5 mW green laser	<.7 mW	<600 mW	<500 Lumens

MADE IN USA

Integrated Push-Button Activation and remote cable- pressure-pad switch activation; tap and release for momentary activation; tap twice for 5-minute continuous ON.

Quick Release, Self-Adjusting HT Mount attaches to any Picatinny rail.

Dual remote activation ports for visible override.

SPECIFICATIONS

		DBAL-A3 9008	DBAL-A3 9009	DBAL-A3 10010* / 10010D*	DBAL-A3 10011* / 10011D*	DBAL-A4 9012 / 9013
LASER TYPE	VISIBLE RED OR GREEN	Green - Class IIIa	Green - Class IIIa	Green - Class IIIa	Red - Class IIIa	Green - Class IIIa
	IR LASER POINTER	IR - Class I	IR - Class I	IR - Class IIIb	IR - Class IIIb	IR - Class I
	IR LASER ILLUMINATOR	IR - Class 3r	IR - Class 3r	IR-Class IIIb	IR-Class IIIb	-
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW	<5 mW	<50 mW	<80 mW	<50 mW
	IR LASER POINTER	<0.7 mW	<0.7 mW	50 mW	50 mW	<50 mW
	IR LASER ILLUMINATOR	<4.0 mW	<4.0 mW	50 mW	50 mW	LED Illum. 2x ,600mW
	WHITE LIGHT	-	-	-	-	<500 Lumens
WAVELENGTH	VISIBLE RED LASER	-	-	-	642 nm	-
	VISIBLE GREEN LASER	532 nm	532 nm	532 nm	-	520 nm
	IR LASER POINTER	850 nm	850 nm	835 nm	835 nm	850 nm
	IR LASER ILLUMINATOR	835 nm	835 nm	835 nm	835 nm	LED Illum. 2x 850nm
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad
	IR LASER POINTER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad
	IR LASER ILLUMINATOR	95 to 195mRad	95 to 195mRad	1.5 to 195mRad	1.5 to 195mRad	4˚ and 90˚
	WHITE LIGHT	-	-	-	-	10˚
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	-	-	-	1750 m / 75m	-
	VISIBLE GREEN LASER	750 m / 15m	750 m / 15m	1750 m / 75m	-	1750 m / 75m
	IR LASER POINTER	>250 m	>250 m	1000 m	1000 m	1000 m
	IR LASER ILLUMINATOR	>175m	>175m	>2500 m	1000 m	1000 m
	WHITE LIGHT	-	-	-	-	300 m
	TEMPERATURE	0° C to +55° C	0° C to +55° C	0° C to +65° C	-40° C to +55° C	-20˚ to +65˚C
	BATTERY	CR123A	CR123A	CR123A	CR123A	2x CR123A
	BATTERY LIFE (MODE DEPENDENT)	> 3 Hours	> 3 Hours	> 3 Hours	> 3 Hours	> 3 Hours
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Desert Sand	Black / Desert Sand	Black / Desert Sand	Black / Desert Sand
	WEIGHT (WITH BATTERY) (OZ.)	8	8	8	8	13
	DIMENSIONS (IN.) (LxWxH)	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	4.4 x 3.2 x 2.1
	WATERPROOF	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 20 m
	MOUNT	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount
	WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes	Yes	Yes
	ACTIVATION SWITCH	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button
	REMOTE CABLE PRESSURE PAD	Yes	Yes	Yes	Yes	Two Included
	WARRANTY	3-Year	3-Year	3-Year	3-Year	1 year
	MSRP PRICE	$1,425.99	$1,483.99	$2,759.99*	$2,099.99*	$1,849.99 / $1,924.99

*Restricted to LE/Military only. Contact Steiner directly for quote and availability.

STEINER 3-YEAR WARRANTY

Covers all devices with infared and laser pointers. Valid in the U.S. and Canda only. For warranties in other countries, please visit www.Steiner.de

For 3 years from the date of purchase, this warranty covers all laser, optical and electrical components, materials and workmanship.

Warranty is void if the product has been abused, misused, neglected, or disassembled prior to the return of the manufacturer.

STEINER
Nothing Escapes You

DUAL BEAM AIMING LASERS

NO CHALLENGE TOO TOUGH. NO TARGET TOO DARK.

UNMATCHED VERSATILITY AND SUPERIOR OPERATIONAL LONGEVITY ARE PAIRED TOGETHER IN THE DBAL FAMILY OF LASERS TO PROVIDE MAXIMUM FUNCTIONALITY FOR MILITARY, LAW ENFORCEMENT AND SELF-DEFENSE USERS WORLDWIDE.

DBAL SERIES DBAL-D²

DUAL BEAM AIMING LASER
WITH IR LED ILLUMINATOR
High-definition aspherical, telescopic IR LED illuminator significantly enhances night-vision performance. Features a 2° to 30° adjustable illumination beam and offers an eye-safe means of illuminating distances greater than 1,000 meters.

ITEM NO. 9001-BLACK | UPC 000381890016
ITEM NO. 9002-DESERT SAND | UPC 000381890023

Visible Laser	IR Pointer	IR LED Illuminator
<5 mW green laser Class IIIa	<7 mW	600 mW

DBAL SERIES DBAL-I²

DUAL BEAM AIMING LASER - INTELLIGENT²
The most lightweight model in the DBAL Series, this "intelligent" laser provides extreme accuracy in low-light conditions and can be used with night-vision devices.

ITEM NO. 9003-BLACK | UPC 000381890030
ITEM NO. 9004-BLACK | UPC 000381890047
ITEM NO. 9005-DESERT SAND | UPC 000381890054
ITEM NO. 9006-DESERT SAND | UPC 000381890061

Visible Laser	IR Pointer	IR Illuminator
<5 mW green laser Class IIIa	<7 mW	-

ITEM NO. 9007 | UPC 000381890078

Visible Laser	IR Pointer	IR Illuminator
-	<7 mW	<4 mW

DUAL BEAM AIMING LASERS OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE & ELEVATION
- AVAILABLE HIGH & LOW POWER MODES
- INCLUDES REMOTE CABLE PORT
- ACTIVATION/LOW BATTERY INDICATOR LIGHT

MADE IN USA

Integrated Push-Button Activation and remote cable- pressure-pad switch activation; tap and release for momentary activation; tap twice for 5-minute continuous ON.

Quick Release, Self-Adjusting HT Mount attaches to any Picatinny rail.

Low Profile allows for mounting on top or side rails.

SPECIFICATIONS

DBAL Series

		DBAL-D²		DBAL-I²				
		9001	9002	9003	9004	9005	9006	9007
LASER TYPE	VISIBLE RED OR GREEN	Green - Class IIIa	Green - Class IIIa	Green - Class IIIa	Red - Class IIIa	Red - Class IIIa	Green - Class IIIa	-
	IR LASER POINTER	Class I	Class I	Class I	Class I	Class I	Class I	Class I
	IR LED ILLUMINATOR	exempt	exempt	-	-	-	-	IR Laser - Class 3r
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW	<5 mW	<5 mW	<5 mW	<5 mW	<5 mW	-
	IR LASER POINTER	<0.7 mW	<0.7 mW	<0.7 mW	<0.7 mW	<0.7 mW	<0.7 mW	<0.7 mW
	IR LED ILLUMINATOR	<600 mW	<600 mW	-	-	-	-	<4 mW
	WHITE LIGHT	-	-	-	-	-	-	-
WAVELENGTH	VISIBLE RED LASER	-	-	-	635 nm	635 nm	-	-
	VISIBLE GREEN LASER	532 nm	532 nm	532 nm	-	-	532 nm	-
	IR LASER POINTER	850 nm	850 nm	850 nm	850 nm	850 nm	850 nm	850 nm
	IR LED ILLUMINATOR	850 nm	850 nm	-	-	-	-	IR Laser - 835 nm
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	-
	IR LASER POINTER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad
	IR LED ILLUMINATOR	2° to 30°	2° to 30°	-	-	-	-	95-195 mRad
	WHITE LIGHT	-	-	-	-	-	-	-
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	-	-	-	250 m / 5 m	250 m / 5 m	-	-
	VISIBLE GREEN LASER	750 m / 15 m	750 m / 15 m	750 m / 15 m	-	-	750 m / 15 m	-
	IR LASER POINTER	>250 m	>250 m	>250 m	>250 m	>250 m	>250 m	>250 m
	IR LED ILLUMINATOR	≤1000 m	≤1000 m	-	-	-	-	>175 m Laser
	WHITE LIGHT	-	-	-	-	-	-	-
	TEMPERATURE	0° C to +65° C	0° C to +65° C	0° C to +65° C	-40° C to +65° C	-40° C to +65° C	0° C to +65° C	-40° C to +65° C
	BATTERY	CR123A	CR123A	CR123A	CR123A	CR123A	CR123A	CR123A
	BATTERY LIFE (MODE DEPENDENT)	3 Hours	3 Hours	> 3 Hours	> 3 Hours	> 3 Hours	> 3 Hours	> 3 Hours
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Desert Sand	Black	Black	Desert Sand	Desert Sand	Black
	WEIGHT (WITH BATTERY) (OZ.)	12.5	12.5	8	8	8	8	8
	DIMENSIONS (IN.) (LxWxH)	3.95 x 3.37 x 1.59	3.95 x 3.37 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59
	WATERPROOF	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m
	MOUNT	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount
	WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	ACTIVATION SWITCH	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button
	REMOTE CABLE PRESSURE PAD	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	WARRANTY	3-Year	3-Year	3-Year	3-Year	3-Year	3-Year	3-Year
	MSRP PRICE	$1,540.99	$1,609.99	$977.49	$885.99	$919.99	$1,017.99	$896.99

STEINER 3-YEAR WARRANTY

Covers all devices with infared and laser pointers. Valid in the U.S. and Canda only. For warranties in other countries, please visit www.Steiner.de

For 3 years from the date of purchase, this warranty covers all laser, optical and electrical components, materials and workmanship.

Warranty is void if the product has been abused, misused, neglected, or disassembled prior to the return of the manufacturer.

STEINER
Nothing Escapes You

CLOSE QUARTER BATTLE SERIES

GIVE YOURSELF AN UNFAIR ADVANTAGE.

MOST CLOSE-QUARTER BATTLE ENCOUNTERS ARE BETWEEN 3 TO 10 YARDS. THESE LIGHTWEIGHT VISIBLE AND IR LASER SIGHTS DELIVER SPEED, ACCURACY AND GREATER ODDS FOR SUCCESS.

CLOSE QUARTER BATTLE SERIES OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE & ELEVATION
- PUSH-BUTTON OR REMOTE CABLE PAD ACTIVATION
- INCLUDES REMOTE CABLE PORT
- QUICK, CONVENIENT MOUNTING OPTIONS
- CO-ALIGNED VISIBLE AND IR LASERS
- INTEGRATED PUSH-BUTTON ACTIVATION

CQBL-1

One of the smallest and most rugged dual-function lasers available, the CQBL-1 is compatible with virtually every submachine gun and short-barrel rifle there is, and packs the output power needed for use on carbine, rifle and light machine gun systems.

ITEM NO. 9030-BLACK | UPC 000381890306
ITEM NO. 9031-DESERT SAND | UPC 000381890313

Visible Laser	IR Pointer
<5 mW red laser Class IIIa	<7 mW

AR-2A

This single-beam laser easily attaches to weapons without rails using a fixed-front iron sight clamp and provides greater accuracy in low-light conditions.

ITEM NO. 9041-BLACK | UPC 000381890412

Visible Laser
<5 mW red laser Class IIIa

OTAL-A

This "advanced" offset tactical aiming laser forges ahead with innovative enhancements. It's equipped with a visible green laser that will range out to 750 meters.

ITEM NO. 9052-BLACK | UPC 000381890528

Visible Laser
<5 mW green laser Class IIIa

OTAL-C

Designed for the M-4 platform, the visible red laser beam on this "classic" model projects around the front sight. It can be mounted in front of scopes, holographic sights and night-vision devices.

ITEM NO. 9055-BLACK | UPC 000381890559

Visible Laser	IR Pointer
<5 mW red laser Class IIIa	-

ITEM NO. 9056-BLACK | UPC 000381890566

Visible Laser	IR Pointer
-	<0.7 mW

MADE IN USA

Co-aligned visible and IR lasers eliminate the need to sight in each laser individually. Low-profile windage and elevation adjusters ensure a constant zero (CQBL-1 only).

Integrated Push-Button Activation and remote cable- pressure-pad switch activation; tap and release for momentary activation; tap twice for 5-minute continuous ON.

Fully adjustable for windage and elevation and can be configured with a visible or IR laser.

SPECIFICATIONS

Close Quarter Battle Lasers Series

		CQBL-1		AR-2A	OTAL-A	OTAL-C	OTAL-C IR
		9030	9031	9041	9052	9055	9056
LASER TYPE	VISIBLE RED OR GREEN	Red - Class IIIa	Red - Class IIIa	Red - Class IIIa	Green - Class IIIa	Red - Class IIIa	-
	IR LASER POINTER	Class I	Class I	-	-	-	Class I
	IR LASER ILLUMINATOR	-	-	-	-	-	-
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW	<5 mW	<5 mW	<5 mW	<5 mW	<0.7 mW
	IR LASER POINTER	<0.7 mW	<0.7 mW	-	-	-	-
	IR LASER ILLUMINATOR	-	-	-	-	-	-
WAVELENGTH	VISIBLE RED LASER	635 nm	635 nm	635 nm	-	635 nm	-
	VISIBLE GREEN LASER	-	-	-	532 nm	-	-
	IR LASER POINTER	850 nm	850 nm	-	-	-	850 nm
	IR LASER ILLUMINATOR	-	-	-	-	-	-
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	-
	IR LASER POINTER	<0.8 mRad	<0.8 mRad	-	-	-	<0.8 mRad
	IR LASER ILLUMINATOR	-	-	-	-	-	-
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	250 m / 5 m	250 m / 5 m	250 m / 5 m	750 m /1 5 m	250 m / 5 m	-
	VISIBLE GREEN LASER	-	-	-	-	-	-
	IR LASER POINTER	>250 m	>250 m	-	-	-	>250 m
	IR LASER ILLUMINATOR	-	-	-	-	-	-
	TEMPERATURE	-40° C to +65° C	-40° C to +65° C	-40° C to +65° C	0° C to +55° C	-40° C to +65° C	-40° C to +65° C
	BATTERY	CR123A	CR123A	AA	CR123A	AA	AA
	BATTERY LIFE (MODE DEPENDENT)	> 3 Hours	> 3 Hours	> 3 Hours	> 3 Hours	5 Hours	5 Hours
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Desert Sand	Black	Black	Black	Black
	WEIGHT (WITH BATTERY) (OZ.)	6	6	5.6	6	5.6	5.6
	DIMENSIONS (IN.) (LxWxH)	4.0 x 1.5 x 1.1	4.0 x 1.5 x 1.1	5.125 x 1.5 x 1.7	3.8 x 1.8 x 1.5	2.8 x 1.4 x .75	2.8 x 1.4 x .75
	WATERPROOF	Submersible to 20 m	Submersible to 20 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m
	MOUNT	Integrated Picatinny	Integrated Picatinny	Attached to A-Frame Front Sight	QD HT Mount	QD HT Mount	QD HT Mount
	WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes	Yes	Yes	Yes
	ACTIVATION SWITCH	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button
	REMOTE CABLE PRESSURE PAD	Yes	Yes	Yes	Yes	Yes	Yes
	WARRANTY	3-Year	3-Year	3-Year	3-Year	3-Year	3-Year
	MSRP PRICE	$955.00	$1,149.99	$564.00	$1,138.99	$459.99	$459.99

STEINER 3-YEAR WARRANTY

Covers all devices with infared and laser pointers. Valid in the U.S. and Canda only. For warranties in other countries, please visit www.Steiner.de

For 3 years from the date of purchase, this warranty covers all laser, optical and electrical components, materials and workmanship.

Warranty is void if the product has been abused, misused, neglected, or disassembled prior to the return of the manufacturer.

STEINER
Nothing Escapes You

BATTLE LIGHTS

HOW GOOD GUYS BEAT THE DARK SIDE.

WHEN THE SITUATION CALLS FOR ILLUMINATION, THESE BATTLE LIGHTS WILL LIGHT YOUR WAY WITH A BEAM OF LIGHT THAT PROVIDES FOR MINIMAL DIM OR SHADOWED AREAS SO YOU CAN HAVE CONFIDENCE IN ACCURATELY IDENTIFYING YOUR TARGET.

BATTLE LIGHTS OVERALL FEATURES

- HANDHELD OR WEAPON-MOUNTED CAPABILITY
- RECOIL-RESISTANT WHITE LIGHT LED
- ROBUST WATERPROOF CONSTRUCTION
- TEMPERATURE RANGE: -10° C TO +65° C
- FULLY OPERATIONAL FROM 20,000 FEET ABOVE SEA LEVEL TO 66 FEET BELOW THE OCEAN'S SURFACE
- HERITAGE WARRANTY™ (3 YEAR FOR MK3)

Mk3

The impressive Mk3 features a 600 mW eye-safe IR LED and a 500-lumen white light LED with optional strobe mode, providing the versatility and operational range needed to face any situation, day or night.

ITEM NO. 9071-BLACK | UPC 000381890719

Light Power Output	White Light
IR LED Illuminator <600 mW / <150 mW	500 lumens

Mk4

The modular, low-profile design of this 500-lumen weapon light provides interchangeable switch options and places the light close to the weapon body, nearly eliminating the rifle barrel shadow and enhancing weapon-handling switchology. It can operate on two CR123A batteries or one rechargeable lithium ion

ITEM NO. 9072-BLACK | UPC 000381890726

White Light
500 lumens

Mk5

One of the brightest handheld flashlights available today, this powerful light has a 800-lumen white light LED and illuminates up to 400 meters.

ITEM NO. 9073-BLACK | UPC 000381890733

White Light
800 lumens

Mk7

The compact, ergonomic design of this 350-lumen mini-light makes it the perfect tactical shotgun light. A shotgun end cap attaches directly into the magazine tube and replaces the factory spring cap.

ITEM NO. 9075 (BLACK) - REMINGTON 870/1100/1187
UPC 000381890757
ITEM NO. 9076 (BLACK) - MOSSBERG 500 | UPC 000381890764
ITEM NO. 9077 (BLACK) - BERETTA 1301 | UPC 000381890771
ITEM NO. 9078 (BLACK) - BENELLI M4/NOVA | UPC 000381890788

White Light (models 9075, 9076, 9077, 9078)
350 lumens

MADE IN USA

Integrated Push-Button Activation for continuous ON. Mk3 features optional strobe mode.

Handheld or weapon-mounted for greater versatility

Recoil-resistant white light LED for more durability and dependability when you need it most.

SPECIFICATIONS

Battle Lights

		Mk3 9071	Mk4 9072	Mk5 9073	Mk7 9075 / 9076 9077 / 9078
LIGHT OUTPUT	LIGHT OUTPUT	IR Laser Illuminator	-	-	-
	POWER OUTPUT (HIGH / LOW)	<600mW / <150mW	-	-	-
	WAVELENGTH	850 nm	-	-	-
	FDA CLASS	Exempt	-	-	-
	BEAM DIVERGENCE	8°	-	-	-
	RANGE (HIGH POWER)	200 m	-	-	-
LAMP	LAMP	White Light LED	White Light LED	White Light LED	White Light LED
	POWER OUTPUT (HIGH / LOW)	500 Lumens	500 Lumens	800 Lumens	350 Lumens
	BEAM DIVERGENCE	10°	10°	10°	10°
	RANGE (HIGH POWER) RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	300 m	300 m	500 m	100 m
	REFLECTION LENS	Total Internal Reflection Lens	Total Internal Reflection Lens	High Output Deep Dish	Total Internal Reflection Lens
	BATTERY	CR123A (2)	CR123A (2)	CR123A (2)	CR123A
	BATTERY LIFE	1.25 Hours	1.25 Hours	≥1 Hour	≥1 Hour
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Black	Black	Black
	WEIGHT (WITH BATTERY & MOUNT) (OZ.)	8	4.9	6.1	4.1
	DIMENSIONS (IN.) (LxWxH)	3.97 x 2.18 x 1.73	6.04 (L)	6.44 (L)	3.54 (L)
	TEMPERATURE RANGE	-40° C to +65° C	-40° C to +65° C	-40° C to +65° C	-10° C to +65° C
	WATERPROOF	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 3 m
	MOUNT	MIL-STD-1913/ Picatinny rail	MIL-STD-1913/ Picatinny rail	MIL-STD-1913/ Picatinny rail	model dependent, compatible with most popular tactical shotguns
	ACTIVATION SWITCH	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button
	REMOTE CABLE PRESSURE PAD	Included	Included	Optional	-
	LOW BATTERY INDICATOR	Yes	-	-	-
	WARRANTY	3-Year*	Heritage Warranty	Heritage Warranty	Heritage Warranty
	SPECIAL FEATURES	Instantly Switch Between White Light Illumination (With or Without Strobe) or IR LED Illuminator	Comes with 1913 Mount, Dual-Purpose Tailcap and Remote Pressure Pad / Optional Y-Cable Connects Mk4 to DBAL-A3 Laser	Handheld or Weapon-Mounted with Optional Accessories	Models Available to Fit Remington, Benelli, Mossberg & Beretta
	MSRP PRICE	$689.99	$321.99	$229.99	$212.99

HERITAGE WARRANTY GENERATION TO GENERATION

All Steiner riflescopes and binoculars are covered by the **Steiner Heritage™ Warranty** for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

***3 year warranty for Mk3**

STEINER
Nothing Escapes You

ILLUMINATORS

OWN THE NIGHT WITH THIS SPECIAL PURPOSE INFRARED ILLUMINATOR.

WITH A RANGE OF 900 METERS, THE SPIR WILL DETECT AND IDENTIFY THREATS AT GREATER DISTANCES THAN ANY OTHER TACTICAL IR ILLUMINATOR. IT CAN BE HAND-OPERATED OR WEAPON-MOUNTED.

Modern-day warfighters disrupt enemy operations by delivering precise, long-range fire on selected targets. Special operations, police and SWAT units protect innocent civilians in residential hostage crises, high-risk search/arrest warrants and other domestic situations.

SPIR

This Special Purpose IR LED illuminator is equipped with a high-definition, aspherical telescopic illuminator. It can be used in conjunction with night-vision equipped spotting scopes and deployed as a handheld or weapon-mounted IR illuminator.

ITEM NO. 9070-BLACK | UPC 000381890702

Illuminator

IR LED Illuminator <600 mW / <300 mW

MP5 FOREGRIP

This illuminator features a 500-lumen, recoil resistant, high-output white light LED – no filament to burn out or break. It's compatible with many suppressors and is available with a Momentary or Momentary with Positive ON or OFF activation switch.

ITEM NO. 9060-BLACK | UPC 000381890603

White Light

<200 lumens

LAS/TAC 2

This 200-lumen, recoil-resistant white light LED tactical light provides a brilliant white light with a tight beam for close-to-midrange applications. The integrated mounting system enables a quick mount or dismount on a variety of popular pistols.

ITEM NO. 9080-BLACK FITS GLOCK | UPC 000381890801
ITEM NO. 9081-BLACK FITS 1913 RAIL | UPC 000381890818

White Light

200 lumens



MBS-AA BORELIGHT

Quality engineered for a flawlessly centered dot every time, this borelight provides a precise, accurate alignment in the field without firing a single round of ammo. Includes a visible red laser and stainless steel bore rods.

ITEM NO. 9090-BLACK | UPC 000381890900

Visible Laser

<5 mW red laser Class IIIa

MADE IN USA

Integrated push-button switch and port for remote cable pressure pad (SPIR)

SPIR can be handheld or weapon-mounted for greater versatility

SPECIFICATIONS

Illuminators

		SPIR 9070	MP5 Foregrip 9060	LAS/TAC 2 9080	LAS/TAC 2 9081
LIGHT OUTPUT	LIGHT OUTPUT	IR LED Illuminator	-	-	-
	POWER OUTPUT (HIGH / LOW)	<600 mW / <300 mW	-	-	-
	WAVELENGTH	850 nm	-	-	-
	FDA CLASS	Eye-Safe	-	-	-
	BEAM DIVERGENCE	2° to 30°	-	-	-
	RANGE (HIGH POWER)	1000 m	-	-	-
LAMP	LAMP	-	Recoil Resistant LED	White Light LED	White Light LED
	POWER OUTPUT (HIGH / LOW)	-	200 Lumens	200 Lumens	200 Lumens
	BEAM DIVERGENCE	-	8°	10°	10°
	RANGE (HIGH POWER) RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	-	115 m	115 m	115 m
	REFLECTION LENS	-	High Intensity Reflector	High Intensity Reflector	High Intensity Reflector
	BATTERY	CR123A (2)	CR123A (2)	CR123A (2)	CR123A (2)
	BATTERY LIFE	2 Hours	≥1.5 Hours	>1.5 Hours	>1.5 Hours
	MATERIAL	High-Impact Polymer	High-Impact Polymer	High-Impact Polymer	High-Impact Polymer
	COLOR	Black	Black	Black	Black
	WEIGHT (WITH BATTERY & MOUNT) (OZ.)	6.5	11.1	3.1	3.1
	DIMENSIONS (IN.) (LxWxH)	6.75 x 1.55 x 1.95	9.5 x 2.125 x 3	3.9 (L)	3.9 (L)
	TEMPERATURE RANGE	-40° C to +65° C	-40° C to +65° C	-40° C to +65° C	-40° C to +65° C
	WATERPROOF	Submersible to 5 m	Water Resistant	-	-
	MOUNT	MIL-STD-1913/ Picatinny rail	-	General Accessory Rail (Glock)	MIL-STD-1913/ Picatinny rail
	ACTIVATION SWITCH	Integrated Push Button	Momentry/Kill Switch	3-Way Lever Switch	3-Way Lever Switch
	REMOTE CABLE PRESSURE PAD	Optional	-	-	-
	LOW BATTERY INDICATOR	-	-	-	-
	WARRANTY	3-Year	Heritage Warranty	Heritage Warranty	Heritage Warranty
	SPECIAL FEATURES	Includes Weapon Mount	Compatible with Suppressors	Ambidextrous Switch, Recoil Resistant LED	Ambidextrous Switch, Recoil Resistant LED
	MSRP PRICE	$774.99	$540.99	$298.99	$298.99

		MBS-AA Borelight 9090
LASER TYPE	VISIBLE RED OR GREEN	Red - Class IIIa
	IR LASER POINTER	-
	IR LASER ILLUMINATOR	-
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW
	IR LASER POINTER	-
	IR LASER ILLUMINATOR	-
	WHITE LIGHT	-
WAVELENGTH	VISIBLE RED LASER	635 nm
	VISIBLE GREEN LASER	-
	IR LASER POINTER	-
	IR LASER ILLUMINATOR	-
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad
	IR LASER POINTER	-
	IR LED ILLUMINATOR	-
	WHITE LIGHT	-
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	250 m
	VISIBLE GREEN LASER	-
	IR LASER POINTER	-
	IR LASER ILLUMINATOR	-
	WHITE LIGHT	-
	TEMPERATURE	-40° C to +65° C
	BATTERY	AA
	BATTERY LIFE (MODE DEPENDENT)	8 Hours
	MATERIAL	Aircraft Aluminum
	COLOR	Black
	WEIGHT (WITH BATTERY) (OZ.)	5.4
	DIMENSIONS (IN.) (LxWxH)	9.25 (L)
	WATERPROOF	Submersible to 3 m
	MOUNT	Stainless Steel Bore Rod (2)
	WINDAGE & ELEVATION ADJUSTMENT	Yes
	ACTIVATION SWITCH	Rotary Switch
	REMOTE CABLE PRESSURE PAD	Yes
	WARRANTY	3-Year
	MSRP PRICE	$425.99

STEINER
Nothing Escapes You

AN/PVS-21

LOW PROFILE NIGHT VISION GOGGLE

DESIGNED FOR AGGRESSIVE SPECIAL OPERATION TYPE MISSIONS IN ANY ENVIRONMENT, THE AN/PVS-21 IS BATTLE PROVEN AND THE MOST RUGGED SYSTEM AVAILABLE. A PATENTED LOW-PROFILE DESIGN OFFERS 3-4 INCHES LESS PROTRUSION THAT CONVENTIONAL NIGHT VISION GOGGLES.

AN/PVS-21 OVERALL FEATURES

- LOW-PROFILE, SEE-THROUGH TECHNOLOGY
- SEE-THROUGH OPTICS INSTANTLY TRANSITION TO BRIGHT LIGHT
- LARGE, UN-INTENSIFIED FIELD-OF-VIEW FOR IMPROVED DEPTH PERCEPTION AND CQB CAPABILITY
- ELIMINATES VERTIGO AND TUNNEL VISION ASSOCIATED WITH CONVENTIONAL SYSTEMS
- ENHANCED SITUATIONAL AWARENESS WITH SENSOR INTEGRATION

AN/PVS-21

The AN/PVS-21 Low Profile Night Vision Goggle offers sensor Integration, low-profile see-through technology. This versatile design adapts to any mission or environment, whether in the air, on land and in the water.

ITEM NO. 9210 | UPC 000381892102

Rugged design makes it ideal for high-speed vehicle operation, parachute jumps and aggressive use over rough terrain

Reduced center of gravity for great comfort and extended wear

Large, un-intensified field-of-view for improved depth perception and CQB capability

SPECIFICATIONS

AN/PVS-21

PHYSICAL FEATURES

ADJUSTMENTS:	Tilt - 14˚ on the goggle IPD - 55 mm to 8mm
WEIGHT:	760 grams / 26.8 ounces
AUXILIARY ILLUMINATION SOURCE:	Two IR LEDs - Off/Low/High
POWER:	AA battery 1.5-3.6V alkaline or lithium
MOUNTS:	Precision, quick-release mounting on helmets and head harnesses. Integrated HUD port for sensor integration

OPTICAL PERFORMANCE

INTENSIFIED FIELD-OF-VIEW (FOV):	40˚
UNAIDED FOV:	165˚ horizontal and 90˚ verticle
OBJECTIVE FOCUS:	33 cm to infinity
SYSTEM RESOLUTION:	1.3 cy/mr minimum (1.4 or greater typical)
EXIT PUPIL: 10 MM ON AXIS	10 mm on axis
EYE RELIEF: 15 MM	15 mm

ENVIRONMENTAL

OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 70°C (158°F)
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 80°C (176°F)
WATERPROOF:	3 meter standard, 10 meter optional

MSRP	$22,999.99

MADE IN USA



STEINER
Nothing Escapes You

CEHUD

CONFORMAL ENHANCED HEADS UP DISPLAY

THE CEHUD PROVIDES IMPROVED SITUATIONAL AWARENESS, REDUCED SENSOR-TO-SHOOTER GAP AND ENHANCED CAPABILITY TO DETECT, RECOGNIZE AND IDENTIFY TARGETS.

CEHUD OVERALL FEATURES

- STATE-OF-THE-ART SENSOR INTEGRATION
- DIGITAL VIDEO FEEDS ARE OVERLAID DIRECTLY ONTO THE OPERATIONAL VIEW VIA AN SVGA OLED
- OVERLAYS KEY SENSOR INFORMATION SUCH AS COMMUNICATION, NAVIGATION, THREAT ASSESSMENT AND TARGETING DATA DIRECTLY ONTO THE DAY OR NIGHT VIEW
- ELIMINATES THE NEED TO CARRY MULTIPLE VIDEO DISPLAYS
- GREATLY ENHANCES SITUATIONAL AWARENESS

CEHUD

CONFORMAL ENHANCED HEADS UP DISPLAY

A lightweight, compact and ruggedized HUD that is day or night capable. Designed for use with the AN/PVS-21 LPNV Goggle, Model 2740 Monocular and Model 2758 Dayviewer. Accepts SVGA/VGA format color video signals or NTSC/PAL black & white video signals. Fingertip adjustment of power, brightness, contrast and diopter adjustment

ITEM NO. 9241 | UPC 000381892416





The heads-up display presents **communication**, **navigation**, **threat assessment** and **targeting data** in real-time.

SPECIFICATIONS

CEHUD

PHYSICAL FEATURES

ADJUSTMENTS:	Tilt - 14˚ on the goggle IPD - 55 mm to 8mm
WEIGHT:	Display Module - 70 grams / 2.5 ounces Helmet-Mounted Power Module - 250 grams / 8.8 ounces Vest/Pocket Power Module - 250 grams / 8.8 ounces
AUXILIARY ILLUMINATION SOURCE:	IR LED - Off/Low/High
POWER:	(4) AA batteries
CONTROLS:	On/Off, Brightness, Contrast and Diopter
DIMENSIONS:	Precision, quick-release mounting on helmets and head harnesses. Integrated HUD port for sensor integration. Vest/Pocket Power Module - 76mm x 146mm x 39mm

OPTICAL PERFORMANCE

DISPLAY:	Color capable SVGA
VIDEO INPUTS:	Analog SVGA display in 16.7 million colors NTSC or PAL display in 256 gray shades monochrome
RESOLUTION:	SVGA - 800x600
ANGULAR FIELD-OF-VIEW (THROUGH GOGGLES):	SVGA - 31.7˚ VGA - 25.6˚ View is similar to 17-in. monitor at 2.3 ft. distance

ENVIRONMENTAL

OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 52°C (126°F)
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 65°C (146°F)
OPERTATING ALTITUDE:	Sea Level to 30,000 ft.
IMMERSION:	Up to 10 meters

MSRP	$7,244.99

MADE IN USA



STEINER
Nothing Escapes You

COTM

CLIP ON THERMAL MODULE

THE AN/PVS-21 CLIP-ON THERMAL MODULE PROVIDES THERMAL IMAGING CAPABILITY FOR THE AN/PVS-21 LOW-PROFILE NIGHT VISION GOGGLE. VARIOUS SPECTRAL BANDS OFFER SEVERAL UNIQUE ADVANTAGES SUCH AS IMAGE-INTENSIFIED NIR FOR HIGH-RESOLUTION TARGET IDENTIFICATION WHILE THERMAL IMAGING LETS THE USER RAPIDLY ACQUIRE TARGETS, SEE THROUGH SMOKE OR FOG AND TOTAL DARKNESS.

COTM OVERALL FEATURES

- **LARGE FIELD-OF-VIEW THERMAL IMAGERY**
- **IMPROVED DETECTION, RECOGNITION, IDENTIFICATION AND SITUATIONAL AWARENESS**
- **DAY OR NIGHT CAPABILITY**
- **SMALL PROFILE AND LIGHT WEIGHT**
- **QUICKLY ATTACHES TO EITHER SIDE OF THE AN-PVS-21 LPNVG FOR GREATER VERSATILITY**

COTM

CLIP ON THERMAL MODULE

The COTM injects its thermal imagery directly onto the eyepiece of the AN/PVS-21 LPNVG so the thermal image retaiNs its black and white color for instant spectral-band differentiation by the operator. The COTM can also be used as a full-color capable Heads Up Display. SVGA, VGA, NTSC or PAL external video sources can be optically overlaid onto the I2 night vision scene of the AN/PVS-21 LPNV for greater situational awareness. Functions as a full-color SVGA heads-up display. Instantly switches between internal thermal imagery to external video sources (weapon sight, maps, UAV video feeds, navigation or communications

ITEM NO. 9240 | UPC 000381892409

Switchable Mode Presets provide four preset modes for optimum viewing. The operator can easily switch between Full Thermal / Mixed Mode / Declutter / Edge Detect.

SPECIFICATIONS

COTM

PHYSICAL FEATURES

WEIGHT:	305 grams / 10.7 ounces
POWER:	(4) CR 123
DIMENSIONS:	COTM Module - 2.46 x 1.69 x 1.75 inches Battery Pack - 4.11 x 1.26 x 3.86 inches

OPTICAL PERFORMANCE

THERMAL CAMERA RESOLUTION:	320 x 240
THERMAL CAMERA SPECTRUM:	8 to 12 µm
THERMAL OBJECTIVE LENS:	F 1.4
MAGNIFICATION:	1x
FOCUS:	Fixed from 5 meters to infinity
HUD FIELD-OF-VIEW:	31.7˚ SVGA or 25.6˚ VGA
DISPLAY RESOLUTION:	800 x 600
VIDEO INPUTS:	VGA, SVGA, NTSC or PAL (factory configurable)

ENVIRONMENTAL

OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 60°C (140°F)
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 65°C (149°F)
OPERTATING ALTITUDE:	Sea Level to 30,000 ft.
SUBMERSIBLE:	Waterproof to 3 meters

MSRP	$14,399.99

MADE IN USA



STEINER
Nothing Escapes You

MODEL 2740

LOW PROFILE NIGHT VISION MONOCULAR

THE MODEL 2740 IS THE MONOCULAR VERSION OF THE POWERFUL AN/PVS-21 LOW PROFILE NIGHT VISION GOGGLE WITH ALL THE SAME FEATURES INCLUDING SENSOR OVERLAY TECHNOLOGY.

MODEL 2740 OVERALL FEATURES

- **SEE-THROUGH OPTICS INSTANTLY TRANSITION TO BRIGHT LIGHT**
- **ENHANCED SITUATIONAL AWARENESS WITH SENSOR INTEGRATION**
- **LARGE, UN-INTENSIFIED FIELD-OF-VIEW FOR IMPROVED DEPTH PERCEPTION AND CQB CAPABILITY**
- **ELIMINATES VERTIGO AND TUNNEL VISION ASSOCIATED WITH CONVENTIONAL SYSTEMS**
- **LESS THAN 8 CM IN DEPTH. AVAILABLE IN EITHER LEFT- OR RIGHT-HAND CONFIGURATIONS**

MODEL 2740

LOW PROFILE NIGHT VISION MONOCULAR
Designed for aggressive special operation type missions in any environment, it is battle proven and the most rugged system available. The patented low-profile design offers 3-4 inches less protrusion that conventional night vision goggles to enable a wider range of applications. Reduced center of gravity for great comfort and extended wear. Sensor overlay technology, low-profile, see-through technology

ITEM NO. 9211 | UPC 000381892119

Less than 8 cm in depth. Available in either left- or right-hand configurations

Reduced center of gravity for great comfort and extended wear

Battle-proven design ideal for high-speed vehicle operation, parachute jumps and aggressive use over rough terrain

SPECIFICATIONS

MODEL 2740

PHYSICAL FEATURES

WEIGHT:	440 grams / 15.5 ounces
POWER:	AA battery 1.5-3.6V alkaline or lithium
ADJUSTMENTS:	Tilt - 14˚ on the goggle - IPD - 55 mm to 8mm
AUXILIARY ILLUMINATION SOURCE:	IR LED - Off/Low/High
MOUNTS:	Precision, quick-release mounting on helmets and head harnesses Integrated HUD port for sensor integration

OPTICAL PERFORMANCE

INTENSIFIED FIELD-OF-VIEW (FOV):	40˚
UNAIDED FOV:	165˚ horizontal and 90˚ verticle
OBJECTIVE FOCUS:	33 cm to infinity
SYSTEM RESOLUTION:	1.3 cy/mr minimum (1.4 or greater typical)
EXIT PUPIL:	10 mm on axis
EYE RELIEF:	15 mm

ENVIRONMENTAL

OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 52°C (126°F)
OPERTATING ALTITUDE:	Sea Level to 35,000 ft.
IMMERSION:	3 meter standard / 10 meter optional
EMI/EMC:	Mil-std-461, Class A#, RE02, RS02 and RS03

MSRP	$10,199.99

MADE IN USA



STEINER
Nothing Escapes You

FLIP LENS

NEW

NIGHT VISION REFOCUS FLIP LENS

NIGHT VISION REFOCUS LENSES ARE INNOVATIVE ACCESSORIES PROVIDING OPERATORS THE ABILITY TO RAPIDLY REFOCUS THEIR NIGHT VISION VIEW FROM INFINITY TO APPROXIMATELY 24 INCHES.

FLIP LENS OVERALL FEATURES

- **RAPIDLY REFOCUS NIGHT VISION VIEW**
- **DESIGNED FOR USE WITH MOST NIGHT VISION GOGGLES**
- **ATTACH TO EITHER SIDE WITH THE USE OF SIMPLE FINGER CLAMP**
- **ECONOMICAL, INNOVATIVE SOLUTION**

UNIVERSAL REFOCUS FLIP LENS

This lens allows the operator to perform momentary close-in tasks such as map-reading or weapon clearing. The operator can then instantly return the NVG to infinity by flipping the lens back

ITEM NO. 9431 | UPC 000381894137

AN/PVS-21 REFOCUS FLIP LENS

This lens allows the operator to perform momentary close-in tasks such as map-reading or weapon clearing. The operator can then instantly return the NVG to infinity by flipping the lens back

ITEM NO. 9412 | UPC 000381894120

Quick Simple Attachment fits the objective on either side through a simple finger clamp.

Rapidly refocus night vision view

Designed for use with most night vision goggles

SPECIFICATIONS

REFOCUS LENS

UNIVERSAL REFOCUS FLIP LENS

ANGULAR FIELD OF VIEW:	30˚
FOCUS RANGE:	~20 in. to 24 in.
APPLICATIONS:	AN/PVS -7,-14,15,18,-23, AN/AVS-6,-9
DIMENSIONS:	41mm (1.6in) x 54 mm (2.1 in.) x 19 mm (0.75 in.)
WEIGHT:	10.5g (0.4 ounces)
MSRP	$88.99

AN/PVS-21 REFOCUS FLIP LENS

ANGULAR FIELD OF VIEW:	30˚
FOCUS RANGE:	~20 in. to 24 in.
APPLICATIONS:	AN/PVS-21
DIMENSIONS:	48mm (1.7in) x 45 mm (1.7 in.) X 30mm (1.2 in.)
WEIGHT:	12 g (0.5 ounces)
MSRP	$103.49

MADE IN USA

STEINER
Nothing Escapes You

NOVA

MULTI SPECTRAL COMBAT IDENTIFICATION BEACON

THE NOVA BEACON IS A MULTI-SPECTRAL COMBAT ID BEACON WITH THERMAL, NIR AND WHITE LED EMITTERS THAT COVERTLY MARKS BLUE FORCE PERSONNEL AND VEHICLES.

NOVA

The NOVA Beacon is a multi-spectral combat ID beacon with thermal, NIR and white LED emitters that covertly marks blue force personnel and vehicles. In thermal mode, THE NOVA BEACON emits no visible signature and is undetectable by conventional night vision. The operator can easily set up the NOVA for NIR, thermal, visible white light or combinations of thermal and NIR.

ITEM NO. 9310 (VIS NIR MWIR) | UPC 000381893109
ITEM NO. 9311 (NIR MWIR SWIR) | UPC 000381893116

NOVA OVERALL FEATURES

- POSITIVE ID OF BLUE FORCE ASSETS FROM AIR AND GROUND THERMAL IMAGING SYSTEMS, TARGETING SYSTEMS AND NVGS
- SIX EMITTER LOCATIONS CAN BE EQUIPPED WITH ANY COMBINATION OF EMITTERS
- MULTIPLE NOVA BEACONS CAN BE SYNCHRONIZED TO FLASH IN UNISON
- FLASH PATTERN IS PROGRAMMABLE TO ASSIST IN IDENTIFICATION OF MULTIPLE USERS AND TEAMS
- COMPLETELY SELF-CONTAINED. CAN BE USED ON A HELMET, MOLLE VEST, PACK OR VEHICLE

MADE IN USA

SPECIFICATIONS

NOVA BEACON

PHYSICAL FEATURES	
BATTERIES:	(2) CR 123
RUN TIME:	NIR ~ 24 hours Thermal ~10-12 hours NIR and Thermal ~ 8 hours White Light ~ 4 hours
DIMENSIONS:	2.5 x 2.43 x 1.0 inches
WEIGHT:	116 grams / 4.1 ounce

OPTICAL PERFORMANCE	
WAVELENGTH:	880 nm, 3-5 µm
MAXIMUM OPTICAL POWER:	880 nm ~ 320 mW 3-5 µm ~ 350 nm
MAXIMUM LUMINOUS FLUX:	(White) – 80 lumens
OPTICAL DIVERGENCE:	NIR - 132° FWHM Thermal - 100° FWHM (horizontal and vertical) Visible - 115° FWHM

ENVIRONMENTAL	
OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 52°C (126°F)
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 65°C (149°F)
SUBMERSIBLE:	3 meters for 30 min.

NORTH STAR

COMBAT IDENTIFICATION BEACON

THE NORTH STAR IS A MINIATURE BEACON THAT CAN BE USED TO COVERTLY MARK PERSONNEL, VEHICLES OR OTHER HARD TARGETS FOR COMBAT ID/IFF, OR FOR TAGGING AND TRACKING.

NORTH STAR

The North Star beacon has a small profile ideal for covertly marking blue force personnel, vehicle, drop zones and landing zones. It's On-board microprocessor can be factory programmed for custom flash patterns. It is powered by a single CR 123 battery.

ITEM NO. 9312 (MWIR) | UPC 000381893123
ITEM NO. 9313 (SWIR) | UPC 000381893130

NORTH STAR OVERALL FEATURES

- TAG AND TRACK RED FORCE PERSONNEL AND ASSETS IN RURAL AND URBAN ENVIRONMENTS
- HIGH OPTICAL OUTPUT AND SYNCHRONOUS FLASHING ENSURE LONG-RANGE VISIBILITY IN LOW LIGHT AND NO LIGHT SITUATIONS
- OFFERS SEVERAL ATTACHMENT OPTIONS: SPRING CLIP, TIE DOWN TABS AND NEODYMIUM MAGNETS

The high optical output produces excellent thermal visibility at long range in low-light and no light environments.

SPECIFICATIONS

NORTH STAR BEACON

PHYSICAL FEATURES	
BATTERIES:	(2) CR 123 lithium battery
RUN TIME:	- 880 nm - 15 hours - 3-5 µm - 150 mW
DIMENSIONS:	2.1 x 1.0 x 0.8 inches
WEIGHT:	49 grams / 1.7 ounce
OPTICAL PERFORMANCE	
WAVELENGTH:	880 nm, 3-5 µm
MAXIMUM OPTICAL POWER:	880 nm ~ 385 mW 3-5 µm - 130 nm
MAXIMUM LUMINOUS FLUX:	(White) – 80 lumens
OPTICAL DIVERGENCE:	- 880 nm - 128˚ FWHM - 3-5 µm - 100˚ FWHM
ENVIRONMENTAL	
OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 52°C (126°F
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 65°C (149°F)
SUBMERSIBLE:	1 meter for 30 min.

STEINER
Nothing Escapes You

MCID

MULTI SPECTRAL ID BEACON

THE TRI-BAND MCID IS A MULTI-SPECTRAL COMBAT ID BEACON FOR COVERTLY MARKING BLUE FORCE PERSONNEL AND VEHICLES.

MCID

With it's low-profile design, the MCID matches the shape of a helmet for secure attachment and can also be mounted to MOLLE vests, packs or vehicles. Versions are available with mid-wave infrared (MWIR), near infrared (NIR) and short wave infrared (SWIR) or MWIR, NIR and Visible (VIS).

ITEM NO. 9315 (NIR MWIR SWIR) | UPC 000381893154
ITEM NO. 9316 (VIS NIR MWIR) | UPC 000381893161

MCID OVERALL FEATURES

- MWIR DETECTABLE AT NIGHT AT RANGES UP TO 5-8 NM BY TYPICAL AIRCRAFT IMAGING PODS
- COVERT OPS - THERMAL AND SWIR MODES ARE UNDETECTABLE BY EYE, NVGS AND COMMERCIAL CAMERAS
- LOW-PROFILE TOGGLE SWITCHES PROVIDE INDIVIDUAL CONTROL OF THERMAL, SWIR AND NIR EMITTERS
- HIGH OPTICAL OUTPUT POWER - CLASS I - EYE SAFE
- POWERED BY (3) CR 123 BATTERIES
- HEMISPHERICAL LIGHT DISTRIBUTION FOR VISIBILITY FROM ALL DIRECTIONS
- MULTIPLE MCIDS CAN BE SYNCHRONIZED TO FLASH IN UNISON AND CAN BE PROGRAMMED FOR CUSTOM FLASH PATTERNS AND POWER OUTPUT

The palm-sized MCID has a low-profile lightweight design that matches the curve of the helmet.

MADE IN USA

SPECIFICATIONS

MCID

PHYSICAL FEATURES	
BATTERIES:	(3) CR 123
RUN TIME:	4.5 to 14 hours
DIMENSIONS:	9.5 x 7.5 x 3.8 cm
WEIGHT:	235 grams / 8.3 ounces
OPTICAL PERFORMANCE	
WAVELENGTH:	VIS (white) / NIR (880nM) / MWIR (3 to 5 µm)
IN-BAND OPTICAL POWER:	White - 240 Lumens total 880 nm - 960 mW 3-4 µm ~ 1,370 mW
OPTICAL DIVERGENCE:	Greater than hemispherical: 360˚ azimuth x 200˚ elevation
DETECTABLE RANGE:	(nighttime MWIR LITENING targeting pod) - 5 to 8 km
ENVIRONMENTAL	
OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 60°C (140°F)
WATERPROOF:	Dust and Waterproof (10 meters immersion for 30 minutes)

STAR BEACON

THERMAL IFF BEACON

THE STAR BEACON IS A STATE OF THE ART THERMAL IFF BEACON THAT IS UNDETECTABLE BY THE NAKED EYE, NIGHT VISION GOGGLES OR COMMERCIAL VIDEO CAMERAS.

Star Off

Star On

STAR BEACON OVERALL FEATURES

- POSITIVE ID OF BLUE FORCE ASSETS FROM AIR AND GROUND THERMAL IMAGING SYSTEMS
- MULTIPLE STAR BEACONS CAN BE SYNCHRONIZED TO FLASH IN UNISON
- BATTERY PACK WITH SIX CR123 BATTERIES PROVIDES A MINIMUM OF 5 HOURS OF CONTINUOUS USE.
- EXTERNAL POWER CONNECTOR FOR 12 TO 32 VOLTS DC.
- FULL HEMISPHERICAL DIVERGENCE FOR VISIBILITY FROM HORIZON TO ZENITH

STAR BEACON

The STAR Beacon is a state of the art thermal IFF beacon that is undetectable by the naked eye, night vision goggles or commercial video cameras. IT IS VISIBLE TO MWIR targeting pods for up to 8 nautical miles (15 km). Small with a low-profile that easily mounts to helmets and vehicles.

ITEM NO. 9314 | UPC 000381893147

SPECIFICATIONS

STAR BEACON

PHYSICAL FEATURES	
BATTERIES:	(2) CR 123 lithium battery
RUN TIME:	- 880 nm - 15 hours - 3-5 µm - 150 mW
DIMENSIONS:	2.1 x 1.0 x 0.8 inches
WEIGHT:	49 grams / 1.7 ounce
OPTICAL PERFORMANCE	
WAVELENGTH:	880 nm, 3-5 µm
MAXIMUM OPTICAL POWER:	880 nm ~ 385 mW 3-5 µm - 130 nm
MAXIMUM LUMINOUS FLUX:	(White) – 80 lumens
OPTICAL DIVERGENCE:	- 880 nm - 128° FWHM - 3-5 µm - 100° FWHM
ENVIRONMENTAL	
OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 52°C (126°F
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 65°C (149°F)
SUBMERSIBLE:	1 meter for 30 min.

STEINER
Nothing Escapes You

AIRFIELD BEACON

COMPACT REMOTELY TRIGGERED BEACON

THE AIRFIELD BEACON IS A COMPACT REMOTELY TRIGGERED BEACON DESIGNED FOR MARKING COVERT AIRSTRIPS AND LANDING ZONES.

AIRFIELD BEACON OVERALL FEATURES

- EVERY BEACON DOUBLES AS A TRANSMITTER, CAPABLE OF TRIGGERING ANY OTHER BEACON
- IT CAN BE EQUIPPED WITH A VARIETY OF EMITTERS IN THE VISIBLE AND NEAR IR WAVEBANDS
- 3 OPERATING MODES: CONTINUOUS AT MEDIUM POWER CONTINUOUS AT HIGH POWER AND 1 HZ FLASHING AT HIGH POWER
- MODES ARE EASILY PROGRAMMED BY USB AND FLASH PATTERNS CAN BE CUSTOMIZED
- HEMISPHERICAL LIGHT DISTRIBUTION FOR VISIBILITY FROM ALL DIRECTIONS
- WEATHERPROOF AND SHOCK RESISTANT

AIRFIELD BEACON

The Airfield Beacon's UHF transceiver is programmed with seven discrete channels and can be remotely activated from up to 6km away. With standard night vision goggles it can be detected from 15 km. The "All" setting lets the operator turn on every beacon regardless of channel. Beacons can be placed on the ground or attached to stakes with internal magnets

ITEM NO. 9317 (Backpack kit of 10) | UPC 000381893178
ITEM NO. 9318 (Individual) | UPC 000381893185

The Airfield beacons uses a UHF transceiver programmed with seven discrete channels. There are three modes: continuous at medium power; continuous at high power and 1 Hz flashing on high power.

The modes can be programmed with a USB port. The user can customize flash patterns.

MADE IN USA

Beacons can be placed on the ground, or attached to stakes using their internalmagnets for better visibility.

SPECIFICATIONS

AIRFIELD BEACON

PHYSICAL FEATURES

BATTERIES:	Four (4) CR123 Batteries
DIMENSIONS:	9.5 x 8.1 x 4.8 cm
WEIGHT:	500 grams / 17.6 ounces
NUMBER OF EMITTERS:	9 (3 of each wavelength)

ENVIRONMENTAL

OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 70°C (158°F)
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 80°C (176°F)
WATERPROOF:	IP68 Rating

ACCESSORIES

HOLSTERS NEW

These new Level II retention holsters are custom molded to accept the DBAL-PL and SBAL-PL laser aiming devices mounted on Beretta M91A and Glock 17/19 pistols. Featuring a quick release rotating hold retention system, they can be configured for duty belt, drop leg or chest rig. Adjustable for height and mission-specific requirements and available in matte black in RH and LH versions.

SOC 19-SBAL-LEFT HAND - ITEM NO. 4001 | UPC 000381840011
SOC 19-SBAL-RIGHT HAND - ITEM NO. 4002 | UPC 000381840028
SOC 19-DBAL-LEFT HAND - ITEM NO. 4003 | UPC 000381840035
SOC 19-DBAL-RIGHT HAND - ITEM NO. 4004 | UPC 000381840042
SOC 17-SBAL-LEFT HAND - ITEM NO. 4011 | UPC 000381840110
SOC 17-SBAL-RIGHT HAND - ITEM NO. 4012 | UPC 000381840127
SOC 17-DBAL-LEFT HAND - ITEM NO. 4013 | UPC 000381840134
SOC 17-DBAL-RIGHT HAND - ITEM NO. 4014 | UPC 000381840141
SOC M9A1-SBAL-LEFT HAND - ITEM NO. 4021 | UPC 000381840219
SOC M9A1-SBAL-RIGHT HAND - ITEM NO. 4022 | UPC 000381840226
SOC M9A1-DBAL-LEFT HAND - ITEM NO. 4023 | UPC 000381840233
SOC M9A1-DBAL-RIGHT HAND - ITEM NO. 4024 | UPC 000381840240
XSL 19-SBAL-LEFT HAND - ITEM NO. 4101 | UPC 000381841018
XSL 19-SBAL-RIGHT HAND - ITEM NO. 4102 | UPC 000381841025
XSL 19-DBAL-LEFT HAND - ITEM NO. 4103 | UPC 000381841032
XSL 19-DBAL-RIGHT HAND - ITEM NO. 4104 | UPC 000381841049
XSL 17-SBAL-LEFT HAND - ITEM NO. 4111 | UPC 000381841117
XSL 17-SBAL-RIGHT HAND - ITEM NO. 4112 | UPC 000381841124
XSL 17-DBAL-LEFT HAND - ITEM NO. 4113 | UPC 000381841131
XSL 17-DBAL-RIGHT HAND - ITEM NO. 4114 | UPC 000381841148
XSL M9A1-SBAL-LEFT HAND - ITEM NO. 4121 | UPC 000381841216
XSL M9A1-SBAL-RIGHT HAND - ITEM NO. 4122 | UPC 000381841223
XSL M9A1-DBAL-LEFT HAND - ITEM NO. 4123 | UPC 000381841230
XSL M9A1-DBAL-RIGHT HAND - ITEM NO. 4124 | UPC 000381841247

MADE IN USA

ACCESSORIES



RIFLE SLINGS

Premium leather or durable nylon web rifle slings firmly attach to your favorite rifle for comfortable carry in the field or on the range.

ITEM NO. 7611 (BROWN LEATHER)
ITEM NO. 7612 (BLACK NYLON)

CLICLOC® BODY HARNESS SYSTEM

Permits hands-free binocular carry. Raise the binocular to your eyes for quick viewing; return it to your chest when done. Binocular is securely attached to the adjustable harness, and has removable quick-release buckles.

ITEM NO. 769
(fits all models, except compacts)

ITEM NO. 719
BLUE MESH

ITEM NO. 828
BLUE MARINE

ITEM NO. 715
GREY TACTICAL

ITEM NO. 720
BROWN MESH

ITEM NO. 716
BLAZE ORANGE

ITEM NO. 717
BLACK, ROUND BILL
ITEM NO. 718
BLACK, FLAT BILL

HATS

Steiner offers a variety of branded hats to suit any need or activity.

ANTI-REFLECTION DEVICES (ARD)

Steiner ARDs reduce up to 100% of reflection or "glint" from objective lenses with their honeycomb pattern. Available for M-Series binoculars and M5Xi riflescopes.

ITEM NO. 730 (8X30/6X30/7X35/7X30 PORRO)
ITEM NO. 750 (7X50 AND 10X50 PORRO)
ITEM NO. 5901 (3-15X50MM M5XI)
ITEM NO. 5902 (5-25X56MM M5XI)

SUNSHADES

Steiner sunshades help reduce glare and sun reflections off riflescope objective lenses. The black anodized sunshades can be easily attached by screwing onto the objective housing. Available for M5Xi Military riflescopes.

ITEM NO. 5903 (3-15X50MM M5XI)
ITEM NO. 5904 (5-25X56MM M5XI)

FLOAT STRAP

Padded in a visible yellow, long-lasting waterproof jacket, the Steiner marine binocular Float Strap with ClicLoc® adapts to most marine binoculars and many others.

ITEM NO. 7680/3
(fits Navigator Pro, Commander and Global Commander 7x50 models)
ITEM NO. 7680/4
(fits Navigator Pro 7x30 model only)

BINOCULAR CASES

Protect your binocular and transport it easily with a stylish Steiner binocular case.

ITEM NO. 605 (PORRO, SHORT BARREL: 8X30, 6X30, 7X35, 7X30)
ITEM NO. 606 (PORRO, SHORT BARREL: 7X50, 10X50)
ITEM NO. 609 (PORRO, LONG BARREL: 7X50, 8X56, 10X50, 12X56)
ITEM NO. 610 (PORRO, LONG BARREL: 9X40, 10X40, 12X40)
ITEM NO. 612 (DELUXE BINOCULAR CASE: 30MM PORRO)
ITEM NO. 613 (DELUXE BINOCULAR CASE: 42MM ROOF)
ITEM NO. 977 (BLUE; PORRO, SHORT BARREL: 8X30, 7X30)
ITEM NO. 978 (CAMO GEAR BAG: 15X80, 20X80)

The Steiner Heritage™ Warranty means we stand behind our products. Over half a century of experience building rugged and reliable, mil-spec product and supplying them to armed forces all around the world allows us to have this kind of confidence. We at Steiner are totally committed to the very highest standards of quality, dependability, and most of all customer satisfaction. Our Heritage™ Warranty assures you of that commitment.

HERITAGE WARRANTY GENERATION TO GENERATION

STEINER HERITAGE™ WARRANTY – FOR THE LIFE OF THE PRODUCT

Covers Binoculars, Riflescopes, and LED visible spectrum Battle Lights.

Valid in U.S. and Canada only.
For warranties in other countries,
please visit www.Steiner.de

For the lifetime of the product, we will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed.
- No receipt required
- Warranty is fully transferable to future owners of the product.

To register your product online, visit the Binoculars and Riflescopes Warranty Registration page at
www.steiner-optics.com/product-warranties

STEINER 3-YEAR WARRANTY

Covers all devices with infrared and laser pointers.

Valid in U.S. and Canada only.
For warranties in other countries,
please visit www.Steiner.de

For 3 years from the date of purchase, this warranty covers all laser, optical and electrical components, materials and workmanship.

Warranty is void if the product has been abused, misused, neglected, or disassembled prior to the return to the manufacturer.

To register your product online, visit the Laser Devices and Battle Lights Warranty Registration page.
www.steiner-optics.com/laser-device-and-battle-light-warranty-registration

CUSTOMER SERVICE

Your Steiner optics are backed by a commitment to optimum performance and your complete satisfaction – today, every day, for generations to come. Any questions or concerns will be quickly addressed by experts at our national headquarters in Greeley, Colorado. Just call us at **970-356-1670 (888-228-7747 toll-free)** Monday through Friday from 8:00 AM to 5:00 PM MST. Or, email us at **info@steiner-optics.com**. To post ideas, comments or suggestions, go to our Facebook or Twitter page. We always welcome your input.

STEINER-OTICS.COM

UNITED STATES
STEINER-OPTIK
1015 39th Avnue
Greeley, CO 80634
Tel: 970-356-1670
Toll free: 888-228-7747
Fax: 970-356-8702

CANADA
Stoeger Canada Ltd.
Unit 1, 1801 Wentworth St.
Whitby, V1N 8R6
Tel: 905-436-9077
Toll free: 800-263-1945
Fax: 905-436-9079

BDT

BERETTA | Benelli | sako | STEINER

Firearms | Optics | Ammunition
Tactical Equipment | Accessories | Uniforms

A strategic alliance of defense companies focused on providing integrated systems for our Warfighter.

BDT. Your First Line of Defense.

www.BerettaDefenseTechnologies.com

BERETTA HOLDING

Certified to ISO 9001:2008

© 2017 Printed in USA

Item No. 911