STEINER

Nothing Escapes You

2018

HUNTING

HIKING

OUTDOOR

BIRDING

NAUTICAL

TACTICAL

DEFENSE

INTRODUCTION

STEINER DNA

WORLD-CLASS GERMAN ENGINEERING

In 1947, Karl Steiner started a one-man workshop in Bayreuth, Germany, obsessed with a single goal: creating optical products so functional, sturdy and uniformly flawless that nothing in the world could compare.

RAZOR-SHARP IMAGE CLARITY

100% IN-HOUSE OPTICS - Steiner grinds and polishes its own premium lenses and BaK4 prisms.

PROPRIETARY COATINGS – Steiner advanced lens coatings are applied to every air/glass surface to enhance light so your eyes perceive more contrast and brighter detail, even in low-light conditions.

LEGENDARY DURABILITY

Battle-proven technology is integrated into every Steiner product making them world-renowned for their ferocious toughness. Our binoculars are fortified with an unbreakable Makralon housing and our scopes are made from high-grade aluminum impact tested to 900 Gs.

PRECISION MANUFACTURING

Steiner's state-of-the-art manufacturing facilities employ more than 460 high-precision manufacturing and inspection steps ensuring the highest quality product every time.

INSIDE

RIFLESCOPES | 4

BINOCULARS | 28

EOPTICS | 54

ACCESSORIES | 77

ERGONOMIC DESIGN

Designed to maximize form and function, Steiner's binoculars and scopes are ergonomically perfect because the world never is.

BLASTED BY AN IED IN IRAQ... STILL WORKING

These binoculars came out charred and misshapen, armor and chassis disfigured by fire and impact – but still working with the lens and prism systems intact.

OVER 72,000 STEINER M22 BINOCULARS have served the U.S. military. When all is on the line, people around the world rely on Steiner, so can you.

STEINER RIFLESCOPES

RIFLESCOPES FEATURES | 6
GS3 | 8
H4Xi | 10
P-SERIES | 12
T-SERIES | 14
M-SERIES | 16
R1X | 18
MRS | 19
BATTLE SIGHTS | 20
ICS | 22
MOUNTS | 24
RETICLES | 26

Riflescope Technology

For over 70 years, Steiner-Optik in Bayreuth, Germany has set the bar in premium long-range optics. Over 460 exacting steps ensure rigorous quality throughout design and manufacture. Relentless innovation creates technologies like the N2 Injection™ System, Steiner Nano-Protection®, and Neverlost Turrets. Constant user feedback keeps performance state-of-the-art. No optic will serve you better.

FEATURES:

4X AND 5X ZOOM SYSTEM

The popular 4x and 5x zoom system provides maximum range at the high end, wider field of view at the low end, and eliminates any tunneling effect to deliver the best image possible to your eye.

PRECISION ADJUSTMENT SYSTEMS

Pinpoint accuracy is easily achieved with Steiner windage and elevation adjustment systems. Adjustment clicks are firm and audible. Tactical riflescopes have large, oversized knobs with easy-to-grip designs that allow for positive, non-slip adjustments.

RUGGED CONSTRUCTION

Steiner scope tubes are milled from solid, high-grade aluminum stock so there are no welds or seams, for greater strength and durability. Hunting riflescopes feature 30 mm tubes, while the high-magnification tactical riflescopes boast oversized 34 mm tubes that provide greater elevation and windage adjustment at longer ranges.

BUILT FOR ABUSE

Durability is put to the test to ensure all Steiner riflescopes are fully shockproof to withstand endless abuse from high-powered calibers. Scopes are impact tested on all optical and electronic componets, and can withstand up to 900 Gs of impact.

LIFETIME HERITAGE WARRANTY

HERITAGE WARRANTY GENERATION TO GENERATION

The Steiner Heritage Warranty means we stand behind our products. We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

PROPRIETARY LENS COATINGS

The variety of lens coatings, such as Steiner Nano-Protection™, and CAT™ Color Adjustment Transmission, add strength, protection, and clarity to your Steiner riflescope.

CAT Coating

Before After

PRECISION RETICLES

Steiner offers a wide variety of reticles perfectly suited to your hunting, competitive, or tactical shooting adventures. From clean, simple designs for fast-action target shooting, to detailed, precision reticles for long-range shooting, you'll experience premium accuracy with Steiner reticles.

See all our reticle options on page 26 or download the Steiner Reticle Guide at **www.steiner-optics.com/download-catalog**.



SCR Reticle



Horus H59 Reticle

WHICH RIFLESCOPE IS RIGHT FOR YOU?

HUNTING		
FEATURE	**H4Xi**	**GS3**
Zoom ratio	4x	5x
Game-Sensing CAT coatings		Yes
Illuminated Reticle	Yes	
MSRP Range	$1,250-$1,325	$1,100-$1,390

TACTICAL			
FEATURE	**P-Series**	**T-Series**	**M-Series**
Zoom ratio	4x	5x	5x/6x
Nano Protection coatings			Yes
Turret Feature	Resettable Zero	Never-Lost	Duo-Scale
Reticle Options	2	5	5
Illuminated Reticle	11 settings	11 settings	11 settings
MSRP Range	$670-$1,599	$1,770-$2,530	$2,989-$4,312

SIGHTS				
FEATURE	**R1X**	**MRS**	**Battle Sights**	**ICS**
Zoom ratio	1x	1x	3x/5x	6x
QD Mounts	Optional		Yes	Yes
Laser Rangefinder / Ballistic Calculator				Yes
Illuminated Reticle	7 settings	Auto + Manual	10 settings	4 settings
MSRP Range	$630-$688	$529	$674-$749	$4,599

GS3 SERIES

DEADLIER VISION THAN HUMANLY POSSIBLE.

GERMAN ENGINEERED, AMERICAN MADE. 5X VERSATILITY FOR VIRTUALLY ANY RIFLE, PLUS CAT™ COLOR ADJUSTED TRANSMISSION COATINGS TO PICK OUT PREY FROM ANY ENVIRONMENT.

GS3 SERIES OVERALL FEATURES

- 5X ZOOM RANGE
- CAT™ COLOR ADJUSTED TRANSMISSION
- STEINER NANO-PROTECTION®
- FOGPROOF & WATERPROOF
- SHOCKPROOF

Versatile enough for big game, prairie dogs or varmints.

GS3 4-20X50

ITEM NO. 5007 (PLEX S7) UPC 000381850072 | ITEM NO. 5008 (PLEX S1) UPC 000381850089 | ITEM NO. 5012 (4A) UPC 000381850126

Gives varmint and hog hunters sharp images at night and in dim light.

GS3 3-15X56

ITEM NO. 5006 (PLEX S1) UPC 000381850065
ITEM NO. 5011 (4A) UPC 000381850119

For low-light performance that mounts on most rifles without extra-high rings.

GS3 3-15X50

ITEM NO. 5005 (PLEX S1) UPC 000381850058
ITEM NO. 5010 (4A) UPC 000381850102

Offers a wide field of view, making it easier to find your target.

GS3 2-10X42

ITEM NO. 5004 (PLEX S1) UPC 000381850041
ITEM NO. 5009 (4A) UPC 000381850096



PLEX S1 Reticle



PLEX S7 Reticle



4A Reticle

Conventional scope

GS3 scope with CAT coating

CAT Coating
(simulated comparison)

SPECIFICATIONS

GS3

	2-10x42	3-15x50	3-15x56	4-20x50	4-20x50
ITEM NUMBER	5004 / 5009	5005 / 5010	5006 / 5011	5007 / 5008	5012
MAGNIFICATION	2-10x	3-15x	3-15x	4-20x	4-20x
OBJECTIVE LENS DIA.	42 mm	50 mm	56 mm	50 mm	50 mm
TUBE DIAMETER	30 mm	30 mm	30 mm	30 mm	30 mm
FOCAL PLANE	2nd	2nd	2nd	2nd	2nd
FIELD OF VIEW @ 100 YD. (FT.) LOW/HIGH	52 - 10.5	36 - 7.5	36 - 7.5	25.8 - 5.5	25.8 - 5.5
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM)	12 - 4.2	11 - 3.5	11 - 3.5	11 - 2.5	11 - 2.5
LENGTH (IN.)	13.5	14.1	14.1	14.9	14.9
WEIGHT (OZ.)	18	24	25.1	28.2	28.2
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	Plex S1 / 4A	Plex S1 / 4A	Plex S1 / 4A	Plex S7/Plex S1	4A
ILLUMINATION CONTROL	-	-	-	-	-
WINDAGE/ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA
WINDAGE RANGE @ 100 M	70 MOA	70 MOA	70 MOA	48 MOA	48 MOA
ELEVATION RANGE @ 100 M	70 MOA	70 MOA	70 MOA	64 MOA	64 MOA
PARALLAX/FOCUS	Fixed	Fixed	Fixed	Side Focus	Side Focus
PARALLAX/FOCUS RANGE	328 ft.	328 ft.	328 ft.	164 ft. to Infinity	164 ft. to Infinity
RUBBER ARMORING	-	-	-	-	-
NITROGEN FILLED	Yes	Yes	Yes	Yes	Yes
OPERATING TEMPERATURE RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
WATERPROOF/FOGPROOF	Yes	Yes	Yes	Yes	Yes
BATTERY	-	-	-	-	-
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$1,099.99/1,109.99	$1,254.99	$1,254.99	$1,389.99	$1,389.99

HERITAGE WARRANTY GENERATION TO GENERATION

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

MADE IN USA



STEINER
Nothing Escapes You

H4Xi SERIES

COMPACT DESIGN AND A WIDE FIELD OF VIEW.

HIGH-CONTRAST OPTICS DELIVER CLARITY AT DUSK AND DAWN WITH LIGHT TRANSMISSION GREATER THAN 90%.

A specialist for long-range, high-precision shots even in difficult lighting conditions. Proven performer in challenging hunting situation. Great details at high magnification. Parallax adjustments from 50 m to infinity.

H4Xi 4-16X56

ITEM NO. 5251 UPC 000381851123

A powerful all-around hunting rifle-scope. Lightweight, with a large field of view. High light transmission and precise illumination adjustments delivers perfect performance in any light. .

H4Xi 3-12X56

ITEM NO. 5250 UPC 000381852502

H4Xi SERIES OVERALL FEATURES

- **HIGH-CONTRAST OPTICS**
- **WIDER FIELD OF VIEW**
- **PRECISE ADJUSTMENTS**
- **LIGHTWEIGHT AND RUGGED**
- **ILLUMINATED RETICLE**



S1 MOA Illuminated Reticle

Lightweight, sleek design with one-piece tubes, hard anodized matte finish. Compact length matches up nicely with any rifle.

Low profile windage and elevation turrets with precision adjustments are standard on all Steiner riflescopes. Side-adjust parallax and reticle illumination are easy to access.

SPECIFICATIONS

H4Xi

	4-16x56	3-12x56
ITEM NUMBER	5251	5250
MAGNIFICATION	4-16x	3-12x
OBJECTIVE LENS DIA.	56 mm	56 mm
TUBE DIAMETER	30 mm	30 mm
FOCAL PLANE	2nd	2nd
FIELD OF VIEW @ 100 YD. (YDS.) LOW/HIGH	13-3	13-3
EYE RELIEF (IN.)	3.8	3.8
EXIT PUPIL (IN.)	.47 to .18	.47 to .18
LENGTH (IN.)	14.5	13.2
WEIGHT (OZ.)	25	25
DIOPTER ADJUSTMENT RANGE	-3 to +2	-3 to +2
RETICLE	Plex S1	Plex S1
WINDAGE/ELEVATION CLICK VALUE	1/4 MOA	1/4 MOA
WINDAGE / ELEVATION RANGE @ 100 M	33 in. - 22 in.	33 in. - 33 in.
PARALLAX FREE	54 yards to inifity	100 yards fixed
NITROGEN FILLED	Yes	Yes
TEMPERATURE RANGE	-13° F to +149° F	-13° F to +149° F
WATERPROOF/FOGPROOF	Yes	Yes
WATERPROOF (FT.)	6.5	6.5
BATTERY	-	-
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$1,324.99	$1,249.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

HERITAGE WARRANTY GENERATION TO GENERATION

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

MADE IN USA

STEINER
Nothing Escapes You

P-SERIES

GIVE YOURSELF THE CLEAR ADVANTAGE.

DESIGNED FOR PATROL AND TACTICAL OPERATIONS, THE RUGGED P4XI SCOPES OFFER CLEAR IMAGES AND A FAST-ACTION RETICLE TO TACKLE EVERY DAY USE OR SUDDEN ACTION.

P4Xi 1-4X24

Close-combat scope with 30 mm tube, generous field-of-view and new P3TR illuminated reticle for fast target acquisition.

ITEM NO. 5201 | UPC 000381852014
ITEM NO. 5202 (LE) | UPC 000381852021

P4Xi 4-16X56

Medium range scope with 34mm tube, an illuminated front focal plane Special Competition Reticle (SCR™) reticle and side parallax adjustment.

NEW ITEM NO. 5221 | UPC 000382252219

P4Xi-SERIES OVERALL FEATURES

- **COMPACT & LIGHTWEIGHT DESIGN**
- **HIGH CONTRAST OPTICS**
- **WIDE FIELD OF VIEW**
- **P3TR ILLUMINATED RETICLE**



P3TR™ Reticle

The P3TR reticle was designed for tactical rifles and CQB situations. The reticle is calibrated for 5.56mm and 7.62mm with stadia allowing you to confidently shoot to 600 yards.

This exclusive Steiner reticle offers daylight viewable illumination with 11 intensity settings for all lighting conditions: 4 night, 5 day and 2 night vision levels. Includes an "off" position between all 11 settings

The windage and elevation knobs are designed for precise adjustment. The dials are calibrated so that 1 Click = 1/2 MOA@ 100yards for the 1-4x

SPECIFICATIONS

	P4Xi	
	1-4x24	4-16x56mm
ITEM NUMBER	5201, 5202*	5221
MAGNIFICATION	1-4x	4-16
OBJECTIVE LENS DIA.(MM)	24	56
TUBE DIAMETER (MM)	30	34
FOCAL PLANE	Second	First
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	110-27.5	27.5-6.9
EYE RELIEF (IN.) LOW/HIGH	3.5 -4.0	.5-4.0
EXIT PUPIL (MM) LOW/HIGH	12.0 - 6.0	14-3.50
LENGTH (IN.)	10.3	14.6
WEIGHT (W/O CAPS) (OZ.)	17.3	30
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3
RETICLE	P3TR™	SCR™
ILLUMINATION CONTROL	Rotary Dial	Rotary Dial
ELEVATION ADJUSTMENT	.5 MOA	.1 mRad
WINDAGE ADJUSTMENT	.5 MOA	1cm
WINDAGE RANGE @ 100 M	100 MOA	16 MIL
ELEVATION RANGE @ 100 M	100 MOA	30 MIL
PARALLAX/FOCUS	Fixed	Side Focus
PARALLAX/FOCUS RANGE	100 yd.	50 yd. to Infinity
NITROGEN FILLED	No	Yes
OPERATING TEMP. RANGE	-13°/ to +145° F	-13°/ to +145° F
LENS CAPS	No	No
WATERPROOF/FOGPROOF	Submersible to 33 Ft	Submersible to 33 Ft
BATTERY	CR2032	CR2032
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$666.99	-

*LE Sales only. Includes throw lever.

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

HERITAGE WARRANTY GENERATION TO GENERATION

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

MADE IN USA



STEINER
Nothing Escapes You

T-SERIES

GERMAN PRECISION. AMERICAN PRIDE.

THE T5XI SERIES OFFERS THE ULTIMATE IN PRECISION, RUGGEDNESS AND VERSATILITY. THREE MODELS TO MASTER EVERYTHING FROM CLOSE-QUARTERS TO LONG-RANGE.

T5Xi-SERIES OVERALL FEATURES

- 5X ZOOM RANGE
- LOW-PROFILE NEVER-LOST™ TURRETS
- SECOND ROTATION INDICATOR
- ILLUMINATION - 4 NIGHT / 7 DAY LEVELS
- WATERPROOF/ FOGPROOF/ SHOCKPROOF
- LOCKING DIOPTER

HERITAGE WARRANTY GENERATION TO GENERATION

T5Xi 5-25X56

Long-range scope with 34 mm tube, illuminated etched glass, front focal plane SCR reticle, low profile, resettable turrets and locking diopter ring.

TUBE DIAMETER 34 MM I LENGTH 16.6 IN. I BATTERY CR2450
ITEM NO. 5122 (SCR) | UPC 000381851222
ITEM NO. 5126 (SCR-MOA) | UPC 000381851260

T5Xi 3-15X50

Medium-range scope with 34 mm tube, illuminated etched glass, front focal plane Special Competition Reticle (SCR™), Second Rotation Indicator that shows each mil of elevation through the indication window on the elevation turret.

TUBE DIAMETER 34 MM I LENGTH 13.1 IN. I BATTERY CR2450
ITEM NO. 5112 (SCR) | UPC 000381851123
ITEM NO. 5114 (SCR-MOA) | UPC 000381851147
ITEM NO. 5115 (H59) | UPC 000381851150

T5Xi 1-5X24

Close-combat scope with 30 mm tube, 3-Gun Tactical Reticle™ calibrated in 5.56 or 7.62, true 1x eyes-open capability for situational awareness and 5x power to engage distant targets.

TUBE DIAMETER 30 MM I LENGTH 11.3 IN. I BATTERY CR2450
ITEM NO. 5101 (3TR 5.56) | UPC 000381851017
ITEM NO. 5102 (3TR 7.62) | UPC 000381851024



3TR™ Reticle
(5.56 OR 7.62)



SCR™ / SCR™-MOA Reticle

Consistent Eye Relief and a generous eye box throughout the magnification range eliminates the need to reposition your eye when changing magnification.

SPECIFICATIONS

	T5Xi				
	1-5x24	**3-15x50**	**3-15x50**	**5-25x56**	**5-25x56**
ITEM NUMBER	5101 / 5102	5112 / 5115	5114	5122	5126
MAGNIFICATION	1-5x	3-15x	3-15x	5-25x	5-25x
OBJECTIVE LENS DIA.(MM)	24	50	50	56	56
TUBE DIAMETER (MM)	30	34	34	34	34
FOCAL PLANE	2nd	1st	1st	1st	1st
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	108 - 21	36 - 7.3	36 - 7.3	21.5 - 4.3	21.5 - 4.3
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM) LOW/HIGH	11 - 4.8	12 - 3.4	12 - 3.4	11.2 - 2.3	11.2 - 2.3
LENGTH (IN.)	11.3	13.1	13.1	16.6	16.6
WEIGHT (OZ.)	19.4	29.8	29.8	33	33
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	3TR™ 5.56 / 3TR™ 7.62	SCR™ / H59	SCR-MOA	SCR™	SCR-MOA
ILLUMINATION CONTROL	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels
ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1/4 MOA	1 cm (0.1 mrad)	1/4 MOA
WINDAGE RANGE @ 100 M	300 cm (30 mils)	150 cm (15 mils)	54 MOA	150 cm (15 mils)	54 MOA
ELEVATION RANGE @ 100 M	300 cm (30 mils)	340 cm (34 mils)	120 MOA	260 cm (26 mils)	90 MOA
PARALLAX/FOCUS	Fixed	Side Focus	Side Focus	Side Focus	Side Focus
PARALLAX/FOCUS RANGE	100 yd.	25 yd. to Infinity	25 yd. to Infinity	50 yd. to Infinity	50 yd. to Infinity
NITROGEN FILLED	Yes	Yes	Yes	Yes	Yes
OPERATING TEMP. RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
LENS CAPS	Yes	Yes	Yes	Yes	Yes
WATERPROOF/FOGPROOF	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.
BATTERY	CR2450	CR2450	CR2450	CR2450	CR2450
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$1,769.99	$2,274.99 / $2,899.99	$2,274.99	$2,529.99	$2,529.99

HERITAGE WARRANTY GENERATION TO GENERATION

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

MADE IN USA

STEINER
Nothing Escapes You

M-SERIES

BUILT IN GERMANY. DESIGNED FOR THE WORLD.

THE GERMAN-MADE M-SERIES FEATURES WORLD-CLASS ENGINEERING AND OPTICAL SYSTEMS, BUILT TO STRICT MILITARY SPECIFICATIONS AND PRECISELY CRAFTED FOR VICTORY – ON THE BATTLEFIELD, OR IN COMPETITION.

M-SERIES OVERALL FEATURES

- MIL-SPEC
- 5X / 6X ZOOM RANGE
- BROADBAND ANTI-REFLECTION COATINGS
- OPTIMIZED EXTERIOR DESIGN
- PRECISE WINDAGE/ELEVATION ADJUSTMENT
- ILLUMINATED RETICLE
- FOGPROOF & WATERPROOF DOWN TO 33 FT.
- SHOCKPROOF

HERITAGE WARRANTY GENERATION TO GENERATION

M5Xi 5-25X56

The premier Steiner long-range scope with 34 mm tube, true 25x magnification, etched glass reticle, and DuoScale™ elevation with second-rotation scale that's hidden when inactive.

TUBE DIAMETER 34 MM I LENGTH 16.6 IN. I BATTERY CR2450
ITEM NO. 5525 (G2B MIL-DOT) I UPC 000381855251
ITEM NO. 5550 (MSR) I UPC 000381855503
ITEM NO. 8704 (HORUS® H59®) | UPC 840229101580
ITEM NO. 8704-T3 (HORUS TREMOR® 3) | UPC 840229101962

M5Xi 3-15X50

Medium-range scope with 34 mm tube, etched glass reticle, and patented DuoScale™ elevation adjustment with a second-rotation scale that's hidden when inactive.

TUBE DIAMETER 34 MM I LENGTH 14.2 IN. I BATTERY CR2450
ITEM NO. 5572 (G2B MIL-DOT) I UPC 000381855725
ITEM NO. 5573 (MSR) | UPC 000381855732
ITEM NO. 8707-H59 (HORUS® H59®) | UPC 840229101887
ITEM NO. 8707-T2 (HORUS TREMOR® 2) | UPC 840229101894
ITEM NO. 8707-T3 (HORUS TREMOR® 3) | UPC 840229101900

M5Xi 1-5X24

Close-combat scope with 30 mm tube, Rapid Dot Reticle calibrated in 5.56 or 7.62, true 1x eyes-open capability for situational awareness, and 5x power to engage distant targets.

TUBE DIAMETER 30 MM I LENGTH 11.6 IN. I BATTERY CR2450
ITEM NO. 5571 (RAPID DOT 5.56) | UPC 000381855718
ITEM NO. 5570 (RAPID DOT 7.62) | UPC 000381855701

M6Xi 1-6X24

One of the most versatile in the series, the new 1-6x scope will match perfectly with any tactical or competition rifle, or dangerous game hunting rifle. Available with the Rapid Dot reticle in 5.56 or 7.62.

TUBE DIAMETER 30 MM I LENGTH 11.25 IN. I BATTERY CR2450
ITEM NO. 8708-556 (RAPID DOT 5.56 CCW USA) I UPC 840229101009



MSR Reticle



Horus® H59® Reticle



HORUS Tremor® 3 Reticle



Rapid Dot Reticle 5.57 / 7.62



G2B Mil-Dot Reticle

SPECIFICATIONS

	M5Xi					M6Xi
	1-5x24	3-15x50	3-15x50	5-25x56	5-25x56	1-6x24
ITEM NUMBER	5570 / 5571	8707-H59 / 8707-T3	5572 / 5573	5525 / 5550	8704 / 8704-T3*	8708-556
MAGNIFICATION	1-5x	3-15x	3-15x	5-25x	5-25x	1-6x
OBJECTIVE LENS DIA.(MM)	24	50	50	56	56	24
TUBE DIAMETER	30mm	34mm	34mm	34mm	34mm	30mm
FOCAL PLANE	2nd	1st	1st	1st	1st	2nd
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	118.1 - 23.7	39.7 - 7.9	39.7 - 7.9	23.6 - 4.6	23.6 - 4.6	118.1-23.7
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM) LOW/HIGH	11.5 - 7.2	10.4 - 3.3	10.4 - 3.3	9.8 - 2.2	9.8 - 2.2	11.5 - 7.2
LENGTH (IN.)	11.6	14.2	14.2	16.6	16.6	11.25
WEIGHT (OZ.)	21.2	32.5	32.5	36.3	36.3	22
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	Rapid Dot 7.62 / Rapid Dot 5.56	Horus® H59® / Horus Tremor® 2 / Horus Tremor® 3	G2B Mil-Dot /MSR	G2B Mil-Dot / MSR	Horus® H59® / Horus Tremor® 3*	Rapid Dot 5.56 / Rapid Dot 7.62
ILLUMINATION CONTROL	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops
ELEVATION ADJUSTMENT KNOB	Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero	Resettable Zero
WINDAGE/ ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)
WINDAGE RANGE @ 100 M	160 cm (16 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)	160 cm (16 mils)
ELEVATION RANGE @ 100 M	320 cm (32 mils)	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)	320 cm (32 mils)
PARALLAX/FOCUS	Fixed	Side Focus	Side Focus	Side Focus	Side Focus	Fixed
PARALLAX/ FOCUS RANGE	328 ft.	164 ft. to Infinity	164 ft. to Infinity	164 ft. to Infinity	164 ft. to Infinity	328 ft.
NITROGEN FILLED	Yes	Yes	Yes	Yes	Yes	Yes
OPERATING TEMP. RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
LENS CAPS	Yes	Yes	Yes	Yes	Yes	Yes
WATERPROOF/ FOGPROOF	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.
BATTERY	CR2450	CR2450	CR2450	CR2450	CR2450	CR2450
SPECIAL FEATURES	Resettable Turrets, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Zero Stop
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$2,989.99	$3,794.99	$3,329.99 / $3,445.99	$3,619.99 / $3,737.99	$4,312.99	$2,999.99

*Available in Coyote Tan (#8709)

HERITAGE WARRANTY GENERATION TO GENERATION

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

STEINER Nothing Escapes You

R1X

SPEED, ACCURACY AND AWARENESS ALL IN ONE.

FASTER TARGETING, WIDER FIELD OF VIEW, AND A LARGER TACTICAL PICTURE THAN STANDARD IRON SIGHTS, THE R1X OPTIC LET YOU ENGAGE A THREAT WHILE STAYING AWARE OF EVERYONE AND EVERYTHING AROUND YOU.

R1X OVERALL FEATURES

- 1X MAGNIFICATION
- SELECTABLE RETICLES: SINGLE DOT /3-DOT STADIA
- LOW PROFILE FOR CO-WITNESS CAPABILITY
- 7 LEVELS OF ILLUMINATION:
  - 2 NIGHT VISION
  - 5 DAYLIGHT
- AVAILABLE WITH STANDARD AND QUICK DETACH MOUNTS
- PARALLAX FREE
- WATERPROOF / FOGPROOF / SHOCKPROOF

R1X

Steiner's R1X reflex red dot sight was designed and engineered for use on patrol rifles and AR platforms. The R1X reduces the "tunnel vision" of hard-focus iron sights for quicker target acquisition, enhanced accuracy and greater situational awareness. Lightweight and compact, it is easy to mount, simple to use, invaluable in the field.

HEIGHT 2 IN. | LENGTH 3.1 IN. | WEIGHT 9.6 OZ.
BATTERY 2X CR2032
ITEM NO. 8501 | UPC 000381885012
ITEM NO. 8502 (QD MOUNT) | UPC 000381885029

Included riser ensures ideal sight height for absolute co-witness on patrol rifles with typical iron sights (30mm above rail) or for a 1/3 co-witness (38mm above rail)"

QD-equipped version available (Item No. 8502) Mount also available separately: #5928 HT QD 1913 Mount for R1X
UPC 000381859280



RETICLE SELECTION

The Selection button can also be used to switch between a single red dot or a 3-dot stadia reticle. The center dot represents a 50-meter sight in and the three stadia dots are calibrated for ranges of 10, 7 and 5 meters. 13 hour power-saving shutoff.

MRS MICRO REFLEX SIGHT

EYES OPEN CONTROL FOR FAST TARGET ACQUISITION

SPECIFICATIONS

	R1X	MRS
ITEM NUMBER	8501, 8502*	8700
MAGNIFICATION	1x	1x
WINDOW SIZE (H/W IN.)	24.5 (32 mm)	-
LENGTH (IN.)	3.1 (79 mm)	1.89
WEIGHT (OZ.)	9.6 (272 grams)	2.5
HEIGHT (IN.)	2 (50 mm)	
RETICLE	Single Dot Dot & Stadia	3 MOA Dot
ILLUMINATION	7 Levels 2 Night Vision 5 Daylight	Auto Brightness Control + Manual
WINDAGE/ELEVATION CLICK VALUE	1/2 MOA Red Dot	1 MOA
TOTAL WINDAGE RANGE	25 MOA	90 MOA
TOTAL ELEVATION RANGE	25 MOA	90 MOA
OPERATING TEMPERATURE	-30˚ / +65˚ C*	13˚F to +131˚ F
WATERPROOF/FOGPROOF	Submersible to 3m	Submersible to 33 ft.
BATTERY	2x CR 2032	CR 1632
SPECIAL FEATURES	Choice of Reticles, Co-witness capability, Parallax Free	
WARRANTY	Heritage Warranty	Heritage Warranty
MSRP PRICE	$629.99 / $688.99*	$529.99

*QD Mount

MRS MICRO REFLEX SIGHT

Holographic 3 MOA red dot sight for close-distance situations. With both eyes open, situational awareness is improved and shooting is dot-on-target accurate with either hand.

WEIGHT 2.47 OZ. I LENGTH 1.89 IN.
WIDTH 1.81 IN. | HEIGHT 1.57 IN. I BATTERY CR1632
ITEM NO. 8700 | UPC 840229101627

The 1x holographic **MRS Micro Reflex Sight** lets operators engage targets with both eyes open, for wider peripheral vision, greater situational awareness, and faster response—critical when engaging moving targets. The 3 MOA red dot is easy to find and quick to aim, ensures either-hand shooting accuracy, and won't obscure targets at longer distances. At only 2.5 oz., the low-profile MRS is well-balanced on any shooting platform, giving shooters the quickness, confidence, and accuracy to control the outcome.

BATTLE SIGHTS

PROVEN IN COMBAT. IMPROVED BY STEINER.

Superior clarity, reliability, and quick-pointing accuracy make these sights fail-safe tools for close- to medium-range encounters.

M536 PRISM SIGHT

Close- to medium-range tactical sight with multi-coated 36 mm objective, 5x magnification, and illuminated day/night ballistic reticle. Waterproof, shockproof, tough, and always reliable.

OBJECTIVE LENS 36 MM I MAGNIFICATION 5X
WEIGHT 17.9 OZ. I BATTERY CR2032
ITEM NO. 8786-556 "RAPID DOT" (5.56) | UPC 840229100941
ITEM NO. 8786-762 "RAPID DOT" (7.62) | UPC 840229100934

M332 PRISM SIGHT

Smaller version of the rugged M536, ideal for carbines and patrol rifles in close- to medium-range encounters. objective lens 32 mm objective, 3x fixed magnification, and illuminated day/night ballistic reticle.

OBJECTIVE LENS 32 MM I MAGNIFICATION 3X
WEIGHT 16.2 OZ. I BATTERY CR2032
ITEM NO. 8788-556 "RAPID DOT" (5.56) | UPC 840229101832
ITEM NO. 8788-556 "RAPID DOT" (7.62) | UPC 840229101825

BATTLE SIGHTS OVERALL FEATURES

- 3X OR 5X MAGNIFICATION
- MULTI-COATED LENSES
- ILLUMINATED BALLISTIC RETICLE
- FULLY ADJUSTABLE
- PICATINNY BASE
- QUICK DETACH MOUNT
- WATERPROOF
- COMES WITH SUNSHADE AND LENS COVERS



Rapid Dot Reticle

Quick Detach Mount is an easy-to-use quick detach mount allows for fast removal and mounting on multiple platforms.

Picatinny Rail Top allows you to mount a 1x optic such as the Steiner MRS on top of the ICS using the Picatinny rail for even greater versatility.

SPECIFICATIONS

	M536 **5x36** 8786-556 / 8786-762	M332 **3x32** 8788-556 / 8788-762
MAGNIFICATION	5x	3x
CLEAR OBJECTIVE LENS DIAMETER (MM / IN.)	36 / 1.4	32 / 1.3
FIELD OF VIEW AT 100 M / YD LOW-HIGH (M / FT.)	6.4 / 19.2	9.6 / 28.8
EYE RELIEF (MM / IN.)	63 - 89 / 2.5 - 3.5	68.6 - 76.2 / 2.7 - 3.0
EXIT PUPIL (MM / IN.)	7 / 0.28	8.7 / 0.34
LENGTH (MM / IN.)	151 / 5.94	140.5 / 5.53
WEIGHT (G / OZ.)	508 / 17.9	460 / 16.2
RETICLE	Rapid Dot	Rapid Dot
ILLUMINATION CONTROL	10 Settings: 5 Daytime, 5 Night	10 Settings: 5 Daytime, 5 Night
CLICK VALUE AT 100 M	⅛ MOA	½ MOA
WINDAGE RANGE	60 MOA	50 MOA
ELEVATION RANGE	60 MOA	50 MOA
PARALLAX/FOCUS	Fixed at 100 m (328 ft.)	Fixed at 100 m (328 ft.)
NITROGEN FILLED	Yes	Yes
OPERATING TEMPERATURE RANGE	-30° C to +60° C -22° F to +140° F	-30° C to +60° C -22° F to +140° F
MOUNT CAPABILITY	MIL-STD 1913	MIL-STD 1913
WATERPROOF/ FOGPROOF	Submersible to 10 m (33 ft.)	Submersible to 10 m (33 ft.)
BATTERY	CR2032	CR2032
GLOBAL ITEM NUMBER	8786-5.56 (Rapid Dot 5.56) 8786-7.62 (Rapid Dot 7.62)	8788-5.56 (Rapid Dot 5.56) 8788-7.62 (Rapid Dot 7.62)
U.S. ITEM NUMBER	8786-556 (5.56 Ret) | 8786-762 (7.62 Ret.)	8788-556 (5.56 Ret) | 8788-762 (7.62 Ret.)
MRSP COST	$749.99	$674.99

HERITAGE WARRANTY GENERATION TO GENERATION

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all battle sights sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

INTELLIGENT COMBAT SIGHT

**ONE ROUND.
ONE HIT.
NEXT
TARGET.**

FIRST-SHOT CONFIDENCE IN COMBAT-READY FORM: DISTANCE TO TARGET AND OPTIMUM AIMING POINT, INSTANTLY COMPUTED OUT TO 800 METERS, WITH THE PUSH OF A BUTTON. SMART, SIMPLE, AND DEVASTATING ACCURACY FOR INFANTRY AND TACTICAL OPS.

ICS INTELLIGENT COMBAT SIGHT 6X40

The ICS Intelligent Combat Sight integrates a laser rangefinder and a ballistic calculator into a rugged, compact tactical weapons sight for increased accuracy, greater first-round hit probability, and shorter time of engagement.

ITEM NO. 8790 | UPC 840229101474

INTELLIGENT COMBAT SIGHT OVERALL FEATURES

- ONBOARD COMPUTER FOR AMMUNITION-SPECIFIC TARGETING
- ILLUMINATED RETICLE WITH BRIGHT RED AIMING DOT
- BUILT-IN INCLINOMETER COMPENSATES FOR STEEP ANGLES
- FULLY ADJUSTABLE WINDAGE & ELEVATION
- SHOCKPROOF & WATERPROOF DOWN TO 10 METERS

Backup Iron Sights are fixed iron sights located on the right-hand side of the ICS at a 15° angle, providing a backup sighting option.

Quick Detach HT Mount is an easy-to-use quick detach mount allows for fast removal and mounting on multiple platforms.

Picatinny Rail Top allows you to mount a 1x optic such as the Steiner MRS on top of the ICS using the Picatinny rail for even greater versatility.

SPECIFICATIONS

	ICS
ITEM NUMBER	8790
MAGNIFICATION	6x
OBJECTIVE LENS DIAMETER	40 mm
FIELD OF VIEW @ 100 YD. (FT.) LOW/HIGH	7 - 21.0
EYE RELIEF (IN.) LOW/HIGH	28.7 - 31.5
EXIT PUPIL (MM)	5.7
LENGTH (IN.)	7.86
WEIGHT (OZ.)	27.9
RETICLE	38 Dot OLED
ILLUMINATION CONTROL	4 Steps (Dimmable)
WINDAGE/ELEVATION CLICK VALUE	1/2 MOA
WINDAGE RANGE @ 100 M	± 50 MOA
ELEVATION RANGE @ 100 M	± 50 MOA
PARALLAX/FOCUS	Fixed at 100 m (328 ft.)
OPERATING TEMPERATURE RANGE	-13° F to +149° F
WATERPROOF/FOGPROOF	Submersible to 33 ft.
BATTERY	CR123A
NITROGEN FILLED	Yes
MOUNT	MIL-STD 1913
WARRANTY	Heritage™ Warranty
MSRP PRICE	$4,599.99



The new **ICS Intelligent Combat Sight** integrates a laser rangefinder and a ballistic calculator into a rugged, compact tactical weapons sight for increased accuracy, greater first-round hit probability, and shorter time of engagement.

At the push of a button, an eye-safe laser instantly provides distance to the target and an illuminated, trajectory-compensated aiming point based on ammunition ballistics, measured distance, and angle to your target out to 800 meters. As a true electro-optical aiming device, it combines combat-optimized technology, operating simplicity in the field, and the targeting effectiveness to give small-caliber weapons oversized clout.

- **Sophisticated targeting technology is rugged, intuitive, and easy to use.**
- **Easy setup for the 7.62x51mm and other military cartridges.**
- **Red dot indicates precise point of aim for your specific cartridge and distance.**
- **Powered by one CR123A battery.**

T-SERIES AR MOUNT NEW

YOUR PERFECT MOUNTING SOLUTION.

THE STEINER T-SERIES CANTILEVER MOUNT OFFERS THE PERFECT MOUNTING SOLUTION FOR AR-15 AND FLATTOP PLATFORMS. MACHINED FROM RUGGED ALUMINUM ALLOY TO BE INCREDIBLY STRONG, YET LIGHTWEIGHT.

T-SERIES AR MOUNT OVERALL FEATURES

- DESIGNED TO FIT 30MM SCOPES
- AVAILABLE IN TWO HEIGHTS: 35MM AND 40MM
- MOUNTS TO ANY PICATINNY-STYLE RAIL
- DESIGNED TO OFFER PERFECT EYE-RELIEF ON MODERN AR-PATTERN RIFLES
- BUBBLE LEVEL ON THE REAR RING FOR MAXIMUM ACCURACY AND CONSISTENCY

T-Series AR Mount

This Cantilevered Mount combines ruggedness, lightweight and adaptability to be the perfect addition to your platform

NEW ITEM NO. 5970 (30mm diameter, 35mm height)
UPC 000381859709
NEW ITEM NO. 5971 (30mm diameter, 40mm height)
UPC 000381859716
NEW ITEM NO. 5972 (34mm diameter, 40mm height, 25 MOA cant)
UPC 000381859723

MADE IN USA

SPECIFICATIONS

T-Series AR Mount

	5970	5971	5972
SIZE	30mm	30mm	34mm
ACTUAL HEIGHT	1.3"	1.6"	1.6"
WEIGHT	6.05 oz.	6.5 oz.	6.4 oz.
MSRP PRICE	$344.99	$344.99	$344.99



T-SERIES RINGS

ONLY RINGS WORTHY OF THE STEINER NAME.

STEINER RINGS ARE THE FOUNDATION OF A PRECISION SHOOTING SYSTEM. DESIGNED AND ENGINEERED TO GUARANTEE PRECISE OPTICAL ALIGNMENT AND SHOT-AFTER-SHOT ACCURACY.

T-Series Rings

Steiner T-Series Rings offer the perfect riflescope mounting solution for precision shooting.

ITEM NO. 5960 - 30MM LOW | UPC 000381859600
ITEM NO. 5961 - 30MM MEDIUM | UPC 000381859617
ITEM NO. 5962 - 30MM HIGH | UPC 000381859624
ITEM NO. 5963 - 30MM EXTRA HIGH | UPC 000381859631
ITEM NO. 5964 - 34MM LOW | UPC 000381859648
ITEM NO. 5965 - 34MM MEDIUM | UPC 000381859655
ITEM NO. 5966 - 34MM HIGH | UPC 000381859662
ITEM NO. 5967 - 34MM EXTRA HIGH | UPC 000381859679

H-Series Rings

The new H-Series Rings have a sleek design and rugged, lightweight construction. Perfect for your favorite hunting rifle.

NEW ITEM NO. 5957 - 30MM LOW | UPC 000381859570
NEW ITEM NO. 5958 - 30MM MEDIUM | UPC 000381859587
NEW ITEM NO. 5959 - 30MM HIGH | UPC 000381859594

SPECIFICATIONS

	T-Series Rings								H-Series Rings		
	5960	5961	5962	5963	5964	5965	5966	5967	5957	5958	5959
SIZE	30mm	30mm	30mm	30mm	34mm	34mm	34mm	34mm	30mm	30mm	30mm
HEIGHT	Low	Medium	High	Extra High	Low	Medium	High	Extra High	Low	Medium	Extra High
ACTUAL HEIGHT	.885"	1.0"	1.25"	1.35"	.885"	1.0"	1.25"	1.35"	. 85"	1.0"	1.35"
WEIGHT	4.1 oz.	4.3 oz.	5.1 oz.	5.4 oz.	3.8 oz.	4.2 oz.	4.9 oz.	5.2 oz.	2.3 oz.	2.5 oz.	2.7 oz.
MSRP PRICE	$229.99	$229.99	$229.99	$229.99	$229.99	$229.99	$229.99	$229.99	$94.99	$94.99	$94.99



STEINER
Nothing Escapes You

MADE IN USA

RETICLE SPECIFICATIONS

Steiner is one of the largest manufacturers of high-quality optics in the world. Steiner riflescopes are German engineered and made for hunters and precision shooters who demand the best. These scopes are optically and mechanically superior to scopes that cost thousands more.

We offer a variety of reticle designs for both hunting and precision shooting. This guide explains the reticles that we offer, how to best use them for more precise aiming, and how to adjust for holdover at long distances and hold-off for wind.

4Ai RETICLE



PLEX S1 RETICLE



PLEX S7 RETICLE



ZERO @ 100 YARDS	Hornady .223 55 gr V-MAX	Hornady .22-250 50 gr V-MAX	Norma .270 Win 150 gr SP	Federal 7 mm Mag 175 gr Power-Shok	Nosler .300 Win Mag 180 gr AccuBond
CROSSHAIR	100	100	100	100	100
1ST STADIA	170	200	150	150	160
2ND STADIA	250	300	220	230	250
3RD STADIA	330	400	300	300	330
4TH STADIA	420	500	375	400	430
5TH STADIA	500	600	470	500	540
6TH STADIA	600	700	560	600	660

G28 MIL DOT RETICLE SUBTENSION



UNIT	mRad	cm/100m	in/100yd
A	10	100	36
B	0.5	5.0	1.8
C	0.5	5.0	1.8
D	0.2	2.0	0.72
E	0.06	0.6	0.22
F	0.5	5.0	1.8
G	1.0	10	3.6
H	0.06	0.6	0.22
J	0.06	0.6	0.22
K	5.0	50	1.8
L	2.0	20	7.2

3TR/P3TR RETICLE SUBTENSION



UNIT	mRad	cm/100m	in/100 yd
A	0.15	1.5	0.54
B	0.21	2.1	0.76
C	5.000	50	18.00
D	0.21	2.1	0.76
G	1.00	10	3.60

E .5 m @ Indicated Distance
F 5 cm @ Indicated Distance
*200-Yard Zero
*5.56mm NATO 62 gr SS109 @ 3,100 fps
*7.62mm NATO 175 gr M118LR @ 2,580 fps

RAPID DOT 5.56, 7.62 RETICLE SUBTENSION



UNIT	mRad	cm/100m	in/100yd
A	10	100	36
B	0.32	3.2	1.15
C	1.0	10	3.6
D	0.13	1.3	0.47

E .5 m @ Indicated Distance
*100-Yard Zero
*5.56mm NATO 62 gr SS109 @ 3,100 fps
*7.62mm NATO 150 gr FMJ @ 2,750 fps

HORUS H59 RETICLE



HORUS TREMOR 2 RETICLE



HORUS TREMOR 3 RETICLE



SCR RETICLE SUBTENSION



UNIT	5x-25x Mils	cm	in. @ 100 Y	MOA
A	1.00	10	3.60	3.44
B	0.50	5	1.80	1.72
C	0.035	0.35	0.13	0.12
D	0.10	1	0.36	0.34
E	0.25	2.5	0.90	0.86
F	0.10	1	0.36	0.34
G	0.08	0.8	0.29	0.28
H	2.00	20	7.20	6.88
I	0.20	2	0.72	0.69
J	0.40	4	1.44	1.38
K	0.60	6	2.16	2.06
L	0.80	8	2.88	2.75
M	0.02	0.2	0.07	0.07
N	0.03	0.3	0.11	0.10
O	0.125	1.250	0.45	0.43

UNIT	3x-15x Mils	cm	in. @ 100 Y	MOA
A	1.00	10	3.60	3.44
B	0.50	5	1.80	1.72
C	0.05	0.35	0.18	0.17
D	0.10	1	0.36	0.34
E	0.25	2.5	0.90	0.86
F	0.13	1	0.45	0.43
G	0.08	0.8	0.29	0.28
H	2.00	20	7.20	6.88
I	0.20	2	0.72	0.69
J	0.40	4	1.44	1.38
K	0.60	6	2.16	2.06
L	0.80	8	2.88	2.75
M	0.04	0.2	0.14	0.14
N	0.04	0.3	0.14	0.14
O	0.125	1.250	0.45	0.43

MSR RETICLE SUBTENSION



UNIT	mRad	in/100yd	cm/100m
A	10	36.0	100.0
B	5.0	18.0	50.0
C	1.0	3.6	10.0
D	0.6	2.17	6.0
E	0.4	1.45	4.0
F	0.15	0.55	1.5
G	0.05	0.18	0.5
H	0.03	0.11	0.3
J	0.2	0.72	2.0
K	1.0	3.6	10.0
L	0.02	0.07	0.2
M	0.1	0.35	1.0
N	0.8	2.87	8.0
P	1.5	5.4	15.0
Q	4.0	14.4	40.0
R	1.25	4.5	12.5
S	2.5	9.0	25.0

FOR MORE ABOUT THE **STEINER RETICLES** DOWNLOAD THE STEINER RETICLE GUIDE



www.steiner-optics.com/download-catalog

STEINER BINOCULARS

STEINER
Nothing Escapes You

SAFARI SERIES | 32
PREDATOR SERIES | 34
SHADOWQUEST | 36
HX | 38
LRF 1700 | 40
NAVIGATOR PRO SERIES | 42
MARINE SERIES | 42
COMMANDER SERIES | 44
MILITARY / MARINE SERIES | 46
T-SERIES | 48
M-SERIES | 50
M-SERIES LRF | 52

Binocular Technology

The more light through the lenses, the sharper the image, which is critically important in low-light military situations. Steiner's advanced optics dramatically enhance light transmission, for exceptional clarity in the most challenging conditions. 100% in-house optical capability ensures absolutely consistent, premium lenses and prisms, with world-leading coatings for bright, high-contrast images.

FEATURES:

PROPRIETARY LENS COATINGS

The combination of premium Steiner glass and proprietary lens coatings results in a viewing experience that is second-to-none. All lenses are multicoated, with a variety of specific coatings like the Diamond Night Marine® and Nano-Protection lends coatings that enhance light transmission and provide ultimate protection against dirt, dust and all of Mother Nature's element.

WITHSTANDS 40 G'S OF IMPACT

Steiner's Makrolon® Housing combines an unbreakable polycarbonate frame with a NBR Long Life rubber armoring for a light weight and rugged chassis that can withstand 40 G's of impact. NBR Long Life rubber armoring is durable, slip-proof and noiseless to ensure a secure grip in all conditions.

KNOW THE DIFFERENCE

PORRO PRISM DESIGN

Porro prism binoculars are extremely tough and dependable, creating sharp, clear images and 3D viewing even at long distances.

Always in Focus – with Sports-Auto-Focus™ everything stays in focus from 20-yards to infinity. Makes for easy onehanded operation and effortless low light viewing.

ROOF PRISM DESIGN

Roof prism binoculars are extremely light weight, compact and streamlined, making them easy to pack, carry, hold and use.

FOGPROOF & WATERPROOF

For absolute fogproof and waterproof protection, Steiner seals 14-psi pressurized dry nitrogen into its optics, for premium clarity in any condition. Steiner's proprietary N2 Injection System® pressurized optics with nitrogen and trace helium. If seals are not absolutely tight, hyperbaric testing reveals escaped helium molecules, the optics are disassembled and the process are repeated.

LIFETIME HERITAGE WARRANTY

All Steiner binoculars sold in U.S. or Canda manufactured since 2014 are covered by the Steiner Heritage™ Warranty for the lifetime of the product. We will repair and replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.

- No warranty card needed
- No receipt required.
- Warranty is fully transferable to future owners of the product.

WHICH BINOCULAR IS RIGHT FOR YOU?

OUTDOOR

FEATURE	Safari	Predator	ShadowQuest	HX	LRF 1700
Magnification Options	8x, 10x	8x, 10x	8x	8x, 10x, 15x	8x
Prism	Roof	Roof	Porro	Roof	Porro
Fast-Close-Focus	Yes	Yes		Yes	
Sports-Auto-Focus			Yes		Yes
Game-Sensing CAT Coatings		Yes			
Nano-Protection Coatings		Yes		Yes	Yes
Rangefinder Range					1860 yds
MSRP Range	$174-$345	$229-$459	$1,089	$919-$1,379	$2,300

MARINE

FEATURE	Marine	Navigator	Commander
Magnification Options	7x	7x	7x
Prism	Porro	Porro	Porro
HD Stabilized Compass		Available	Available
Digital Worldwide Compass			Available
Sports-Auto-Focus	Yes	Yes	Yes
High Definition Diamond Marine Coating			Available
Ranging Reticle			Available
MSRP Range	$345	$517-689	$1,205-$3,105

TACTICAL

FEATURE	Military Marine	T-Series	M-Series	M-Series LRF
Magnification Options	8x, 10x	8x, 10x	7x, 8x, 10x, 15x, 20x	8x, 10x
Prism	Porro	Roof	Porro	Porro
Sports-Auto-Focus	Yes		Yes	Yes
Optics System	High Contrast	High Definition	Fully Multicoated	Fully Multicoated
Reticle		Available	Available	Mil Ranging
HD Stabilized Compass			Available	
Rangefinder Range				1860-6000 yds
MSRP Range	$219-$659	$310-$742	$919-$2,069	$2,588-$9,199

SAFARI SERIES

COMPACT AND CAPABLE IS NOT A CONTRADICTION.

NOBODY BUT STEINER COULD COMBINE FEATHERLIGHT WEIGHT, HIGH PERFORMANCE, SMALL SIZE, AND RAZOR-SHARP IMAGES INTO A SINGLE, WELL-ARMORED TOOL.

SAFARI 10X26

A compact sport optic that looks great, fits your pack, pocket or purse, and is your constant companion for quick use.

ITEM NO. 2040 | UPC 840229103157

SAFARI 8X42

Versatile combination of high power and wide field of view, a great choice or your daypack, glove box or birding stand.

ITEM NO. 2041 | UPC 840229103164

SAFARI 10X42

10x magnification shows you more detail from farther away, perfect for sports events and wildlife observation.

ITEM NO. 2042 | UPC 840229103171

SAFARI SERIES OVERALL FEATURES

- **HIGH-CONTRAST OPTICS**
- **COMPACT & LIGHTWEIGHT**
- **ERGONOMIC EYECUPS**

Steiner High-Contrast-Optics provide bright, brillant views, accurate colour and clear images with high contour sharpness for exceptional performance up to close range of 2 m.

Ergonomic Design with rubber armoured protruding controls providing comfortable and silent observations with effective sound absorption.

Cylindric Rotation Eyecups made of soft, skin-friendly and non-aging silicone.

SPECIFICATIONS

SAFARI SERIES

	10x26	8x42	10x42
ITEM NUMBER	2040	2041	2042
OBJECTIVE DIAMETER (MM)	26	42	42
MAGNIFICATION	10x	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	312	380	328
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast
CLOSE FOCUS (FT.)	9.8	6	6
EXIT PUPIL (MM)	2.6 mm	5.3 mm	4.2 mm
LUMINOSITY	6,25	27,6	17,6
TWILIGHT FACTOR	15,81	18,3	20,5
EYECUPS	Cylindrical Rotation	Cylindrical Rotation	Cylindrical Rotation
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes	Yes
WEIGHT (OZ.)	10	24.6	25
DIMENSIONS (IN.) (HxWxD)	4.4 x4 x 1.8	5.8 x 5 x 2.6	5.8 x 5 x 2.5
NECK STRAP	Standard	Standard	Standard
NECK STRAP ATTACHMENT	Standard	Standard	Standard
CARRY CASE	Yes	Yes	Yes
WARRANTY	Heritage™ Warranty (U.S.)	Heritage™ Warranty (U.S.)	Heritage™ Warranty (U.S.)
MSRP PRICE	$174.99	$334.99	$344.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

HERITAGE WARRANTY GENERATION TO GENERATION

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

PREDATOR SERIES

GERMAN PRECISION MEETS AMERICAN AGILITY.

THE IDEAL COMPANION FOR SKILLED HUNTERS ON THE MOVE: COMPACT, VERSATILE, TOUGH AS A ROCK AND LIGHT AS A BREEZE. IT'S THE BEST OF INTENSE GERMAN PRECISION AND PERFORMANCE.

PREDATOR 10X26

10x power for great long-range detail, perfect forwide-open country and hilly regions with scattered game.

ITEM NO. 2442 | UPC 840229100675

PREDATOR 8X42

From close up to far away, this midsized binocular delivers bright, crisp images without added bulk or weight.

ITEM NO. 2443 | UPC 840229100682

PREDATOR 10X42

An all-around favorite. Versatile enough for Western big game hunters or Eastern whitetail hunters.

ITEM NO. 2444 | UPC 840229100699

PREDATOR SERIES OVERALL FEATURES

- **OPTIMIZED LIGHT TRANSMISSION**
- **CAT™ LENS COATINGS**
- **LIGHTWEIGHT DESIGN**
- **FAST-CLOSE-FOCUS™**
- **MAKROLON® HOUSING**
- **WATERPROOF & FOGPROOF**
- **SHOCKPROOF**
- **CLICLOC® SYSTEM**



CAT™ Color Adjusted Transmission amplifies contrast in the peak human vision sensitivity range, to spot game in any environment.

Fast-Close-Focus™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.

Makrolon® Housing is durable polycarbonate NBR Long Life rubber armoring for a lightweight and rugged chassis that can withstand 40 Gs of impact.

SPECIFICATIONS

PREDATOR SERIES

	10x26	8x42	10x42
ITEM NUMBER	2442	2443	2444
OBJECTIVE DIAMETER (MM)	26	42	42
MAGNIFICATION	10x	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	302	381	328
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings
CLOSE FOCUS (FT.)	10	6	6
EXIT PUPIL (MM)	2.6	5.3	4.2
LUMINOSITY	6.7	27.6	17.6
TWILIGHT FACTOR	16.1	18.4	20.5
COMPASS	-	-	-
EYECUPS	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Submersion to 3 ft.	Submersion to 3 ft.
WEIGHT (OZ.)	10.4	26.1	26.5
DIMENSIONS (IN.) (HxWxD)	4.9 x 4.1 x 1.8	6.9 x 4.9 x 2.5	6.9 x 4.9 x 2.5
NECK STRAP	Yes	Neoprene	Neoprene
NECK STRAP ATTACHMENT	Fixed	ClicLoc®	ClicLoc®
OBJECTIVE COVER	-	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes
BATTERY	-	-	-
SPECIAL FEATURES	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$229.99	$436.99	$459.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

HERITAGE WARRANTY GENERATION TO GENERATION

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

SHADOWQUEST SERIES NEW

THE EVOLUTION OF A LEGEND

PETERSEN'S HUNTING EDITOR'S CHOICE

THE NEW SHADOWQUEST SERIES DELIVERS THE INDUSTRY'S HIGHEST LIGHT GATHERING OPTICS TO FIND AND IDENTIFY GAME IN LOW LIGHT. STEINER'S DIAMOND NIGHT™ LENS COATINGS INCREASE YOUR ODDS FOR SUCCESS.

SHADOWQUEST OVERALL FEATURES

- **BEST IN THE INDUSTRY LIGHT TRANSMISSION (96%+)**
- **CLARITY IN LOW LIGHT**
- **SPORTS-AUTO-FOCUS™**
- **STEINER LUMICLIP™**
- **WIDE FIELD OF VIEW**
- **MILITARY RUGGEDNESS, PRECISION AND PERFORMANCE**

SHADOWQUEST 8X56

Experience the next evolutionary step in low-light binoculars. This technology, combined with Steiner's hunting heritage, produces the ultimate optic for low-light hunting. The new Steiner ShadowQuest – it's almost like having an unfair advantage.

ITEM NO. 2039 | UPC 840229103089

SHADOWQUEST 10X56

The powerful 10x model lets you peer farther and deeper into the shadows for trophy game. Same set of innovative features, just a higher magnification. Perfect for finding western big game at dawn or dusk.

ITEM NO. 2047 | UPC 840229103102

Best in the Industry Light Transmission (96%+)
With the industry's highest light transmission, they add critical minutes to your hunt.

Clarity in Low Light with Steiner's proprietary Diamond Night™ lens coating formula uses rare-earth materials to deliver virtually all available light to your eye.

New Steiner Lumiclip™ is simple and innovative. The luminescent clip glows with just enough light to easily locate your binoculars in the darkest hours.

Military Ruggedness, Precision & Performance provide more than half a century of battle-proven reliability and built to perform in the toughest conditions.

SPECIFICATIONS

	SHADOWQUEST	
	8x56	**10x56**
ITEM NUMBER	2039	2047
OBJECTIVE DIAMETER (MM)	56	56
MAGNIFICATION	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	441	330
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™
LIGHT TRANSMISSION	96%+	96%+
CLOSE FOCUS (FT.)	66	66
EXIT PUPIL (MM)	7.0	5.6
LUMINOSITY	49	31.36
TWILIGHT FACTOR	21.2	23.66
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	38.45	40.6
DIMENSIONS (IN.) (WxH)	7.8 x 8.3	8.27 x 8.2
NECK STRAP	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Included	Included
N_2 INJECTION SYSTEM	14-psi pressurized Nitrogen-filled	14-psi pressurized Nitrogen-filled
RAIN PROTECTION CAP	Included	Included
CARRY CASE	Yes	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$1,089.99	$1,149.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

HERITAGE WARRANTY GENERATION TO GENERATION

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

HX SERIES

MORE THAN GAME FINDING. GAME CHANGING.

PICK YOUR CHALLENGE, AND THERE'S AN HX TO MASTER IT. FROM DARK WOODS TO SUNLIT RIDGES, LOWLAND BOGS TO THE HIGH PLAINS. NEW OPTICAL APPROACHES AND FRAME DESIGNS PROMISE BRIGHTER, CLEARER IMAGES, EXTENDED FIELD OF VIEW, EASIER HANDLING, AND ALL-WEATHER TOUGHNESS BRINGS MORE SUCCESS TO EVERY HUNT.

HX SERIES OVERALL FEATURES

- **BRIGHT, CRISP IMAGES**
- **WIDE FIELD OF VIEW**
- **FAST-CLOSE FOCUS™**
- **STEINER NANO PROTECTION®**
- **FOGPROOF & WATERPROOF DOWN TO 16 FEET**

HX 15X56

Steiner's most powerful hunting binocular. Massive 15x magnification and larger objectives provide exceptional long-range clarity to spot and judge trophy animals on distant ridges. Tripod mountable to make remote views rock-steady; tripod adapters available.

ITEM NO. 2018 | UPC 840229101146

HX 10X56

Large 56 mm objectives gather extra light to penetrate shadows, pick out details and brighten images, revealing hidden game that others miss.

ITEM NO. 2017 | UPC 840229101726

HX 10X42

HD optics, enhanced lens coatings and 10x magnification deliver bright images for dim light conditions and high detail at longer ranges, ideal for wide open country and hilly regions.

ITEM NO. 2015 | UPC 840229101719

HX 8X42

Small enough for effortless carry, with a wide field of view to sweep distant terrain and put you on game faster. 8x magnification brings wildlife close and clear; perfect for bow hunting or eastern whitetail hunting where game is active at dawn and dusk.

ITEM NO. 2014 | UPC 840229101702

New Frame Design makes the HX binoculars easier to grip, more comfortable for extending scouting.

Steiner Nano-Protection® hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust, snow, and fingerprints are repelled.

Ergonomic Eyecups are comfortable and protect your eyes against side light and drafts.

Fast-Close-Focus™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.

SPECIFICATIONS

HX SERIES

	8x42	10x42	10x56	15x56
ITEM NUMBER	2014	2015	2017	2018
OBJECTIVE DIAMETER (MM)	42	42	56	56
MAGNIFICATION	8x	10x	10x	15x
FIELD OF VIEW AT 1,000 YD. (FT.)	377	326	332	241
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Definition	High Definition	High Definition	High Definition
CLOSE FOCUS (FT.)	6	6	8	8
EXIT PUPIL (MM)	5.25	4.2	5.6	3.7
LUMINOSITY	27.6	17.6	31.7	13.9
TWILIGHT FACTOR	18.3	20.5	23.7	28.9
COMPASS	-	-	-	-
EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 10 ft.	Submersion to 10 ft.	Submersion to 10 ft.	Submersion to 10 ft.
WEIGHT (OZ.)	27.7	28	42.3	44.1
DIMENSIONS (IN.) (HxWxD)	5.8 x 4.9 x 2.6	5.8 x 4.9 x 2.6	7.1 x 5.6 x 3.1	7.1 x 5.6 x 3.1
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes
BATTERY	-	-	-	-
SPECIAL FEATURES	Steiner Nano Protection®	Steiner Nano Protection®	Steiner Nano Protection®	Steiner Nano Protection®
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$919.99	$999.99	$1,149.99	$1,379.99

HERITAGE WARRANTY GENERATION TO GENERATION

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully

STEINER
Nothing Escapes You

STEINER-OPTICS.COM

LRF 1700

SPOT YOUR TARGET PLUS SPOT ON RANGING WITH ONE OPTIC.

GAME-FINDING PRECISION OPTICS AND PINPOINT LASER RANGING, ALL IN ONE COMPACT BINOCULAR.

LRF 1700 SERIES OVERALL FEATURES

- **LASER RANGEFINDER**
- **SPORTS-AUTO FOCUS™**
- **STEINER NANO-PROTECTION®**
- **FOGPROOF & WATERPROOF DOWN TO 16 FEET**
- **SHOCKPROOF**

LRF 1700
8X30

Hunters prefer Steiner porro prism binoculars for their enhanced three-dimensional depth perception and military-grade toughness. When combined with a fast, accurate laser rangefinder, they quickly become a trusted and practical additional to your hunting gear. Quickly and easily find your target and accurately range out to 1,700 yards without juggling multiple optics.

MAGNIFICATION 8X
WEIGHT 28 OZ. I WIDTH 6.5 IN.
HEIGHT 5.7 IN.
ITEM NO. 2315
UPC 840229102990

Steiner Nano-Protection® hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust, snow, and fingerprints are repelled.

Fogproof & Waterproof for absolute protection, Steiner seals 14-psi pressurized dry nitrogen into its optics, for premium clarity in any condition.

Shockproof lenses and prisms are built into unbreakable binocular housings, then purged, sealed and shielded to withstand harsh conditions and brutal abuse.

SPECIFICATIONS

	LRF 1700 8x30 LRF
ITEM NUMBER	2315
OBJECTIVE DIAMETER (MM)	30
MAGNIFICATION	8x
FIELD OF VIEW AT 1,000 YD. (FT.)	374
FOCUSING SYSTEM	Sports-Auto-Focus™
OPTICS SYSTEM	High Definition
CLOSE FOCUS (FT.)	66
EXIT PUPIL (MM)	3.8
LUMINOSITY	14
TWILIGHT FACTOR	15.5
COMPASS	-
EYECUPS	ErgoFlex
RUBBER ARMORING	NBR Long Life
WATERPROOF	Submersion to 16 ft.
WEIGHT (OZ.)	28
DIMENSIONS (IN.) (HxWxD)	4.9 x 5.5 x 2.3
NECK STRAP	Yes
NECK STRAP ATTACHMENT	Standard
OBJECTIVE COVER	Yes
RAIN PROTECTION CAP	Yes
CARRY CASE	Yes
BATTERY	CR2
SPECIAL FEATURES	Laser Rangefinder Measuring Range: 27 to 1,859 Yd.
WARRANTY	Heritage™ Warranty
MSRP PRICE	$2,299.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

HERITAGE WARRANTY GENERATION TO GENERATION

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

NAVIGATOR PRO AND MARINE SERIES

NEVER COMPROMISE PERFORMANCE JUST BECAUSE IT'S FUN.

SERIOUS OPTICS FOR THOSE WHO TAKE RECREATIONAL TIME ON THE WATER SERIOUSLY, WITH THE CLEAR IMAGE, TOTAL RELIABILITY AND REMARKABLE VALUE STEINER MARINE OPTICS ARE KNOWN FOR.

NAVIGATOR PRO 7X50c

Carries an HD fluid-damped, illuminated analog compass for easy-to-read navigation.

ITEM NO. 7155 | UPC 840229100712

NAVIGATOR PRO 7X50

Delivers excellent image clarity, sharp definition and contrast, and oversized light-gathering objective for bright picture in low light.

ITEM NO. 7655 | UPC 840229100736

NAVIGATOR PRO AND MARINE SERIES OVERALL FEATURES

- 7X MAGNIFICATION – THE MARINE INDUSTRY STANDARD
- HIGH-CONTRAST OPTICS
- FLOATING PRISM SYSTEM
- SPORTS-AUTO-FOCUS™ SYSTEM
- SHOCKPROOF

MARINE 7X50

The perfect first pair of quality, water-going binoculars, for enthusiasts who want the most performance for their money.

ITEM NO. 575 | UPC 000381805751

HD Stabilized Compass with an integrated fluid damped, illuminated compass is one accurate and nvaluable viewing and navigation tool. Available on the 7x50c only.

100% in-house optics that grinds and polishes premium lenses and BaK4 prisms, then multicoats all air-to-glass surfaces with proprietary coatings for unmatched brightness and clarity.

Sports-Auto-Focus™ lets you focus each eyepiece to your vision once, then keeps images razor sharp from 20 yards to infinity. No more chasing focus on moving objects.

SPECIFICATIONS

	Navigator Pro		Marine
	7x50	7x50c	7x50
ITEM NUMBER	7655	7155	575
OBJECTIVE DIAMETER (MM)	50	50	50
MAGNIFICATION	7x	7x	7x
FIELD OF VIEW AT 1,000 YD. (FT.)	370	370	356
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast
CLOSE FOCUS (FT.)	66	66	66
EXIT PUPIL (MM)	7.1	7.1	7.1
LUMINOSITY	51	51	51
TWILIGHT FACTOR	18.7	18.7	18.7
COMPASS	-	HD Stabilized	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Yes
WEIGHT (OZ.)	36.3	39.2	36.3
DIMENSIONS (IN.) (HxWxD)	5.5 x 8.1 x 3	5.5 x 8.1 x 3.8	5.5 x 8.1 x 3
NECK STRAP	Neoprene	Neoprene	Comfort
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	Standard
OBJECTIVE COVER	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes
BATTERY	-	CR1225	-
SPECIAL FEATURES	-	Compass with bearing mark	-
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$517.99	$689.99	$344.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

HERITAGE WARRANTY GENERATION TO GENERATION

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

COMMANDER SERIES

THE WORLDWIDE FLAGSHIP OF MARINE BINOCULARS.

THE CHOICE FOR ANYONE WHO LIVES ABOARD OR MAKES THEIR LIVING ON THE WATER

COMMANDER GLOBAL 7X50

Steiner's finest marine binocular. The integrated digital compass with electronic magnetic field measurement and automatic declination adjustment delivers precise readings anywhere in the world. Experience astounding clarity with Diamond Marine™ lens coatings for outstanding light transmission and high-definition optics.

ITEM NO. 4961 | UPC 000381849618

COMMANDER OVERALL FEATURES

- 7X MAGNIFICATION – THE MARINE INDUSTRY STANDARD
- OUTSTANDING COMPASS TECHNOLOGY
- MAKROLON® HOUSING
- DIAMOND MARINE™ OR NANO-PROTECTION® LENS COATINGS
- SPORTS-AUTO-FOCUS™
- MEMORY OCULAR SAVES PERSONAL DIOPTER SETTINGS
- FOGPROOF & WATERPROOF DOWN TO 33 FEET
- SHOCKPROOF

COMMANDER 7X50c

This military-grade porro prism Commander binocular with HD Stabilized compass is the choice for serious navigation.

ITEM NO. 2305 | UPC 840229101214

COMMANDER 7X50

Delivers top-of-the-line image clarity, sharp edge-to-edge definition and contrast, and high light transmission for navigating in low light or fog.

ITEM NO. 2304 | UPC 840229101207

Digital Worldwide Compass available only on the Commander Global is an Integrated digital compass with electronic magnetic field measurement and declination adjustment delivers precise readings anywhere in the world.

HD Stabilized Compass The integrated fluid damped, HD Stabilized illuminated compass with ranging reticle creates one accurate and invaluable viewing and navigation tool. Available on the Commander 7x50c only.



SPECIFICATIONS

	Global 7x50 4961	7x50c 2305	7x50 2304
OBJECTIVE DIAMETER (MM)	50	50	50
MAGNIFICATION	7x	7x	7x
FIELD OF VIEW AT 1,000 YD. (FT.)	392	438	438
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Definition Diamond Marine™ Coating	High Definition	High Definition
CLOSE FOCUS (FT.)	66	66	66
EXIT PUPIL (MM)	7.1	7.1	7.1
LUMINOSITY	51	51	51
TWILIGHT FACTOR	18.7	18.7	18.7
COMPASS	Worldwide Digital	HD Stabilized	-
EYECUPS	Ergoflex	Ergoflex	Ergoflex
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 33 ft.	Submersion to 33 ft.	Submersion to 33 ft.
WEIGHT (OZ.)	40.5	42	38.4
DIMENSIONS (IN.) (HxWxD)	6.1 x 8.1 x 3.9	6.2 x 8.1 x 3.8	6.2 x 8.1 x 3
NECK STRAP	Floating strap	Floating strap	Floating strap
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes
BATTERY	CR2	CR1/3N	-
SPECIAL FEATURES	Steiner Nano Protection®, Precision Reticle	Ranging Reticle, Steiner Nano Protection®	Steiner Nano Protection®
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$3,104.99	$1,494.99	$1,205.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

HERITAGE WARRANTY GENERATION TO GENERATION

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER Nothing Escapes You

MILITARY/ MARINE SERIES

PROVEN ON THE BATTLEFIELD. PERFECT FOR EVERYTHING ELSE.

THE CIVILIAN VERSION OF OUR PROVEN MILITARY BINOCULARS, ADAPTED FOR RUGGED ALL-AROUND USE. AS SHARP, CLEAR AND BATTLE-WORTHY AS THE WARRIOR MODELS THEY'RE BASED ON.

MILITARY/MARINE SERIES OVERALL FEATURES

- **FLOATING PRISM SYSTEM**
- **COMPACT DESIGN**
- **SPORTS-AUTO-FOCUS™ SYSTEM**
- **MAKROLON® HOUSING**

MM1050 10X50

Light and easy to handle, with for bright images and a wide field of view for steady viewing, even on the move.

ITEM NO. 2035 | UPC 840229103119

MM750 7X50

Based on the same design as the M22 binoculars chosen by the U.S. Army, the rugged and dependable 7x50 binoculars will stand up a lifetime of civilian use and abuse.

ITEM NO. 2038 | 840229103140

MM830 8X30

Light and easy to handle, with for bright images and a wide field of view for steady viewing, even on the move.

ITEM NO. 2033 | 840229103102

MM1025 10X25

Similar in style and function to the 8x model, higher magnification pulls in greater detail to distant objects. Lightweight, easy to carry and comfortable to hold.

ITEM NO. 2037 | UPC 840229103133

MM825 8X25

A mini-porro prism binocular perfect for sporting events, concerts or just taking in the view. Focus once for your eyes and never miss any of the action.

ITEM NO. 2036 | UPC 840229103126

Makrolon® Housing is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact.

Sports-Auto-Focus™ System lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity – no more chasing focus on moving targets.

NBR Long Life Rubber Armoring is durable, shock absorbing rubber that's neither tacky nor spongy. Provides a non-slip grip making it less likely to drop in all weather conditions.

SPECIFICATIONS

MILITARY / MARINE SERIES

	MM1050 10x50	MM750 7x50	MM830 8x30	MM1025 10x25	MM825 8x25
ITEM NUMBER	2035	2038	2033	2037	2036
OBJECTIVE DIAMETER (MM)	50	50	30	25	25
MAGNIFICATION	10x	7x	8x	10x	8x
FIELD OF VIEW AT 1,000 YD. (FT.)	302	387	362	300	360
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast
CLOSE FOCUS (FT.)	66	65	66	66	66
EXIT PUPIL (MM)	5	7.1	3.8	2.5	3.125
LUMINOSITY	25	51.0	14.1	6.25	9.77
TWILIGHT FACTOR	22.4	18.7	15.5	15.81	14.14
COMPASS	-	-	-	-	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes	Yes	Yes	Yes
WEIGHT (OZ.)	35.3	36	17.1	10.65	10.58
DIMENSIONS (IN.) (HxWxD)	5 x 8.1 x 3	6 x 8 x 2.75	4.2 x 6.7 x 2.2	3.7 x 5.6 x 1.8	3.7 x 5.6 x 1.8
NECK STRAP	Comfort	Standard	Comfort	Standard	Standard
NECK STRAP ATTACHMENT	Standard	Standard	Standard	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$659.99	$344.99	$289.99	$229.99	$219.99

HERITAGE WARRANTY GENERATION TO GENERATION

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.



STEINER
Nothing Escapes You

T-SERIES

THE FINEST PROUDLY SERVING THE BEST.

UNFAILINGLY RELIABLE TACTICAL BINOCULARS FIELD-PROVEN TO DELIVER SUPERBLY BRIGHT, ACCURATE IMAGES IN ANY SITUATION. WHEN LIVES ARE ON THE LINE, THESE ARE ON THE SCENE.

T-SERIES OVERALL FEATURES

- **COMPACT, LIGHTWEIGHT & STREAMLINED**
- **HIGH-DEFINITION OPTICS**
- **FOGPROOF & WATERPROOF DOWN TO 16 FT.**
- **SHOCKPROOF**
- **CLICLOC® SYSTEM**

T1042r
10X42r

Features the SUMR targeting reticle system, for a small, light binocular in a power to match newer 10x rifle scopes.

ITEM NO. 2006 | UPC 000381865083

T1042
10X42

10x power and bright image perfect for sniper/spotters, border surveillance, patrol car optics, and tactical ops day and night.

ITEM NO. 2005 | UPC 000381865069

T1028
10X28

10x magnification for more power and performance without sacrificing weight or adding bulk to your field gear.

ITEM NO. 2004 | UPC 000381865045

T824
8X24

Just 12.6 ounces and incredibly compact, with 8x magnification and wide field of view. Perfect for the gear bag.

ITEM NO. 2003 | UPC 000381865021

Military Grade Rubber Armoring protects chassis and lenses, reduces noise and provides a sure grip in all conditions.

Fast-Close-Focus™ wheel requires less rotation for quick, clear sharpness from close-up to infinity.



SUMR Reticle

SPECIFICATIONS

	T824 8x24	T1028 10x28	T1042 10x42	T1042r 10x42r
	T SERIES			
ITEM NUMBER	2003	2004	2005	2006
OBJECTIVE DIAMETER (MM)	24	28	42	42
MAGNIFICATION	8x	10x	10x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	344	266	317	317
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Definition Tactical Optic	High Definition Tactical Optic	High Definition Tactical Optic	High Definition Tactical Optic
CLOSE FOCUS (FT.)	6	6	6	6
EXIT PUPIL (MM)	3	2.8	4.2	4.2
LUMINOSITY	6.8	7.1	17.6	17.6
TWILIGHT FACTOR	16.1	17.1	20.5	20.5
COMPASS	-	-	-	-
EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 6 ft.	Submersion to 6 ft.	Submersion to 6 ft.	Submersion to 6 ft.
WEIGHT (OZ.)	12.6	12.7	26.4	26.7
DIMENSIONS (IN.) (HxWxD)	4.8 x 4.2 x 1.9	5.1 x 4.6 x 1.9	6.6 x 4.9 x 2.5	6.6 x 4.9 x 2.5
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Gear Bag	Gear Bag	Gear Bag	Gear Bag
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$310.99	$379.99	$517.99	$747.99

HERITAGE WARRANTY GENERATION TO GENERATION

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

M-SERIES

ELITE UNITS WORLDWIDE RELY ON THEM. SO CAN YOU.

BUILT WITH MILITARY-GRADE PRECISION AND OPTICAL QUALITY, PROVEN IN EVERY THEATER, THESE ARE THE BINOCULARS YOU WANT WITH YOU WHEN VISUAL SUPERIORITY IS MISSION-CRITICAL.

M-SERIES OVERALL FEATURES

- MIL-SPEC
- FLOATING PRISM SYSTEM
- MULTI-COATED LENSES
- MAKROLON® HOUSING
- SPORTS-AUTO-FOCUS™ SYSTEM
- RANGING RETICLE
- CYLINDRICAL EYECUPS
- FOGPROOF & WATERPROOF DOWN TO 16 FT.
- SHOCKPROOF
- LE, MILITARY & GOVERNMENT SALES ONLY

M1050r 10x50r

Ideal for open terrain and mountainous or hilly country. Equipped with a milliradian ranging reticle.

ITEM NO. 2663 (SUMR) | UPC 840229102167
*ITEM NO. 2664 (SUMR) LPF GEN II | UPC 840229102433
*ITEM NO. 2665 (SUMR) LPF GEN III | UPC 840229102822

M750rc 7x50rc

Integrates bright image, illuminated HD stabilized compass, and milliradian ranging reticle, giving you the ability to accurately identify targets and determine bearings and distance to the single degree.

ITEM NO. 2690 | UPC 840229102259

M750r 7x50r

Offers exceptionally bright images in all light conditions, especially useful for nighttime ops. Crisp resolution and a wide field of view help you locate and identify targets faster and more accurately.

ITEM NO. 2650 | UPC 840229102105
*M750r LPF (GEN II) ITEM NO. 2651 | UPC 840229102112
*M750r LPF (GEN III) ITEM NO. 2652 | UPC 840229102129

M830r 8x30r

Light and easy to handle, with high-definition lenses for bright images and a wide field of view for steady viewing, even on moving vehicles. Includes a precision milliradian ranging reticle.

ITEM NO. 2640 | UPC 840229102075

M1580 15x80

High magnification and large, extremely precise lenses to observe objects several miles away with astounding detail, even in low light.

ITEM NO. 2670
UPC
840229102174

M1580rc 15x80c

Integrates a large, illuminated HD stabilized compass for accurate bearings, fluid damped to eliminate degree variance while moving in a vehicle or ship.

ITEM NO. 2693
UPC
840229102280

M2080 20x80

All the features of the 15x80 with even higher magnification for greater range without sacrificing the field of view. Excellent for border observation, airports and airspace monitoring.

ITEM NO. 2675
UPC
840229102198

STEINER
Nothing Escapes You

Shockproof lenses and prisms are built into unbreakable binocular housings, then purged, sealed and shielded to withstand harsh conditions and brutal abuse.



Mil Ranging Reticle



SUMR Reticle

SPECIFICATIONS

M SERIES

	M30r 8x30r	M750r 7x50r	M750rc 7x50rc	M1050r 10x50r	M750r LPF 7x50r LPF	M1580 15x80	M1580c 15x80c	M2080 20x80
ITEM NUMBER	2640*	2650*	2690	2663 / 2664* / 2665*	2651* / 2652*	2670	2693	2675
OBJECTIVE DIAMETER (MM)	30	50	50	50	50	80	80	80
MAGNIFICATION	8x	7x	7x	10x	7x	15x	15x	20x
FIELD OF VIEW AT 1,000 YD. (FT.)	392	392	392	392	392	195	301	195
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated
CLOSE FOCUS (FT.)	66	66	66	66	66	197	197	197
EXIT PUPIL (MM)	3.8	7.1	7.1	5	7.1	5.3	5.3	4
LUMINOSITY	14	51	51	25	51	28	28	16
TWILIGHT FACTOR	15.5	18.7	18.7	22.4	18.7	34.6	34.6	40
COMPASS	-	-	HD Stabilized	HD Stabilized	-	-	HD Stabilized	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	18.7	36.9	39.7	35.3	36.9	68.1	69.3	68.1
DIMENSIONS (IN.) (HxWxD)	4.2 x 6.7 x 2.2	5.5 x 8.1 x 3	5.5 x 8.1 x 3.7	5 x 8.1 x 3	5.5 x 8.1 x 3	11.6 x 8.9 x 3.8	11.6 x 8.9 x 4.1	11.6 x 8.9 x 3.8
NECK STRAP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
NECK STRAP ATTACHMENT	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
BATTERY	-	-	1.5 V 350	1.5 V 350	-	-	1.5 V 350	-
SPECIAL FEATURES	Mil Ranging Reticle, Military Specifications	Mil Ranging Reticle, Military Specifications	HD Stabalized Compass, Mil Ranging Reticle, Military Specifications	SUMR Milliradian Ranging Reticle, Military Specifications	Mil Ranging Reticle, Laser Protection Filter, Military Specifications	Tripod Mount, Military Specifications	Tripod mount, HD Stabalized Compass, Military Specifications	Tripod Mount, Military Specifications
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$919.99	$1089.99	$1259.99	$1149.99 / $1609.99 / $2299.99	$1494.99/ $2184.99	$1,586.99	$2,069.99	$1,699.99

*LE, Military, & Government sales only

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence. We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada. See full warranty details at www.steiner-optics.com/product-warranties

• No warranty card needed. • No receipt required. • Warranty is fully transferable to future owners of the product.

HERITAGE WARRANTY GENERATION TO GENERATION

M-SERIES LRF

TARGET CLARITY AND RANGE FOR THE EDGE IN ANY ENCOUNTER.

THE COMBINATION OF STATE-OF-THE-ART OPTICS, LEGENDARY STEINER RELIABILITY, AND SPOT-ON LASER RANGING CAN MAKE A CRITICAL DIFFERENCE IN SITUATIONS WHERE ACCURACY MEANS EVERYTHING.

M-SERIES LRF OVERALL FEATURES

- MIL-SPEC
- FLOATING PRISM SYSTEM
- ERGONOMIC DESIGN FOR COMFORTABLE OBSERVATION
- BUILT-IN LASER RANGEFINDER
- MAKROLON® HOUSING
- SPORTS-AUTO-FOCUS™ SYSTEM
- FOGPROOF & WATERPROOF DOWN TO 16 FT.
- SHOCKPROOF

M830r LRF 1535NM 8X30r LRF

The M830r LRF 1535nm ranges farther – from 25 to 6,000 meters – using a wavelength invisible to your adversary's night vision devices.

* LE, Military & Government Sales Only
ITEM NO. 2681 | UPC 840229102228

Bluetooth Adaptor

Provides Bluetooth capability with compatible devices such as the Kestrel 5700 Elite weather meter with LINK. The adaptor transmits range data to the device to generate an accurate firing solution for the indicated distance.

ITEM NO. 2627 | UPC 840229102839

M1050 LRF 10X50 LRF

Features a wide measurement range from 27 yards to over 1,860 yards on reflective targets, plus Scan Mode to measure small or moving targets.

ITEM NO. 2682 | UPC 840229102235

M830r LRF 8X30r LRF

Perfect for mobile troops who travel light. Lenses and prisms are combined with state-of-the-art coatings to provide bright, crisp images at any range. Ranges can be set to meters or yards.

ITEM NO. 2680 | UPC 840229102211

Bluetooth Adaptor is available for the M830r LRF 1535NM to pair with compatible devices such as the Kestrel 5700 elite weather meter with LiNK.

Laser Rangefinding capability gives you a distinct advantage, precise ranging out to 1,860 yd. or 6,000 yd. with the 1535NM model. Scan Mode available for moving targets.



Mil Ranging Reticle



SUMR Reticle

SPECIFICATIONS

	M830r LRF 1535nm	M1050r LRF	M830r LRF
	8x30rLRF*	10x50 LRF	8x30 LRF
ITEM NUMBER	2681*	2682	2680
OBJECTIVE DIAMETER (MM)	30	50	30
MAGNIFICATION	8x	10x	8x
FIELD OF VIEW AT 1,000 YD. (FT.)	438	144	319
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated
CLOSE FOCUS (FT.)	66	66	66
EXIT PUPIL (MM)	3.8	5	3.8
LUMINOSITY	14	25	14
TWILIGHT FACTOR	15.5	22.4	15.5
COMPASS	-	-	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	33	44.8	26.5
DIMENSIONS (IN.) (HxWxD)	4.5 x 6.7 x 2.8	5.4 x 8.1 x 3.9	4.5 x 6.7 x 2.8
NECK STRAP	Yes	Yes	Yes
NECK STRAP ATTACHMENT	Standard	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	-	-	-
BATTERY	CR2	CR123A	CR2
SPECIAL FEATURES	Tripod Mountable, Mil Ranging Reticle, Military Specifications, Laser Rangefinder Measuring Range: 27 to 6,000 yd.	Tripod Mountable, Military Specifications, Laser Rangefinder Measuring Range: 27 to 1,860 yd.	Tripod Mountable, Mil Ranging Reticle, Military Specifications, Laser Rangefinder Measuring Range: 27 to 1,860 yd.
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	$9,199.99*	$3,449.99	$2,589.99

*LE, Military & Government Sales Only

	Bluetooth Adaptor
ITEM NUMBER	2627
HEIGHT	34.5 mm
WIDTH	26.7 mm
DEPTH	17.2 mm
WEIGHT	10 g
OPERATING TEMPERATURE	-20° / +50°C
STORAGE TEMPERATURE	-40° / +80°C
WATER-PRESSURE-PROOFNESS	5 m
BLUETOOTH VERSION	4.1
INTERFACE	ODU mini-snap plug
RANGE	5 m
WARRANTY	Heritage™ Warranty
MSRP PRICE	$479.99

HERITAGE WARRANTY GENERATION TO GENERATION

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You

STEINER
Nothing Escapes You

STEINER EOPTICS

DBAL & SBAL | 58
DUAL BEAM AIMING LASERS | 62
CLOSE QUARTER BATTLE SIGHTS | 36
BATTLE LIGHTS | 66
ILLUMINATORS | 68
NIGHT VISION | 70
NOVA | 72
NORTH STAR | 73
MCID | 74
STAR BEACON | 75
AIRFIELD BEACON | 76

eOptics Technology

Steiner eOptics products utlize innovative state-of-the-art technologies that make you more effective in the field and provide a higher level of performance even in the harshest of environments. So you can let your instincts and training take over and still be confident, accurate and highly effective.

FEATURES:



STATE-OF-THE-ART ENGINEERING DEPARTMENT

Steiner eOptics maintains a cutting-edge engineering department with a full complement of experienced mechanical, electrical and optical engineers. These skilled professionals are supported by highly skilled electrical and mechanical technicians.

RAPID PROTOTYPING

Once the initial design process is finished, rapid 3-D printing stations are used to prototype and perfect the design. We have access to suppliers and resources to quickly take a design project from bare concept to a working, testable prototype.

ASSEMBLY

Once parts and assemblies are received, the design team is able to assemble and test laser and illumination systems in a state-of-the-art eOptics lab.

QUALITY ASSURANCE

Steiner eOptics maintains an ISO 9001:2008 Quality Management System and has continuously maintained an ISO 9001 QMS certification since 2001. Quality plays a very important role at Steiner and starts with the design and development process. During the initial design review, our engineers evaluate their design concept to make sure that it will meet the necessary quality requirements.

A PROVEN TRACK RECORD

Steiner eOptics has a proven track record as a government contractor supplying military lasers and lights to the U.S. Department of Defense as well as to NATO customers. In addition to supplying products to our military customer, Steiner eOptics has also been selected to provide design and development services by the U.S. Government and other prime contractors.

KEY TEST AND ASSEMBLY CAPABILITIES

- A Class 100 clean room for the assembly of sensitive eoptics products
- Sensitive optical power meters and beam characterization cameras with the necessary filters and apertures for measuring all laser outputs from 500 nm to 1.5 microns at output powers from .01 mW to 500 mJ
- Laser safety room with controlled access and safety shielding to accommodate high-energy lasers to 500 mJ
- A full array of environmental test equipment

PRODUCTION PROCESS

The production process ensures that any defects in the assembly process are caught as early as possible. The majority of the assembly stages also have a matching test stage used to confirm that the prior production step was properly performed.

RIGOROUS TESTING PROCESSES

MECHANICAL SHOCK, TO SIMULATE THE WEAPONS ON WHICH THE DEVICES WILL BE MOUNTED

MECHANICAL VIBRATION, TO SIMULATE TRANSPORT ON MILITARY AND COMMERCIAL VEHICLES INCLUDING ROTARY-WING AND FIXED-WING AIRCRAFT

HIGH AND LOW TEMPERATURE OPERATION AND STORAGE TESTING, WHERE THE DEVICES ARE EXPOSED TO THE MAXIMUM EXPECTED OPERATING TEMPERATURES AND STORAGE TEMPERATURES

TEMPERATURE SHOCK, WHERE THE EQUIPMENT IS HEATED TO A HIGH TEMPERATURE AND TRANSITIONED INTO A VERY COLD TEMPERATURE WITHIN A FEW SECONDS

IMMERSION TESTING, BOTH SIMULATED AND TO ACTUAL DEPTHS AS FAR AS 66 METERS

ADDITIONAL ENVIRONMENTAL TESTING MAY INCLUDE EXPOSURE TO SALT FOG, SAND OR DUST AND ELECTRO-MAGNETIC SHOCK TESTING

MADE IN USA

DBAL/SBAL LASER SERIES

CREATE THE ADVANTAGE. CONTROL THE OUTCOME.

IN A STRESSFUL, LIFE-THREATENING SITUATION, HAVING THE RIGHT EQUIPMENT CAN MEAN THE DIFFERENCE BETWEEN SUCCESS AND FAILURE. THE STEINER DBAL/SBAL SERIES LASERS PROVIDE WHAT YOU NEED TO GET THE JOB DONE.

PISTOL LIGHT LASERS OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE/ ELEVATION
- INTEGRATED PICATINNY MOUNT
- QUICK RELEASE BATTERY LATCH
- PROGRAMMABLE SWITCH FUNCTIONS FOR SINGLE TAP, DOUBLE TAP, AND PRESS AND HOLD OPERATION.

DBAL SPECIFIC

- VISIBLE GREEN LASER, IR LASER & IR ILLUMINATOR & WHITE LIGHT LED
- CO-ALIGNED VISIBLE & IR AIMING LASERS
- POWERED BY TWO CR123A BATTERIES

SBAL SPECIFIC

- VISIBLE GREEN LASER & WHITE LIGHT LED
- POWERED BY ONE CR123A BATTERY

SBAL-PL
SINGLE BEAM
AIMING LASER
PISTOL LIGHT

NEW

SBAL-RL
SINGLE BEAM
AIMING LASER
RIFLE LIGHT

SBAL-PL v2 ITEM NO. 9017 | UPC 000381890177
SBAL-RL v2 ITEM NO. 9026 | UPC 000381890269

Visible Laser	White Light
<5 mW green laser Class IIIa	500 lumens

DBAL-PL
DUAL BEAM
AIMING LASER
PISTOL LIGHT

NEW

DBAL-RL
DUAL BEAM
AIMING LASER
RIFLE LIGHT

DBAL-PL v2 ITEM NO. 9021 | UPC 000381890214
DBAL-RL v2 ITEM NO. 9027 | UPC 000381890276

Visible Laser	IR Pointer	IR LED Illuminator	White Light
<5 mW green laser Class IIIa	<7 mW	600 mW	400 lumens

MADE IN USA

Push button mode selection. Includes fully programmable switch functions for single tap, double tap, and press and hold operation.

Fully adjustable mounting bracket easily attaches the DBAL-PL/RL and SBAL-PL/RL to standard pistol rails or M1913 Picatinny rails

Bright white light (and the IR pointer on the DBAL-PL) sit below the visible green laser. Recoil-resistant LEDs ensure reliable performance shot after shot.

SPECIFICATIONS

		SBAL-PL 9017	SBAL-RL 9026	DBAL-PL 9021	DBAL-RL 9027
LASER TYPE	VISIBLE RED OR GREEN	Green - Class IIIa	Green - Class IIIa	Green - Class IIIa	Green - Class IIIa
	IR LASER POINTER	-	-	Class I	Class I
	IR LED ILLUMINATOR	-	-	Eye-Safe	Eye-Safe
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW	<5 mW	<5 mW	<5 mW
	IR LASER POINTER	-	-	<0.7 mW	<0.7 mW
	IR LED ILLUMINATOR	-	-	<600 mW	<600 mW
	WHITE LIGHT	500 lumens	500 lumens	400 lumens	400 lumens
WAVELENGTH	VISIBLE RED LASER	-	-	-	-
	VISIBLE GREEN LASER	520 nm	520 nm	532 nm	532 nm
	IR LASER POINTER	-	-	850 nm	850 nm
	IR LASER ILLUMINATOR	-	-	850 nm	850 nm
PEAK ILLUMINANCE	WHITE LIGHT	-	-	Lumen M2 @ 5m: 115 lux	Lumen M2 @ 5m: 115 lux
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad
	IR LASER POINTER	-	-	<0.8 mRad	<0.8 mRad
	IR LED ILLUMINATOR	-	-	18°	18°
	WHITE LIGHT	22°	22°	-	18°
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	-	-	-	-
	VISIBLE GREEN LASER	750 m / 15 m	750 m / 15 m	750 m / 15 m	750 m / 15 m
	IR LASER POINTER	-	-	>250 m	>250 m
	IR LED ILLUMINATOR	-	-	>250 m	>250 m
	WHITE LIGHT	>100 m	>100 m	100 m	100 m
	TEMPERATURE	-20° C to +65° C	-20° C to +65° C	-20° C to +65° C	-20° C to +65° C
	BATTERY	CR123A (1)	CR123A (1)	CR123A (2)	CR123A (2)
	BATTERY LIFE (MODE DEPENDENT)	1.75 Hours	1.75 Hours	1.75 Hours	1.75 Hours
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Black	Black	Black
	WEIGHT (WITH BATTERY) (OZ.)	4.6	4.6	5.4	4.6
	DIMENSIONS (IN.) (LxWxH)	3.46 x 1.32 x 1.62	3.5 x1.3 x1.4	3.46 x 1.62 x 1.32	3.46 x 1.3 x 1.4
	WATERPROOF	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m
	MOUNT	Standard Pistol or M1913 Rails	Standard Pistol or M1913 Rails	Standard Pistol or M1913 Rails	Standard Pistol or M1913 Rails
	WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes	Yes
	ACTIVATION SWITCH	Integrated Push Button	Remote Cable	Integrated Push Button	Remote Cable
	REMOTE CABLE PRESSURE PAD	-	-	Yes	Yes
	WARRANTY	2-Year	2-Year	2-Year	2-Year
	MSRP PRICE	$764.99	$972.99	$1,034.99	$1,342.99

STEINER EOPTICS 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase.

The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties

STEINER
Nothing Escapes You

DUAL BEAM AIMING LASERS

NO CHALLENGE TOO TOUGH. NO TARGET TOO DARK.

UNMATCHED VERSATILITY AND SUPERIOR OPERATIONAL LONGEVITY ARE PAIRED IN THE DBAL FAMILY OF LASERS TO PROVIDE MAXIMUM FUNCTIONALITY FOR MILITARY, LAW ENFORCEMENT AND SELF-DEFENSE USERS WORLDWIDE.

DUAL BEAM AIMING LASERS OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE & ELEVATION
- AVAILABLE HIGH & LOW POWER MODES
- INCLUDES REMOTE CABLE PORT
- ACTIVATION/LOW BATTERY INDICATOR LIGHT

DBAL SERIES DBAL-A3

CIVILIAN DUAL BEAM AIMING LASER - ADVANCED[3]
Now available for the commercial market. Features an adjustable IR illuminator for better illumination at longer ranges, dual activation switches and high/low power modes.

ITEM NO. 9008-BLACK | UPC 000381890085
9009-DESERT SAND | UPC 000381890092

Visible Laser	IR Pointer	IR Illuminator
<5 mW green laser	<.7 mW	<4 mW

• VISIBLE GREEN LASER • IR LASER & ILLUMINATOR COMBINED

RESTRICTED ITEM NO. 10010-BLACK

Visible Laser	IR Pointer	IR Illuminator
<50 mW green laser	50 mW	50 mW

RESTRICTED ITEM NO. 10011-BLACK

Visible Laser	IR Pointer	IR Illuminator
<80 mW red laser	50 mW	50 mW

DBAL SERIES DBAL-A4

DUAL BEAM AIMING LASER - ADVANCED[4]
New advanced DBAL-A4 with four functionalities: visible green light, IR Laser, IR Illuminator, and white light. High/low modes. Civilian and restricted models available.

ITEM NO. 9012 -BLACK | UPC 000383190121
ITEM NO. 9013 - DESERT SAND | UPC 000383290135

Visible Laser	IR Pointer	IR Illum.	White Light
<5 mW green laser	<.7 mW	<600 mW	<500 Lumens
<5 mW green laser	<.7 mW	<600 mW	<500 Lumens

MADE IN USA

Integrated Push-Button Activation and remote cable- pressure-pad switch activation; tap and release for momentary activation; tap twice for 5-minute continuous ON.

Quick Release, Self-Adjusting HT Mount attaches to any Picatinny rail.

Dual remote activation ports for visible override.

SPECIFICATIONS

		DBAL-A3 9008	DBAL-A3 9009	DBAL-A3 10010* / 10010D*	DBAL-A3 10011* / 10011D*	DBAL-A4 9012 / 9013
LASER TYPE	VISIBLE RED OR GREEN	Green - Class IIIa	Green - Class IIIa	Green - Class IIIa	Red - Class IIIa	Green - Class IIIa
	IR LASER POINTER	IR - Class I	IR - Class I	IR - Class IIIb	IR - Class IIIb	IR - Class I
	IR LASER ILLUMINATOR	IR - Class 3r	IR - Class 3r	IR-Class IIIb	IR-Class IIIb	-
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW	<5 mW	<50 mW	<80 mW	<50 mW
	IR LASER POINTER	<0.7 mW	<0.7 mW	50 mW	50 mW	<50 mW
	IR LASER ILLUMINATOR	<4.0 mW	<4.0 mW	50 mW	50 mW	LED Illum. 2x ,600mW
	WHITE LIGHT	-	-	-	-	<500 Lumens
WAVELENGTH	VISIBLE RED LASER	-	-	-	642 nm	-
	VISIBLE GREEN LASER	532 nm	532 nm	532 nm	-	520 nm
	IR LASER POINTER	850 nm	850 nm	835 nm	835 nm	850 nm
	IR LASER ILLUMINATOR	835 nm	835 nm	835 nm	835 nm	LED Illum. 2x 850nm
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad
	IR LASER POINTER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad
	IR LASER ILLUMINATOR	95 to 195mRad	95 to 195mRad	1.5 to 195mRad	1.5 to 195mRad	4˚ and 90˚
	WHITE LIGHT	-	-	-	-	10˚
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	-	-	-	1750 m / 75m	-
	VISIBLE GREEN LASER	750 m / 15m	750 m / 15m	1750 m / 75m	-	1750 m / 75m
	IR LASER POINTER	>250 m	>250 m	1000 m	1000 m	1000 m
	IR LASER ILLUMINATOR	>175m	>175m	>2500 m	1000 m	1000 m
	WHITE LIGHT	-	-	-	-	300 m
	TEMPERATURE	5° C to +55° C	5° C to +55° C	5° C to +65° C	-40° C to +55° C	-20˚ to +60˚C
	BATTERY	CR123A	CR123A	CR123A	CR123A	2x CR123A
	BATTERY LIFE (MODE DEPENDENT)	> 3 Hours	> 3 Hours	> 3 Hours	> 3 Hours	> 3 Hours
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Desert Sand	Black / Desert Sand	Black / Desert Sand	Black / Desert Sand
	WEIGHT (WITH BATTERY) (OZ.)	8	8	8	8	13
	DIMENSIONS (IN.) (LxWxH)	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	4.4 x 3.2 x 2.1
	WATERPROOF	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 20 m
	MOUNT	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount
	WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes	Yes	Yes
	ACTIVATION SWITCH	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button
	REMOTE CABLE PRESSURE PAD	Yes	Yes	Yes	Yes	Two Included
	WARRANTY	2-Year	2-Year	2-Year	2-Year	2-Year
	MSRP PRICE	$1,425.99	$1,483.99	$2,759.99*	$2,099.99*	$1,849.99 / $1,924.99

*Restricted to LE/Military only. Contact Steiner directly for quote and availability.

STEINER EOPTICS 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase. The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties

STEINER
Nothing Escapes You

DUAL BEAM AIMING LASERS

OWN THE NIGHT. SIEZE THE DAY.

DBAL SERIES LASERS PROVIDE A TACTICAL ADVANTAGE ON THE BATTLEFIELD, ESPECIALLY WHEN DAY TURNS TO NIGHT. RUGGED, RELIABLE AND EASY TO OPERATE, GIVE YOURSELF THE ADVANTAGE.

DBAL SERIES DBAL-D²

DUAL BEAM AIMING LASER
WITH IR LED ILLUMINATOR
High-definition aspherical, telescopic IR LED illuminator significantly enhances night-vision performance. Features a 2° to 30° adjustable illumination beam and offers an eye-safe means of illuminating distances greater than 1,000 meters.

ITEM NO. 9001-BLACK | UPC 000381890016
ITEM NO. 9002-DESERT SAND | UPC 000381890023

Visible Laser	IR Pointer	IR LED Illuminator
<5 mW green laser Class IIIa	<7 mW	600 mW

DBAL SERIES DBAL-I²

DUAL BEAM AIMING LASER - INTELLIGENT²
The most lightweight model in the DBAL Series, this "intelligent" laser provides extreme accuracy in low-light conditions and can be used with night-vision devices.

ITEM NO. 9003-BLACK | UPC 000381890030
ITEM NO. 9004-BLACK | UPC 000381890047
ITEM NO. 9005-DESERT SAND | UPC 000381890054
ITEM NO. 9006-DESERT SAND | UPC 000381890061

Visible Laser	IR Pointer	IR Illuminator
<5 mW green laser Class IIIa	<7 mW	-

ITEM NO. 9007 | UPC 000381890078

Visible Laser	IR Pointer	IR Illuminator
-	<7 mW	<4 mW

DUAL BEAM AIMING LASERS OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE & ELEVATION
- AVAILABLE HIGH & LOW POWER MODES
- INCLUDES REMOTE CABLE PORT
- ACTIVATION/LOW BATTERY INDICATOR LIGHT

MADE IN USA

Integrated Push-Button Activation and remote cable- pressure-pad switch activation; tap and release for momentary activation; tap twice for 5-minute continuous ON.

Quick Release, Self-Adjusting HT Mount attaches to any Picatinny rail.

Low Profile allows for mounting on top or side rails.

SPECIFICATIONS

DBAL Series

		DBAL-D²		DBAL-I²				
		9001	9002	9003	9004	9005	9006	9007
LASER TYPE	VISIBLE RED OR GREEN	Green - Class IIIa	Green - Class IIIa	Green - Class IIIa	Red - Class IIIa	Red - Class IIIa	Green - Class IIIa	-
	IR LASER POINTER	Class I	Class I	Class I	Class I	Class I	Class I	Class I
	IR LED ILLUMINATOR	exempt	exempt	-	-	-	-	IR Laser - Class 3r
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW	<5 mW	<5 mW	<5 mW	<5 mW	<5 mW	-
	IR LASER POINTER	<0.7 mW	<0.7 mW	<0.7 mW	<0.7 mW	<0.7 mW	<0.7 mW	<0.7 mW
	IR LED ILLUMINATOR	<600 mW	<600 mW	-	-	-	-	<4 mW
	WHITE LIGHT	-	-	-	-	-	-	-
WAVELENGTH	VISIBLE RED LASER	-	-	-	635 nm	635 nm	-	-
	VISIBLE GREEN LASER	532 nm	532 nm	532 nm	-	-	532 nm	-
	IR LASER POINTER	850 nm	850 nm	850 nm	850 nm	850 nm	850 nm	850 nm
	IR LED ILLUMINATOR	850 nm	850 nm	-	-	-	-	IR Laser - 835 nm
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	-
	IR LASER POINTER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad
	IR LED ILLUMINATOR	2° to 30°	2° to 30°	-	-	-	-	95-195 mRad
	WHITE LIGHT	-	-	-	-	-	-	-
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	-	-	-	250 m / 5 m	250 m / 5 m	-	-
	VISIBLE GREEN LASER	750 m / 15 m	750 m / 15 m	750 m / 15 m	-	-	750 m / 15 m	-
	IR LASER POINTER	>250 m	>250 m	>250 m	>250 m	>250 m	>250 m	>250 m
	IR LED ILLUMINATOR	≤1000 m	≤1000 m	-	-	-	-	>175 m Laser
	WHITE LIGHT	-	-	-	-	-	-	-
	TEMPERATURE	5° C to +65° C	5° C to +65° C	5° C to +65° C	-40° C to +65° C	-40° C to +65° C	5° C to +65° C	-40° C to +65° C
	BATTERY	CR123A	CR123A	CR123A	CR123A	CR123A	CR123A	CR123A
	BATTERY LIFE (MODE DEPENDENT)	3 Hours	3 Hours	> 3 Hours	> 3 Hours	> 3 Hours	> 3 Hours	> 3 Hours
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Desert Sand	Black	Black	Desert Sand	Desert Sand	Black
	WEIGHT (WITH BATTERY) (OZ.)	12.5	12.5	8	8	8	8	8
	DIMENSIONS (IN.) (LxWxH)	3.95 x 3.37 x 1.59	3.95 x 3.37 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59	3.5 x 2.75 x 1.59
	WATERPROOF	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m
	MOUNT	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount
	WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	ACTIVATION SWITCH	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button
	REMOTE CABLE PRESSURE PAD	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	WARRANTY	2-Year	2-Year	3-Year	2-Year	2-Year	2-Year	2-Year
	MSRP PRICE	$1,539.99	$1,609.99	$977.99	$885.99	$919.99	$1,017.99	$896.99

STEINER EOPTICS 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase. The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties

STEINER
Nothing Escapes You

CLOSE QUARTER BATTLE SERIES

GIVE YOURSELF AN UNFAIR ADVANTAGE.

MOST CLOSE-QUARTER BATTLE ENCOUNTERS ARE BETWEEN 3 TO 10 YARDS. THESE LIGHTWEIGHT VISIBLE AND IR LASER SIGHTS DELIVER SPEED, ACCURACY AND GREATER ODDS FOR SUCCESS.

CLOSE QUARTER BATTLE SERIES OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE & ELEVATION
- PUSH-BUTTON OR REMOTE CABLE PAD ACTIVATION
- INCLUDES REMOTE CABLE PORT
- QUICK, CONVENIENT MOUNTING OPTIONS
- CO-ALIGNED VISIBLE AND IR LASERS
- INTEGRATED PUSH-BUTTON ACTIVATION

CQBL-1

One of the smallest and most rugged dual-function lasers available, the CQBL-1 is compatible with virtually every submachine gun and short-barrel rifle there is, and packs the output power needed for use on carbine, rifle and light machine gun systems.

ITEM NO. 9030-BLACK | UPC 000381890306
ITEM NO. 9031-DESERT SAND | UPC 000381890313

Visible Laser	IR Pointer
<5 mW red laser Class IIIa	<7 mW

OTAL-A

This "advanced" offset tactical aiming laser forges ahead with innovative enhancements. It's equipped with a visible green laser that will range out to 750 meters.

ITEM NO. 9052-BLACK | UPC 000381890528

Visible Laser
<5 mW green laser Class IIIa

OTAL-C

Designed for the M-4 platform, the visible red laser beam on this "classic" model projects around the front sight. It can be mounted in front of scopes, holographic sights and night-vision devices.

ITEM NO. 9055-BLACK | UPC 000381890559

Visible Laser	IR Pointer
<5 mW red laser Class IIIa	-

ITEM NO. 9056-BLACK | UPC 000381890566

Visible Laser	IR Pointer
-	<0.7 mW

MADE IN USA

Co-aligned visible and IR lasers eliminate the need to sight in each laser individually. Low-profile windage and elevation adjusters ensure a constant zero (CQBL-1 only).

Integrated Push-Button Activation and remote cable- pressure-pad switch activation; tap and release for momentary activation; tap twice for 5-minute continuous ON.

Fully adjustable for windage and elevation and can be configured with a visible or IR laser.

SPECIFICATIONS

Close Quarter Battle Lasers Series

		CQBL-1		OTAL-A	OTAL-C	OTAL-C IR
		9030	9031	9052	9055	9056
LASER TYPE	VISIBLE RED OR GREEN	Red - Class IIIa	Red - Class IIIa	Green - Class IIIa	Red - Class IIIa	-
	IR LASER POINTER	Class I	Class I	-	-	Class I
	IR LASER ILLUMINATOR	-	-	-	-	-
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW	<5 mW	<5 mW	<5 mW	<0.7 mW
	IR LASER POINTER	<0.7 mW	<0.7 mW	-	-	-
	IR LASER ILLUMINATOR	-	-	-	-	-
WAVELENGTH	VISIBLE RED LASER	635 nm	635 nm	-	635 nm	-
	VISIBLE GREEN LASER	-	-	532 nm	-	-
	IR LASER POINTER	850 nm	850 nm	-	-	850 nm
	IR LASER ILLUMINATOR	-	-	-	-	-
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad	<0.8 mRad	<0.8 mRad	<0.8 mRad	-
	IR LASER POINTER	<0.8 mRad	<0.8 mRad	-	-	<0.8 mRad
	IR LASER ILLUMINATOR	-	-	-	-	-
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	250 m / 5 m	250 m / 5 m	750 m /1 5 m	250 m / 5 m	-
	VISIBLE GREEN LASER	-	-	-	-	-
	IR LASER POINTER	>250 m	>250 m	-	-	>250 m
	IR LASER ILLUMINATOR	-	-	-	-	-
	TEMPERATURE	-40° C to +65° C	-40° C to +65° C	5° C to +55° C	-40° C to +65° C	-40° C to +65° C
	BATTERY	CR123A	CR123A	CR123A	AA	AA
	BATTERY LIFE (MODE DEPENDENT)	> 3 Hours	> 3 Hours	> 3 Hours	5 Hours	5 Hours
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Desert Sand	Black	Black	Black
	WEIGHT (WITH BATTERY) (OZ.)	6	6	6	5.6	5.6
	DIMENSIONS (IN.) (LxWxH)	4.0 x 1.5 x 1.1	4.0 x 1.5 x 1.1	3.8 x 1.8 x 1.5	2.8 x 1.4 x .75	2.8 x 1.4 x .75
	WATERPROOF	Submersible to 20 m	Submersible to 20 m	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m
	MOUNT	Integrated Picatinny	Integrated Picatinny	QD HT Mount	QD HT Mount	QD HT Mount
	WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes	Yes	Yes
	ACTIVATION SWITCH	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button
	REMOTE CABLE PRESSURE PAD	Yes	Yes	Yes	Yes	Yes
	WARRANTY	2-Year	2-Year	2-Year	2-Year	2-Year
	MSRP PRICE	$954.99	$1,149.99	$1,138.99	$459.99	$459.99

STEINER EOPTICS 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase. The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties

STEINER
Nothing Escapes You

BATTLE LIGHTS

HOW GOOD GUYS BEAT THE DARK SIDE.

WHEN THE SITUATION CALLS FOR ILLUMINATION, THESE BATTLE LIGHTS WILL LIGHT YOUR WAY WITH A BEAM OF LIGHT THAT PROVIDES FOR MINIMAL DIM OR SHADOWED AREAS SO YOU CAN HAVE CONFIDENCE IN ACCURATELY IDENTIFYING YOUR TARGET.

BATTLE LIGHTS OVERALL FEATURES

- HANDHELD OR WEAPON-MOUNTED CAPABILITY
- RECOIL-RESISTANT WHITE LIGHT LED
- ROBUST WATERPROOF CONSTRUCTION
- TEMPERATURE RANGE: -10° C TO +65° C
- FULLY OPERATIONAL FROM 20,000 FEET ABOVE SEA LEVEL TO 66 FEET BELOW THE OCEAN'S SURFACE

Mk3

The impressive Mk3 features a 600 mW eye-safe IR LED and a 500-lumen white light LED with optional strobe mode, providing the versatility and operational range needed to face any situation, day or night.

ITEM NO. 9071-BLACK | UPC 000381890719

Light Power Output	White Light
IR LED Illuminator <600 mW / <150 mW	500 lumens

Mk4

The modular, low-profile design of this 500-lumen weapon light provides interchangeable switch options and places the light close to the weapon body, nearly eliminating the rifle barrel shadow and enhancing weapon-handling switchology. It can operate on two CR123A batteries or one rechargeable lithium ion

ITEM NO. 9072-BLACK | UPC 000381890726

White Light
500 lumens

Mk5

One of the brightest handheld flashlights available today, this powerful light has a 800-lumen white light LED and illuminates up to 400 meters.

ITEM NO. 9073-BLACK | UPC 000381890733

White Light
800 lumens

Mk7

The compact, ergonomic design of this 350-lumen mini-light makes it the perfect tactical shotgun light. A shotgun end cap attaches directly into the magazine tube and replaces the factory spring cap.

ITEM NO. 9075 (BLACK) - REMINGTON 870/1100/1187 UPC 000381890757
ITEM NO. 9076 (BLACK) - MOSSBERG 500 | UPC 000381890764
ITEM NO. 9077 (BLACK) - BERETTA 1301 | UPC 000381890771
ITEM NO. 9078 (BLACK) - BENELLI M4/NOVA | UPC 000381890788

White Light (models 9075, 9076, 9077, 9078)
350 lumens

MADE IN USA

Integrated Push-Button Activation for continuous ON. Mk3 features optional strobe mode.

Handheld or weapon-mounted for greater versatility

Recoil-resistant white light LED for more durability and dependability when you need it most.

SPECIFICATIONS

Battle Lights

		Mk3 9071	Mk4 9072	Mk5 9073	Mk7 9075 / 9076 9077 / 9078
LIGHT OUTPUT	LIGHT OUTPUT	IR Laser Illuminator	-	-	-
	POWER OUTPUT (HIGH / LOW)	<600mW / <150mW	-	-	-
	WAVELENGTH	850 nm	-	-	-
	FDA CLASS	Exempt	-	-	-
	BEAM DIVERGENCE	8°	-	-	-
	RANGE (HIGH POWER)	200 m	-	-	-
LAMP	LAMP	White Light LED	White Light LED	White Light LED	White Light LED
	POWER OUTPUT (HIGH / LOW)	500 Lumens	500 Lumens	800 Lumens	350 Lumens
	BEAM DIVERGENCE	10°	10°	10°	10°
	RANGE (HIGH POWER) RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	300 m	300 m	500 m	100 m
	REFLECTION LENS	Total Internal Reflection Lens	Total Internal Reflection Lens	High Output Deep Dish	Total Internal Reflection Lens
	BATTERY	CR123A (2)	CR123A (2)	CR123A (2)	CR123A
	BATTERY LIFE	1.25 Hours	1.25 Hours	≥1 Hour	≥1 Hour
	MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
	COLOR	Black	Black	Black	Black
	WEIGHT (WITH BATTERY & MOUNT) (OZ.)	8	4.9	6.1	4.1
	DIMENSIONS (IN.) (LxWxH)	3.97 x 2.18 x 1.73	6.04 (L)	6.44 (L)	3.54 (L)
	TEMPERATURE RANGE	-40° C to +65° C	-40° C to +65° C	-40° C to +65° C	-10° C to +65° C
	WATERPROOF	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m	Submersible to 3 m
	MOUNT	MIL-STD-1913/ Picatinny rail	MIL-STD-1913/ Picatinny rail	MIL-STD-1913/ Picatinny rail	model dependent, compatible with most popular tactical shotguns
	ACTIVATION SWITCH	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button
	REMOTE CABLE PRESSURE PAD	Included	Included	Optional	-
	LOW BATTERY INDICATOR	Yes	-	-	-
	WARRANTY	2-Year*	Heritage Warranty	Heritage Warranty	Heritage Warranty
	SPECIAL FEATURES	Instantly Switch Between White Light Illumination (With or Without Strobe) or IR LED Illuminator	Comes with 1913 Mount, Dual-Purpose Tailcap and Remote Pressure Pad / Optional Y-Cable Connects Mk4 to DBAL-A3 Laser	Handheld or Weapon-Mounted with Optional Accessories	Models Available to Fit Remington, Benelli, Mossberg & Beretta
	MSRP PRICE	$689.99	$321.99	$229.99	$212.99

STEINER EOPTICS 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase.

The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties

STEINER
Nothing Escapes You

ILLUMINATORS

OWN THE NIGHT WITH THIS SPECIAL PURPOSE INFRARED ILLUMINATOR.

WITH A RANGE OF 900 METERS, THE SPIR WILL DETECT AND IDENTIFY THREATS AT GREATER DISTANCES THAN ANY OTHER TACTICAL IR ILLUMINATOR. IT CAN BE HAND-OPERATED OR WEAPON-MOUNTED.

Modern-day warfighters disrupt enemy operations by delivering precise, long-range fire on selected targets. Special operations, police and SWAT units protect innocent civilians in residential hostage crises, high-risk search/arrest warrants and other domestic situations.

SPIR

This Special Purpose IR LED illuminator is equipped with a high-definition, aspherical telescopic illuminator. It can be used in conjunction with night-vision equipped spotting scopes and deployed as a handheld or weapon-mounted IR illuminator.

ITEM NO. 9070-BLACK | UPC 000381890702

Illuminator

IR LED Illuminator <600 mW / <300 mW



MBS-AA BORELIGHT

Quality engineered for a flawlessly centered dot every time, this borelight provides a precise, accurate alignment in the field without firing a single round of ammo. Includes a visible red laser and stainless steel bore rods.

ITEM NO. 9090-BLACK | UPC 000381890900

Visible Laser

<5 mW red laser Class IIIa

MADE IN USA

Integrated push-button switch and port for remote cable pressure pad (SPIR)

SPIR can be handheld or weapon-mounted for greater versatility

SPECIFICATIONS

		SPIR 9070
LIGHT OUTPUT	LIGHT OUTPUT	IR LED Illuminator
	POWER OUTPUT (HIGH / LOW)	<600 mW / <300 mW
	WAVELENGTH	850 nm
	FDA CLASS	Eye-Safe
	BEAM DIVERGENCE	2° to 30°
	RANGE (HIGH POWER)	1000 m
LAMP	LAMP	-
	POWER OUTPUT (HIGH / LOW)	-
	BEAM DIVERGENCE	-
	RANGE (HIGH POWER) RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	-
	REFLECTION LENS	-
	BATTERY	CR123A (2)
	BATTERY LIFE	2 Hours
	MATERIAL	High-Impact Polymer
	COLOR	Black
	WEIGHT (WITH BATTERY & MOUNT) (OZ.)	6.5
	DIMENSIONS (IN.) (LxWxH)	6.75 x 1.55 x 1.95
	TEMPERATURE RANGE	-40° C to +65° C
	WATERPROOF	Submersible to 5 m
	MOUNT	MIL-STD-1913/ Picatinny rail
	ACTIVATION SWITCH	Integrated Push Button
	REMOTE CABLE PRESSURE PAD	Optional
	LOW BATTERY INDICATOR	-
	WARRANTY	2-Year
	SPECIAL FEATURES	Includes Weapon Mount
	MSRP PRICE	$774.99

Illuminators

		MBS-AA Borelight 9090
LASER TYPE	VISIBLE RED OR GREEN	Red - Class IIIa
	IR LASER POINTER	-
	IR LASER ILLUMINATOR	-
POWER OUTPUT	VISIBLE RED / GREEN LASER	<5 mW
	IR LASER POINTER	-
	IR LASER ILLUMINATOR	-
	WHITE LIGHT	-
WAVELENGTH	VISIBLE RED LASER	635 nm
	VISIBLE GREEN LASER	-
	IR LASER POINTER	-
	IR LASER ILLUMINATOR	-
BEAM DIVERGENCE	VISIBLE LASER	<0.8 mRad
	IR LASER POINTER	-
	IR LED ILLUMINATOR	-
	WHITE LIGHT	-
RANGE/VISIBILITY (NIGHT/DAY)* RANGE MAY VARY DEPENDING ON LIGHT CONDITIONS.	VISIBLE RED LASER	250 m
	VISIBLE GREEN LASER	-
	IR LASER POINTER	-
	IR LASER ILLUMINATOR	-
	WHITE LIGHT	-
	TEMPERATURE	-40° C to +65° C
	BATTERY	AA
	BATTERY LIFE (MODE DEPENDENT)	8 Hours
	MATERIAL	Aircraft Aluminum
	COLOR	Black
	WEIGHT (WITH BATTERY) (OZ.)	5.4
	DIMENSIONS (IN.) (LxWxH)	9.25 (L)
	WATERPROOF	Submersible to 3 m
	MOUNT	Stainless Steel Bore Rod (2)
	WINDAGE & ELEVATION ADJUSTMENT	Yes
	ACTIVATION SWITCH	Rotary Switch
	REMOTE CABLE PRESSURE PAD	Yes
	WARRANTY	2-Year
	MSRP PRICE	$425.99

STEINER EOPTICS 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase.

The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties

STEINER
Nothing Escapes You

NIGHT VISION

SUPERIOR AWARENESS NO MATTER WHEN OR WHERE

OBSERVE, ASSESS, COMMUNICATE AND NAVIGATE WITH THE MOST CAPABLE BATTLEFIELD IMAGING SYSTEM EVER CREATED.

AN/PVS-21 OVERALL FEATURES

- LOW-PROFILE, SEE-THROUGH TECHNOLOGY
- SEE-THROUGH OPTICS INSTANTLY TRANSITION TO BRIGHT LIGHT
- LARGE, UN-INTENSIFIED FIELD-OF-VIEW FOR IMPROVED DEPTH PERCEPTION AND CQB CAPABILITY
- ELIMINATES VERTIGO AND TUNNEL VISION ASSOCIATED WITH CONVENTIONAL SYSTEMS
- ENHANCED SITUATIONAL AWARENESS WITH SENSOR INTEGRATION

MADE IN USA

AN/PVS-21

The AN/PVS-21 Low Profile Night Vision Goggle offers sensor Integration, low-profile see-through technology. This versatile design adapts to any mission or environment, whether in the air, on land and in the water.

ITEM NO. 9210 | UPC 000381892102

CEHUD CONFORMAL ENHANCED HEADS UP DISPLAY

A lightweight, compact and ruggedized HUD that is day or night capable. Designed for use with the AN/PVS-21 LPNV Goggle, Model 2740 Monocular and Model 2758 Dayviewer. Accepts SVGA/VGA format color video signals or NTSC/PAL black & white video signals. Fingertip adjustment of power, brightness, contrast and diopter adjustment

ITEM NO. 9241 | UPC 000381892416

COTM CLIP ON THERMAL MODULE

The COTM injects its thermal imagery directly onto the eyepiece of the AN/PVS-21 LPNVG so the thermal image retains its black and white color for instant spectral-band differentiation by the operator. The COTM can also be used as a full-color capable Heads Up Display. SVGA, VGA, NTSC or PAL external video sources can be optically overlaid onto the I2 night vision scene of the AN/PVS-21 LPNV for greater situational awareness. Functions as a full-color SVGA heads-up display. Instantly switches between internal thermal imagery to external video sources (weapon sight, maps, UAV video feeds, navigation or communications.

ITEM NO. 9240 | UPC 000381892409

MODEL 2740

LOW PROFILE NIGHT VISION MONOCULAR

Retains all the core features of the AN/PVS-21 LPNVG while keeping one of the operator's eyes free from other tasks.

ITEM NO. 9211 | UPC 000381892119

Rugged design makes it ideal for high-speed vehicle operation, parachute jumps and aggressive use over rough terrain

Reduced center of gravity for great comfort and extended wear

Large, un-intensified field-of-view for improved depth perception and CQB capability

SPECIFICATIONS

	AN/PVS-21	CEHUD	COTM	MODEL 2740
PHYSICAL FEATURES				
ADJUSTMENTS:	Tilt - 14˚ on the goggle IPD - 55 mm to 8mm	Tilt - 14˚ on the goggle IPD - 55 mm to 8mm	-	Tilt - 14˚ on the goggle IPD - 55 mm to 8mm
WEIGHT:	760 grams / 26.8 ounces	Display Module - 44 grams / 2.5 ounces Helmet-Mounted Power Module - 250 grams / 8.8 ounces Vest/Pocket Power Module - 250 grams / 8.8 ounces	170 grams 6 ounces	440 grams 15.5 ounces
AUXILIARY ILLUMINATION SOURCE:	Two IR LEDs - Off/Low/High	-	-	IR LED - Off/Low/High
POWER:	AA battery 1.5-3.6V alkaline or lithium	(4) AA batteries	(4) CR 123	AA batteries 1.5-3.6V alkaline or lithium
MOUNTS:	Precision, quick-release mounting on helmets and head harnesses. Integrated HUD port for sensor integration	Precision, quick-release mounting on helmets and head harnesses. Integrated HUD port for sensor integration. Vest/Pocket Power Module - 76mm x 146mm x 39mm	-	Precision, quick-release mounting on helmets and head harnesses. Integrated HUD port for sensor integration.
OPTICAL PERFORMANCE				
DISPLAY	-	Color capable SVGA	-	-
UNAIDED FOV:	165˚ horizontal and 90˚ verticle	-		165˚ horizontal and 90˚ verticle
OBJECTIVE FOCUS:	33 cm to infinity	-	Fixed from 5 meters to infinity	33 cm to infinity
EXIT PUPIL	10 mm on axis	-		10 mm on axis
EYE RELIEF	15 mm	-		15 mm
THERMAL CAMERA SPECTRUM	-	-	8 to 12 µm	
ENVIRONMENTAL				
OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 52°C (126°F)	-30°C (-22°F) to 52°C (126°F)	-30°C (-22°F) to 60°C (140°F)	-30°C (-22°F) to 52°C (126°F)
STORAGE TEMPERATURE RANGE:	-52°C (-67°F) to 65°C (149°F)	-40°C (-40°F) to 65°C (149°F)	-40°C (-40°F) to 65°C (149°F)	-55°C (-65°F)
WATERPROOF:	3 meter standard, 10 meter optional	Up to 10 meters	Waterproof to 3 meters	3 meter standard, 10 meter optional
MSRP	$22,999.99	$7,244.99	$14,399.99	$10,199.99

REFOCUS LENS

UNIVERSAL REFOCUS FLIP LENS

ANGULAR FIELD OF VIEW:	30˚
FOCUS RANGE:	~20 in. to 24 in.
APPLICATIONS:	AN/PVS -7,-14,15,18,-23, AN/AVS-6,-9
DIMENSIONS:	41mm (1.6in) x 54 mm (2.1 in.) x 19 mm (0.75 in.)
WEIGHT:	10.5g (0.4 ounces)
MSRP	$88.99

AN/PVS-21 REFOCUS FLIP LENS

ANGULAR FIELD OF VIEW:	30˚
FOCUS RANGE:	~20 in. to 24 in.
APPLICATIONS:	AN/PVS-21
DIMENSIONS:	48mm (1.7in) x 45 mm (1.7 in.) X 30mm (1.2 in.)
WEIGHT:	12 g (0.5 ounces)
MSRP	$103.49

UNIVERSAL REFOCUS FLIP LENS

This lens allows the operator to perform momentary close-in tasks such as map-reading or weapon clearing. The operator can then instantly return the NVG to infinity by flipping the lens back

ITEM NO. 9431 | UPC 000381894137

AN/PVS-21 REFOCUS FLIP LENS

This lens allows the operator to perform momentary close-in tasks such as map-reading or weapon clearing. The operator can then instantly return the NVG to infinity by flipping the lens back

ITEM NO. 9412 | UPC 000381894120

NOVA

MULTI-SPECTRAL COMBAT IDENTIFICATION BEACON

THE NOVA BEACON IS A MULTI-SPECTRAL COMBAT ID BEACON WITH THERMAL, NIR AND WHITE LED EMITTERS THAT COVERTLY MARKS BLUE FORCE PERSONNEL AND VEHICLES.

NOVA

The NOVA Beacon is a multi-spectral combat ID beacon with thermal, NIR and white LED emitters that covertly marks blue force personnel and vehicles. In thermal mode, THE NOVA BEACON emits no visible signature and is undetectable by conventional night vision. The operator can easily set up the NOVA for NIR, thermal, visible white light or combinations of thermal and NIR.

NOVA OVERALL FEATURES

- POSITIVE ID OF BLUE FORCE ASSETS FROM AIR AND GROUND THERMAL IMAGING SYSTEMS, TARGETING SYSTEMS AND NVGS
- SIX EMITTER LOCATIONS CAN BE EQUIPPED WITH ANY COMBINATION OF EMITTERS
- MULTIPLE NOVA BEACONS CAN BE SYNCHRONIZED TO FLASH IN UNISON
- FLASH PATTERN IS PROGRAMMABLE TO ASSIST IN IDENTIFICATION OF MULTIPLE USERS AND TEAMS
- COMPLETELY SELF-CONTAINED. CAN BE USED ON A HELMET, MOLLE VEST, PACK OR VEHICLE

MADE IN USA

ITEM NO. 9310 (VIS NIR MWIR) | UPC 000381893109
ITEM NO. 9311 (NIR MWIR SWIR) | UPC 000381893116

SPECIFICATIONS

NOVA BEACON

PHYSICAL FEATURES	
BATTERIES:	(2) CR 123
RUN TIME:	NIR ~ 24 hours Thermal ~10-12 hours NIR and Thermal ~ 8 hours White Light ~ 4 hours
DIMENSIONS:	2.5 x 2.43 x 1.0 inches
WEIGHT:	116 grams / 4.1 ounce

OPTICAL PERFORMANCE	
WAVELENGTH:	880 nm, 3-5 µm
MAXIMUM OPTICAL POWER:	880 nm ~ 320 mW 3-5 µm ~ 350 nm
MAXIMUM LUMINOUS FLUX:	(White) – 80 lumens
OPTICAL DIVERGENCE:	NIR - 132° FWHM Thermal - 100° FWHM (horizontal and vertical) Visible - 115° FWHM

ENVIRONMENTAL	
OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 52°C (126°F)
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 65°C (149°F)
SUBMERSIBLE:	3 meters for 30 min.

NORTH STAR

COMBAT IDENTIFICATION BEACON

THE NORTH STAR IS A MINIATURE BEACON THAT CAN BE USED TO COVERTLY MARK PERSONNEL, VEHICLES OR OTHER HARD TARGETS FOR COMBAT ID/IFF, OR FOR TAGGING AND TRACKING.

NORTH STAR

The North Star beacon has a small profile ideal for covertly marking blue force personnel, vehicle, drop zones and landing zones. It's On-board microprocessor can be factory programmed for custom flash patterns. It is powered by a single CR 123 battery.

ITEM NO. 9312 (MWIR) | UPC 000381893123
ITEM NO. 9313 (SWIR) | UPC 000381893130

NORTH STAR OVERALL FEATURES

- TAG AND TRACK RED FORCE PERSONNEL AND ASSETS IN RURAL AND URBAN ENVIRONMENTS
- HIGH OPTICAL OUTPUT AND SYNCHRONOUS FLASHING ENSURE LONG-RANGE VISIBILITY IN LOW LIGHT AND NO LIGHT SITUATIONS
- OFFERS SEVERAL ATTACHMENT OPTIONS: SPRING CLIP, TIE DOWN TABS AND NEODYMIUM MAGNETS

The high optical output produces excellent thermal visibility at long range in low-light and no light environments.

SPECIFICATIONS

NORTH STAR BEACON

PHYSICAL FEATURES	
BATTERIES:	(2) CR 123 lithium battery
RUN TIME:	- 880 nm - 15 hours - 3-5 µm - 150 mW
DIMENSIONS:	2.1 x 1.0 x 0.8 inches
WEIGHT:	49 grams / 1.7 ounce
OPTICAL PERFORMANCE	
WAVELENGTH:	880 nm, 3-5 µm
MAXIMUM OPTICAL POWER:	880 nm ~ 385 mW 3-5 µm - 130 nm
MAXIMUM LUMINOUS FLUX:	(White) – 80 lumens
OPTICAL DIVERGENCE:	- 880 nm - 128˚ FWHM - 3-5 µm - 100˚ FWHM
ENVIRONMENTAL	
OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 52°C (126°F
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 65°C (149°F)
SUBMERSIBLE:	1 meter for 30 min.

STEINER
Nothing Escapes You

MCID

MULTI-SPECTRAL ID BEACON

THE TRI-BAND MCID IS A MULTI-SPECTRAL COMBAT ID BEACON FOR COVERTLY MARKING BLUE FORCE PERSONNEL AND VEHICLES.

MCID OVERALL FEATURES

- MWIR DETECTABLE AT NIGHT AT RANGES UP TO 5-8 NM BY TYPICAL AIRCRAFT IMAGING PODS
- COVERT OPS - THERMAL AND SWIR MODES ARE UNDETECTABLE BY EYE, NVGS AND COMMERCIAL CAMERAS
- LOW-PROFILE TOGGLE SWITCHES PROVIDE INDIVIDUAL CONTROL OF THERMAL, SWIR AND NIR EMITTERS
- HIGH OPTICAL OUTPUT POWER - CLASS I - EYE SAFE
- POWERED BY (3) CR 123 BATTERIES
- HEMISPHERICAL LIGHT DISTRIBUTION FOR VISIBILITY FROM ALL DIRECTIONS
- MULTIPLE MCIDS CAN BE SYNCHRONIZED TO FLASH IN UNISON AND CAN BE PROGRAMMED FOR CUSTOM FLASH PATTERNS AND POWER OUTPUT

The palm-sized MCID has a low-profile lightweight design that matches the curve of the helmet.

MADE IN USA

MCID

With it's low-profile design, the MCID matches the shape of a helmet for secure attachment and can also be mounted to MOLLE vests, packs or vehicles. Versions are available with mid-wave infrared (MWIR), near infrared (NIR) and short wave infrared (SWIR) or MWIR, NIR and Visible (VIS).

ITEM NO. 9315 (NIR MWIR SWIR) | UPC 000381893154
ITEM NO. 9316 (VIS NIR MWIR) | UPC 000381893161

SPECIFICATIONS

MCID

PHYSICAL FEATURES

BATTERIES:	(3) CR 123
RUN TIME:	4.5 to 14 hours
DIMENSIONS:	9.5 x 7.5 x 3.8 cm
WEIGHT:	235 grams / 8.3 ounces

OPTICAL PERFORMANCE

WAVELENGTH:	VIS (white) / NIR (880nM) / MWIR (3 to 5 µm)
IN-BAND OPTICAL POWER:	White - 240 Lumens total 880 nm - 960 mW 3-4 µm ~ 1,370 mW
OPTICAL DIVERGENCE:	Greater than hemispherical: 360˚ azimuth x 200˚ elevation
DETECTABLE RANGE:	(nighttime MWIR LITENING targeting pod) - 5 to 8 km

ENVIRONMENTAL

OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 60°C (140°F)
WATERPROOF:	Dust and Waterproof (10 meters immersion for 30 minutes)

STAR BEACON

THERMAL IFF BEACON

THE STAR BEACON IS A STATE OF THE ART THERMAL IFF BEACON THAT IS UNDETECTABLE BY THE NAKED EYE, NIGHT VISION GOGGLES OR COMMERCIAL VIDEO CAMERAS.

STAR BEACON OVERALL FEATURES

- POSITIVE ID OF BLUE FORCE ASSETS FROM AIR AND GROUND THERMAL IMAGING SYSTEMS
- MULTIPLE STAR BEACONS CAN BE SYNCHRONIZED TO FLASH IN UNISON
- BATTERY PACK WITH SIX CR123 BATTERIES PROVIDES A MINIMUM OF 5 HOURS OF CONTINUOUS USE.
- EXTERNAL POWER CONNECTOR FOR 12 TO 32 VOLTS DC.
- FULL HEMISPHERICAL DIVERGENCE FOR VISIBILITY FROM HORIZON TO ZENITH

Star Off

Star On

STAR BEACON

The STAR Beacon is a state of the art thermal IFF beacon that is undetectable by the naked eye, night vision goggles or commercial video cameras. IT IS VISIBLE TO MWIR targeting pods for up to 8 nautical miles (15 km). Small with a low-profile that easily mounts to helmets and vehicles.

ITEM NO. 9314 | UPC 000381893147

SPECIFICATIONS

STAR BEACON

PHYSICAL FEATURES	
BATTERIES:	(2) CR 123 lithium battery
RUN TIME:	- 880 nm - 15 hours - 3-5 µm - 150 mW
DIMENSIONS:	2.1 x 1.0 x 0.8 inches
WEIGHT:	49 grams / 1.7 ounce
OPTICAL PERFORMANCE	
WAVELENGTH:	880 nm, 3-5 µm
MAXIMUM OPTICAL POWER:	880 nm ~ 385 mW 3-5 µm - 130 nm
MAXIMUM LUMINOUS FLUX:	(White) – 80 lumens
OPTICAL DIVERGENCE:	- 880 nm - 128° FWHM - 3-5 µm - 100° FWHM
ENVIRONMENTAL	
OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 52°C (126°F
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 65°C (149°F)
SUBMERSIBLE:	1 meter for 30 min.

STEINER
Nothing Escapes You

AIRFIELD BEACON

COMPACT REMOTELY TRIGGERED BEACON

THE AIRFIELD BEACON IS A COMPACT, REMOTELY TRIGGERED BEACON DESIGNED FOR MARKING COVERT AIRSTRIPS AND LANDING ZONES.

AIRFIELD BEACON OVERALL FEATURES

- EVERY BEACON DOUBLES AS A TRANSMITTER, CAPABLE OF TRIGGERING ANY OTHER BEACON
- IT CAN BE EQUIPPED WITH A VARIETY OF EMITTERS IN THE VISIBLE AND NEAR IR WAVEBANDS
- THREE OPERATING MODES: CONTINUOUS AT MEDIUM POWER CONTINUOUS AT HIGH POWER AND 1 HZ FLASHING AT HIGH POWER
- MODES ARE EASILY PROGRAMMED BY USB AND FLASH PATTERNS CAN BE CUSTOMIZED
- HEMISPHERICAL LIGHT DISTRIBUTION FOR VISIBILITY FROM ALL DIRECTIONS
- WEATHERPROOF AND SHOCK RESISTANT

AIRFIELD BEACON

The Airfield Beacon's UHF transceiver is programmed with seven discrete channels and can be remotely activated from up to 6km away. With standard night vision goggles it can be detected from 15 km. The "All" setting lets the operator turn on every beacon regardless of channel. Beacons can be placed on the ground or attached to stakes with internal magnets

ITEM NO. 9317 (Backpack kit of 10) | UPC 000381893178
ITEM NO. 9318 (Individual) | UPC 000381893185

Beacons can be placed on the ground, or attached to stakes using their internalmagnets for better visibility.

The Airfield beacons uses a UHF transceiver programmed with seven discrete channels. There are three modes: continuous at medium power; continuous at high power and 1 Hz flashing on high power.

The modes can be programmed with a USB port. The user can customize flash patterns.

MADE IN USA

AIRFIELD BEACON KITS INCLUDE:

- 10 Airfield Beacons
- Elevation Pole Top Plate (1 per pole)
- 3-Piece Elevation Pole (1 per beacon)(each pole is 12")
- Elevation Pole Tip (1 per pole)
- Ground Stake (2 per beacon)
- Beacon Kit Back Pack
- Operation Manual
- Beacon Kit Mallet (1 per Beacon Kit)
- Beacon Kit Extra Antenna (2 per Beacon Kit)
- Beacon Kit Extra Emitter Window (1 per Beacon Kit)

SPECIFICATIONS

AIRFIELD BEACON

PHYSICAL FEATURES

BATTERIES:	Four (4) CR123 Batteries
DIMENSIONS:	9.5 x 8.1 x 4.8 cm
WEIGHT:	500 grams / 17.6 ounces
NUMBER OF EMITTERS:	9 (3 of each wavelength)

ENVIRONMENTAL

OPERATING TEMPERATURE RANGE:	-30°C (-22°F) to 70°C (158°F)
STORAGE TEMPERATURE RANGE:	-40°C (-40°F) to 80°C (176°F)
WATERPROOF:	IP68 Rating

STEINER ACCESSORIES

FOR YOUR SCOPE

GET THE PROPER ACCESSORIES TO MAXIMIZE THE EFFECTIVENESS OF YOUR STEINER RIFLESCOPE

ANTI-REFLECTION DEVICES (ARD)

Steiner ARDs reduce up to 100% of reflection or "glint" from objective lenses with their honeycomb pattern. Available for M-Series binoculars and M5Xi riflescopes.

ITEM NO. 5901 (3-15X50MM M5XI) | UPC 000381859013
ITEM NO. 5902 (5-25X56MM M5XI) | UPC 000381859020

SUNSHADES

Steiner sunshades help reduce glare and sun reflections off riflescope objective lenses. The black anodized sunshades can be easily attached by screwing onto the objective housing. Available for M5Xi Military riflescopes.

ITEM NO. 5903 (3-15X50MM M5XI) | UPC 000381859037
ITEM NO. 5904 (5-25X56MM M5XI) | UPC 000381859044

THROW LEVER T5Xi / P4Xi

Designed for fast and easy magnification changes from any shooting position with a simple push or pull on the lever. Easy to attach without modifying the power ring.

ITEM NO. 5927 | UPC 000381859273

RIFLE SLINGS

Premium leather or durable nylon web rifle slings firmly attach to your favorite rifle for comfortable carry in the field or on the range.

ITEM NO. 7611 (BROWN LEATHER) | UPC 000381876119
ITEM NO. 7612 (BLACK NYLON) | UPC 000381876126

SCOPE COVERS

Scopecoat scope covers are designed to fit Steiner scopes for maximum protection of your Steiner Optic. High quality neoprene/nylon laminate will protect your optic from dust, dirt, dings, scratches, and moisture. Elongated sides allow complete coverage for your turrets.

ITEM NO. 7701 (SCOPE COVER 10.0" X 50MM)
UPC 000381877017
ITEM NO. 7702 (SCOPE COVER 12.5" X 42MM)
UPC 000381877024
ITEM NO. 7703 (SCOPE COVER 15.5" X 60MM)
UPC 000381877031

STEINER
Nothing Escapes You

FOR YOUR BINOCULARS

ADD MORE CONVENIENCE AND COMFORT TO YOUR STEINER BINOCULARS WITH THESE FINE ACCESSORIES

CLICLOC® BODY HARNESS SYSTEM

Permits hands-free binocular carry. Raise the binocular to your eyes for quick viewing; return it to your chest when done. Binocular is securely attached to the adjustable harness, and has removable quick-release buckles.

ITEM NO. 769
(fits all models, except compacts)

FLOAT STRAP

Padded in a visible yellow, long-lasting waterproof jacket, the Steiner marine binocular Float Strap with ClicLoc® adapts to most marine binoculars and many others.

ITEM NO. 7680/3
(fits Navigator Pro, Commander and Global Commander 7x50 models)
ITEM NO. 7680/4
(fits Navigator Pro 7x30 model only)

BINOCULAR CASES

Protect your binocular and transport it easily with a stylish Steiner binocular case.

ITEM NO. 605 (PORRO, SHORT BARREL: 8X30, 6X30, 7X35, 7X30)
ITEM NO. 606 (PORRO, SHORT BARREL: 7X50, 10X50)
ITEM NO. 609 (PORRO, LONG BARREL: 7X50, 8X56, 10X50, 12X56)
ITEM NO. 610 (PORRO, LONG BARREL: 9X40, 10X40, 12X40)
ITEM NO. 612 (DELUXE BINOCULAR CASE: 30MM PORRO)
ITEM NO. 613 (DELUXE BINOCULAR CASE: 42MM ROOF)
ITEM NO. 977 (BLUE; PORRO, SHORT BARREL: 8X30, 7X30)
ITEM NO. 978 (CAMO GEAR BAG: 15X80, 20X80)

ANTI-REFLECTION DEVICES (ARD)

Steiner ARDs reduce up to 100% of reflection or "glint" from objective lenses with their honeycomb pattern. Available for M-Series binoculars and M5Xi riflescopes.

ITEM NO. 730 (8X30/6X30/7X35/7X30 PORRO)
ITEM NO. 750 (7X50 AND 10X50 PORRO)

STEINER
Nothing Escapes You

BRANDED APPAREL

SHOWCASE YOUR STEINER PRIDE WITH OUR QUALITY LINE OF BRANDED APPAREL.

LONG-SLEEVE STEINER SHIRT

Royal Blue with the Steiner logo proudly displayed on chest and sleeve. Shirt works great for men or women (men's sizing). The Gildan Performance fabric makes this a shirt that actually works.

$26.99

STEINER BINO VIEW SHIRT

Short sleeve shirt with the stylized logo design showing the view of our very own Colorado mountains as seen through Steiner binoculars. Navy blue tri-blend fabric

$19.95

STEINER NAVIGATOR LONG-SLEEVE

This shirt is designed to remind you to get out there and explore your world. Grey long sleeve shirt made with Sport Tek fabric for real performance.

$29.99

STEINER SOFTBALL TEAM SHIRT

The official shirt of the hopeless Steiner softball team. Classic casual design is perfect for the best lazy days. Sport-Tek cotton fabric for long wear and colorfast printing.

$24.99

STEINER BRANDED HATS

Steiner offers a variety of branded hats to suit any need or activity.

BLACK STEINER BALL CAP - ROUND BILL
$14.99

BLACK STEINER BALL CAP - FLAT BILL
$19.99

BLAZE ORANGE CAP
$19.99

BLUE MESH TRUCKER CAP
$14.99

GREY TACTICAL CAP
$14.99

WATCH CAP
$12.00

To see the complete line or order go to **store.steiner-optics.com**

STEINER
Nothing Escapes You

Commercial Sales

Please call
STEINER DEALER SUPPORT

Tel: 970-356-1670
Toll Free: 888-228-7747

Specialty Electronics Rep Group

FOTO'S FINEST | Brian Oshrin
SPECIALTY ELECTRONICS

Tel: 631-928-8080
Fax: 631-928-8001

Law Enforcement and Public Safety Rep Groups

ELITE OUTDOOR SPORTS
Tel: 517-420-2212

PERPETUAL MARKETING
Tel: 757-288-6604



The Steiner Heritage™ Warranty means we stand behind our products. Over half a century of experience building rugged and reliable, mil-spec product and supplying them to armed forces all around the world allows us to have this kind of confidence. We at Steiner are totally committed to the very highest standards of quality, dependability, and most of all customer satisfaction. Our Heritage™ Warranty assures you of that commitment.

HERITAGE WARRANTY GENERATION TO GENERATION

STEINER HERITAGE™ WARRANTY – FOR THE LIFE OF THE PRODUCT

Covers Binoculars, Riflescopes, Rings, and Mounts.

Valid in U.S. and Canada only on items manufactured since 2014.

Products manufactured prior to 2014 are covered by the warranty as stated on the original packaging. For warrantires in other countries, please visit www.Steiner.de

We will repair or replace the product at no charge to you. The Steiner Heritage Warranty does not cover loss, theft, deliberate damage or cosmetic damage that does not hinder the performance of the product.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Excludes electronic components which are covered by a 3-year warranty
- Excludes accessories.

To register your product online, visit the Binoculars and Riflescopes Warranty Registration page at
https://www.steiner-optics.com/optics-product-registration

STEINER 2-YEAR WARRANTY

Covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights.

Valid in U.S. and Canada only.
For warranties in other countries,
please visit www.Steiner.de

For 2 years from the date of purchase, this warranty covers all laser, optical and electrical components, materials and workmanship.

Warranty is void if the product has been abused, misused, neglected, or disassembled prior to the return to the manufacturer.

To register your product online, visit the Laser Devices and Battle Lights Warranty Registration page.
https://www.steiner-optics.com/optics-product-registration

CUSTOMER SERVICE

Your Steiner optics are backed by a commitment to optimum performance and your complete satisfaction – today, every day, for generations to come. Any questions or concerns will be quickly addressed by experts at our national headquarters in Greeley, Colorado. Just call us at **970-356-1670 (888-228-7747 toll-free)** Monday through Friday from 8:00 AM to 5:00 PM MST. Or, email us at **info@steiner-optics.com**. To post ideas, comments or suggestions, go to our Facebook page. We always welcome your input.

STEINER
Nothing Escapes You

BDT

BERETTA Benelli sako STEINER

Firearms | Optics | Ammunition
Tactical Equipment | Accessories | Uniforms

A strategic alliance of defense companies focused on providing integrated systems for our Warfighter.

BDT. Your First Line of Defense.

www.BerettaDefenseTechnologies.com

STEINER-OPTICS.COM

UNITED STATES
STEINER-OPTICS
1015 39th Avenue
Greeley, CO 80634
Tel: 970-356-1670
Toll free: 888-228-7747
Fax: 970-356-8702

CANADA
Stoeger Canada Ltd.
Unit 1, 1801 Wentworth St.
Whitby, V1N 8R6
Tel: 905-436-9077
Toll free: 800-263-1945
Fax: 905-436-9079

BERETTA HOLDING

Certified to ISO 9001:2008

© 2018 Printed in USA

Item No. 911